

ThermoChimie

Technical report

Bibliography

J. Rodríguez, D. Pérez, and E. Colàs (Amphos 21)



The ThermoChimie database was first developed in 1995 by Andra, the French national radioactive waste management agency. They have since been joined by Nuclear Waste Services (NWS) from the UK, and ONDRAF/NIRAS from Belgium.

ThermoChimie provides an accurate and consistent set of data specifically chosen for use in modelling the behaviour of radionuclides in waste packages, engineered barriers, and both the near surface and deep geosphere. The database can be used to model the speciation and solubility of a wide range of stable and radioactive elements, organics, and solid phases including cements, clay minerals and degradation products (such as zeolites). The database is suitable for use within the range of conditions expected in both near-surface and geological disposal facilities: pH 6-14, ionic strength up to SIT, Eh within the stability fields of water, and temperatures from 15 to 80°C.

ThermoChimie is intended for use across the radioactive waste management community, to support repository performance assessment, research and development activities and decision making. To maximise their utility the data are therefore provided in formats suitable for use with common geochemical modelling codes. The database can be viewed and downloaded from the project website: <https://www.thermochimie-tdb.com/>, where additional information and supporting documents are also available.

The present report (July 2022) contains a list of bibliography (references) associated to ThermoChimie development.



Code	Reference
99AAS/STE	AAS, W., STEINLE, E., FANGHÄNEL, T. & KIM, J. I. 1999. Thermodynamics of Cm(III) in concentrated electrolyte solutions. Fluoride complexation in 0-5 m NaCl at 25°C. Radiochim. Acta, 84 85-88.
98AAS/MOU	Aas, W., Moukhamet-Galeev, A., Grenthe, I. 1998. Complex formation in the ternary U(VI)-F-L system (L= Carbonate, oxalate and picolinate), Radiochim. Acta, 82, 77-82.
98ABD/LUT	ABDELOUAS, A., LUTZE, W. & NUTTALL, E. 1998. Chemical reactions of uranium in ground water at a mill tailings site. Journal of Contaminant Hydrology, 34, 343-361.
82ABD/THO	ABDUL-SAMAD, F. A., THOMAS, J. H., WILLIAMS, P. A. & SYMES, R. F. 1982. Chemistry of formation of lanarkite, Pb ₂ OSO ₄ . Miner. Mag., 46 499-501.
84ABR	ABRAHAM, M. H. 1984. Thermodynamics of solution of homologous series of solutes in water. J. Chem. Soc., Faraday Trans. , 80, 153-181.
64ACH	Achenza, F. (1964). Hydrolysis of the Cu ⁺⁺ ion. Ann. Chim. (Rome), 54, 240-245.
64ADA/KIN	ADAMI, L. H. & KING, E. G. 1964. Heats of formation of anhydrous sulfates of cadmium, cobalt, copper, nickel, and zinc U.S. Bur. Mines Rept. Inv.
63ADA/KEL	Adami, L. H. and Kelley, K. K. 1963. Heats of formation of two crystalline hydrates of ferrous sulfate, U.S. Bur. Mines, Report Inv. 6260, 7 pp.
60ADA/SMI	ADAMS, A. & SMITH, T. D. 1960. The formation and photochemical oxidation of uranium(IV) citrate complexes. J. Chem. Soc, 4846-4850.
39ADE	ADELL, B. 1939. Über die elektrolytische Dissociation von Dicarbonsäuren in Wasser und in wässrigen Alkalischlidlösungen. Z. Phys. Chem., A185, 161.
94AHO/ERV	AHONEN, L., ERVANNE, H., JAAKKOLA, T. & BLOMQVIST, R. 1994. Redox Chemistry in Uranium-rich Groundwater of Palmottu Uranium Disposit, Finland. Radiochim. Acta, 66-67, 115-121.
74AHR/BOV	AHRLAND, S. & BOVIN, J. 1974. The complex formation of antimony(III) in perchloric acid and nitric acid solutions. A solubility study. Acta Chem. Scand, A28 1089.
71AHR/KUL	AHRLAND, S. & KULLBERG, L. 1971. Thermodynamics of metal complex formation in aqueous solution. III. A calorimetric study of hydrogen sulphate and uranium(VI) sulphate, acetate, and thiocyanate complexes. Acta Chem. Scand., 25 3677-3691.
51AHR	AHRLAND, S. 1951. On the complex chemistry of the uranyl ion. IV. The complexity of uranyl acetate. Acta Chem. Scand., 5 199-219.
70AHR/RAW	Ahrland, S. and Rawsthorne, J. (1970) The stability of metal halide complexes in aqueous solution. VII. The chloride complexes of copper(I). Acta Chem. Scand., 24,157-172.
77AHR/TAG	Ahrland, S. and Tagesson, B. (1977) Thermodynamics of metal complex formation in aqueous solution. XII. Equilibrium measurements on the copper(I) bromide, iodide and thiocyanate systems. Acta Chem. Scand., A31, 615-624.
90AHR/HEF	AHRLAND, S., HEFTER, G. & NORÉN, B. 1990. A calorimetric study of the mononuclear fluoride complexes of zirconium (IV), hafnium (IV) thorium (IV) and uranium (IV). Acta Chem. Scand., 44 1-7.
63AHR/KAR	AHRLAND, S., KARIPIDES, D. & NOREN, B. 1963. The fluoride and sulphate complexes of zirconium (IV). Acta Chemica Scandinavica (Denmark) Divided into Acta Chem. Scand., Ser. A and Ser. B, 17 411-424.

73AHR/LIL	AHRLAND, S., LILJENZIN, J. O. & RYDBERG, J. 1973. Solution chemistry (of the actinides). Comprehensive Inorganic Chemistry Pergamon Press
02AJA/DAR	AJA, S. U. & DARBY DYAR, M. 2002. The stability of Fe–Mg chlorites in hydrothermal solutions—I. Results of experimental investigations. Applied Geochemistry, 17, 1219-1239.
91AJA	AJA, S. U. 1991. Illite equilibria in solutions: III. A re-interpretation of the data of Sass et al. (1987). Geochimica et Cosmochimica Acta, 55, 3431-3435.
91AJA/ROS	AJA, S. U., ROSENBERG, P. E. & KITTRICK, J. A. 1991. Illite equilibria in solutions: I. Phase relationships in the system $K_2O-Al_2O_3-SiO_2-H_2O$ between 25 and 250°C. Geochimica et Cosmochimica Acta, 55, 1353-1364.
95AJA/WOO	AJA, S., WOOD, S. & WILLIAM-JONES, A. E. 1995. The aqueous geochemistry of Zr and the solubility of some Zr-bearing minerals. Applied Geochemistry, 10 603-620.
67AKH/BUK	Akhmetov, K.M., Buketov, E.A. and Ugorets, M.I. (1967) Tr. Khim. Metall. Inst. Akad. Nauk Kaz. SSR, 3, 119-128
99AKI/ZOT	AKINFIEV, N. & ZOTOV, A. 1999. Thermodynamic description of equilibria in mixed fluids (H ₂ O-non-polar gas) over a wide range of temperature (25–700°C) and pressure (1–5000 bars). Geochimica et Cosmochimica Acta, 63, 2025-2041.
01AKI/ZOT	AKINFIEV, N. N. & ZOTOV, A. V. 2001. Thermodynamic description of chloride, hydrosulphide, and hydroxide complexes of Ag(I), Cu(I), and Au(I) at temperatures of 25–500 °C and pressures of 1–2000 bar. Geochemistry International, 39, 990-1006.
94AKI/ZOT	AKINIFIYEV, N. N., ZOTOV, A. V. & SHIKINA, N. D. 1994. Experimental studies and self-consistent thermodynamic data in the Sb(III)-S(II)-O-H system. Geochem. Intern., 31 27.
95AKR/BOU	AKRAM, N. & BOURBON, X. 1995. Analyse critique de données thermodynamiques: pouvoir complexant de l'EDTA, du NTA, du citrate et de l'oxalate vis a vis de cations métalliques Andra.
63AKS	AKSELRUD, N. V. 1963. Hydroxide chlorides and hydroxides of elements of the scandium subgroup and of the lanthanides. Russ. Chem. Rev., 32 353-366.
50AKS/FIA	Akselrud, N. V.; Fialkov, Ya. A. (1950) Ukrain. Khim. Zh., 16, 28.
96ALA/WHI	ALAE, M., WHITTAL, R. M. & STRACHAN, W. M. J. 1996. The effect of water temperature and composition on Henry's law constant for various PAH's. Chemosphere, 32, 1153-1164.
95ALB/BAR	ALBERTSSON, A.-C., BARENSTEDT, C., KARLSSON, S. & LINDBERG, T. 1995. Degradation product pattern and morphology changes as means to differentiate abiotically and biotically aged degradable polyethylene. Polymer, 36, 3075-3083.
05ALB/ALT	ALBRECHT, A., ALTMANN, S., BUSCHAERT, S., COELHO, D., GALLERAND, M. O., GIFFAUT, E. & LECLERC-CESSAC, E. 2005. Dossier 2005 Argile. Référentiel du comportement des radionuclides et des toxiques chimiques d'un stockage dans le Callovo-Oxfordien jusqu'à l'homme. Site de Meuse/Haute-Marne Tome 2/2, Andra
51ALC/RIC	Alcock, C. B., Richardson, F. D. 1951 Thermodynamics of ferrous sulphide. Nature, 168, 661-662.
00ALD/GAN	ALDERIGHI, L., GANS, P., MIDOLLINI, S. & VACCA, A. 2000. Aqueous solution chemistry of beryllium. Advances in inorganic chemistry, 50, 109-172.

05ALD/WAR	ALDRIDGE, S., WARWICK, P., EVANS, N., ANTON-GASCON, S. & VINES, S. 2005. Formation of ⁹⁹ Tc complexes under high pH reducing conditons. 10 th International conference on chemistry and migration behaviour of actinides and fission products in the geosphere (Migration 2005).
90ALD/PAR	AL-DULAIJAN, S. U., PARRY-JONES, G., AL-TAYYIB, A.-H. J. & AL-MANA, A. I. 1990. 29Si Magic-Angle-Spinning Nuclear Magnetic Resonance Study of Hydrated Cement Paste and Mortar. <i>Journal of the American Ceramic Society</i> , 73, 736-739.
76ALE/MAS	ALESHECHKINA, A. E., MASALOVICH, V. M., AGASYAN, P. K. & SEREDA, B. P. 1976. Chromium(III) phosphate-complexes. <i>Russ. J. Inorg. Chem.</i> , 21 973.
59ALE	ALEXANDER, D. M. 1959. The solubility of benzene in water. <i>J. Phys.Chem.</i> , 63, 1021-1022.
54ALE/HES	ALEXANDER, G. B., HESTON, W. M. & ILER, R. K. 1954. The solubility of amorphous silica in water. <i>The Journal of Physical Chemistry</i> , 58, 453-455.
96ALE/MAZ	ALEXANDER, W. R. & MAZUREK, M. 1996. The Maqarin natural analogue: possible implications for the performance of a cementitious repository at Wellenberg. . Nagra.
94ALE	ALEXANDER, W. R. 1994. A natural analogue study of cement buffered, hyperalkaline groundwaters and their interaction with repository host rock I: definition of source terms Nagra.
92ALE/DAY	ALEXANDER, W. R., DAYAL, R., EAGLESON, K., EIKENBERG, J., HAMILTON, E., LINKLATER, C. M., MCKINLEY, I. G. & TWEED, C. J. 1992. A natural analogue of high pH pore waters from the Maqarin area of northern Jordan II: results of predictive geochemical calculations. <i>J. Geochem. Explor.</i> , 46 133-146.
98ALE/MCK	ALEXANDER, W. R., MCKINLEY, I. G., LINKLATER, C. M., TWEED, C. J., CASAS, I., S., B. & SELLIN, P. 1998. Testing the limits of applicability of thermodynamic databases. In Nirex Safety Assessment Research Programme. A Natural Analogue study of the cemen-buffered, hyperalkaline groundwaters and their interaction with repository host rock. Phase II. . Nirex.
99ALF/VAN	AL-FARAWATI, R. & VAN DEN BERG, C. M. G. 1999. Metal-sulfide complexation in seawater. <i>Marine Chemistry</i> , 63 331-352.
05ALL/NAV	ALLADA, R. K., NAVROTSKY, A. & BOERIO-GOATES, J. 2005. Thermochemistry of hydrotalcite-like phases in the MgO-Al ₂ O ₃ -CO ₂ -H ₂ O system: A determination of enthalpy, entropy, and free energy. <i>American Mineralogist</i> , 90, 329-335.
78ALL/BEA	ALLARD, B. & BEALL, G. W. 1978. Prediction of actinide species in the groundwater. Workshop on the environmental chemistry and research of the actinides elements
80ALL/KIP	ALLARD, B., KIPATSI, H. & LILJENZIN, J. O. 1980. Expected species of uranium, neptunium and plutonium in neutral aqueous solutions. <i>J. Inorg. Nucl. Chem.</i> , 42 1015-1027.
06ALL/EKB	ALLARD, S. & EKBERG, C. 2006. Complexing properties of α- isosaccharinate: stability constants, enthalpies and entropies of Th-complexation with uncertainty analysis. <i>J. Solution Chem.</i> , 35 1173-1186.
06ALL/EKB2	ALLARD, S. & EKBERG, C. 2006. Complexing properties of α-isosaccharinate: Thorium. <i>Radiochim. Acta</i> , 94 537-540.
05ALL	ALLARD, S. 2005. Investigations of α-D-isosaccharinate: Fundamental properties and complexation. Chalmers University of Technology. Goteborg, Sweden

98ALL/BAL	ALLEN, J. M., BALCAVAGE, W. X., RAMACHANDRAN, B. R. & SHROUT, A. L. 1998. Determination of Henry's law constants by equilibrium partitioning in a closed system using a new in situ optical absorbance method. <i>Envir. Toxicol. Chem.</i> , 17, 1216-1221.
77ALL/FAL	ALLES, A., FALK, B. G., WESTRUM, E. F., GRONVOLD, F. & ZAKI, M. R. 1977. Actinoid pnictides: I. Heat capacities from 5 to 950K and magnetic transitions of U ₃ As ₄ and U ₃ Sb ₄ . Ferromagnetic transitions. <i>Journal of Inorganic and Nuclear Chemistry</i> , 39, 1993-2000.
91ALL/BRO	ALLISON, J. D., BROWN, D. S. & NOVO-GRADAC, K. J. 1991. MInteqa2/prodefa2, a geochemical assessment model for environmental systems: version 3.0 user's manual. U.S. Environmental Protection.
90ALL/BRO	Allison, J. D., Brown, D.S. and Novo-Gradac, K.J. 1990. MInteqA2/PRODEFA2 - A geochemical assessment model for environmental systems-version 3.0 user's manual: Environmental Research Laboratory, Office of Research and Development; U.S. EPA.
79ALL/MAS	ALLULLI, S., MASSUCCI, M. A. & TOMASSINI, N. 1979. The standard enthalpy of formation of anhydrous, monohydrated and dihydrated zirconium bis (monohydrogenphosphate). <i>J.Chem.Thermodynamics</i> , 11 613-618.
94ALP/BLO	ALPERS, C. N., BLOWES, D. W., NORDSTROM, D. K. & JAMBOR, J. L. 1994. Chapter 9: Secondary minerals and acid-mine water chemistry. In: JAMBOR, J. L. & BLOWES, D. W. (eds.) Short course handbook on environmental geochemistry of sulphide mine-wastes Waterloo, Canada: Mineralogical association of Canada.
11ALT/KIE	ALTMAIER, M., KIENZLER, B., DURO, L., GRIVÉ, M. & MONTOYA, V. 2011. 3rd Annual Workshop Proceedings of the Collaborative Project "Redox Phenomena Controlling Systems" (7th EC FP CP RECOSY). KIT.
03ALT/MET	ALTMAIER, M., METZ, V., NECK, V., MÜLLER, R. & FANGHÄNEL, T. 2003. Solid-liquid equilibria of Mg(OH) ₂ (cr) and Mg ₂ (OH) ₃ Cl·4H ₂ O(cr) in the system Mg-Na-H-OH-Cl-H ₂ O at 25°C. <i>Geochimica et Cosmochimica Acta</i> , 67, 3595-3601.
04ALT/NEC	ALTMAIER, M., NECK, V. & FANGHÄNEL, T. 2004. Solubility and colloid formation of Th (IV) in concentrated NaCl and MgCl ₂ solution. <i>Radiochimica Acta</i> , 92, 537-543.
08ALT/NEC	ALTMAIER, M., NECK, V. & FANGHÄNEL, T. 2008. Solubility of Zr(IV), Th(IV) and Pu(IV) hydrous oxides in CaCl ₂ solutions and the formation of ternary Ca-M(IV)-OH complexes. <i>Radiochim. Acta</i> , 96 541-550.
06ALT/NEC	ALTMAIER, M., NECK, V., DENECKE, M. A., YIN, R. & FANGHÄNEL, T. 2006. Solubility of ThO ₂ ·x H ₂ O (am) and the formation of ternary Th (IV) hydroxide-carbonate complexes in NaHCO ₃ -Na ₂ CO ₃ solutions containing 0-4 M NaCl. <i>Radiochimica Acta</i> , 94, 495-500.
08ALT/NEC	Altmaier, M., Neck, V., Fanghänel, T. 2008. Solubility of Zr(IV), Th(IV) and Pu(IV) hydrous oxides in CaCl ₂ solutions and the formation of ternary Ca-M(IV)-OH complexes, <i>Radiochim. Acta</i> , 96, 541-550.
09ALT/NEC	Altmaier, M., Neck, V., Lützenkirchen, J., Fanghänel, T. 2009. Solubility of plutonium in MgCl ₂ and CaCl ₂ solutions in contact with metallic iron, <i>Radiochim. Acta</i> , 97, 187-192.
05ALT/NEC	ALTMAIER, M., NECK, V., MÜLLER, R. & FANGHÄNEL, T. 2005. Solubility of U(VI) and formation of CaU ₂ O ₇ ·3H ₂ O(cr) in alkaline CaCl ₂ solutions. 10th International conference on chemistry and migration behaviour of actinides and fission products in the geosphere. Migration 2005
06ALT/NEC2	ALTMAIER, M., NECK, V., MULLER, R. & FANGHÄNEL, T. 2006. Solubility of ThO ₂ ·x H ₂ O (am) in carbonate solution and the formation of ternary Th (IV) hydroxide-carbonate complexes. <i>Radiochimica Acta</i> , 93, 83-92.

05ALT/NEC	Altmaier, M., Neck, V., Müller, R., Fanghänel, T. 2005. Solubility of U(VI) and formation of CaU ₂ O ₇ ·3H ₂ O(cr) in alkaline CaCl ₂ solutions. 10th international conference on chemistry and migration behaviour of actinides and fission products in the geosphere. Migration 2005.
17ALT/YAL	Altmaier, M., Yalçintas, E., Gaona, X., Neck, V., Muller, R., Schlieker, M., Fanghänel, T. 2017. Solubility of U(VI) in chloride solutions. I. The stable oxides/hydroxides in NaCl systems, solubility products, hydrolysis constants and SIT coefficients, J. Chem. Thermodyn., 114, 2-13.
11ALT/MAD	ALTMANN, S., MADE, D., VINSOT, A., COCHEPIN, B. & PLAS, F. 2011. Chimie des eaux porales des argilites du Callovo-Oxfordien (à l'état naturel).
99ALT/BRU	ALTSCHUH, J., BRUGGEMANN, R., SANTL, H., EICHINGER, G. & PIRINGER, O. G. 1999. Henry's law constants for a diverse set of organic chemicals: experimental determination and comparison of estimation methods. Chemosphere, 39, 1871-1887.
80ALW/WIL	Alwan, A. K., Williams, P. A. 1980. The aqueous chemistry of uranium minerals: Part II. Minerals of the liebigite group, Mineral. Mag., 43, 665-667.
05AMA/VAS	AMARAL, R. D. S., VASCONCELOS, W. E. D., BORGES, E., SILVEIRA, S. V. & MAZZILLI, B. P. 2005. Intake of uranium and radium-226 due to food crops consumption in the phosphate region of Pernambuco--Brazil. Journal of environmental radioactivity, 82, 383-393.
88AMA/FUN	AMARI, T., FUNAHASHI, S. & TANAKA, M. 1988. Dilatometric studies on reaction volumes for the formation of nickel(II) complexes in aqueous solution. Inorg. Chem., 27 3368-3372.
97AMA/CHI	AMAYA, T., CHIBA, T., SUZUKI, K., ODA, C., YOSHIKAWA, H. & YUI, M. 1997. Solubility of Sn(IV) oxide in dilute NaClO ₄ solution at ambient temperature. Materials Research Society Symposium Procedure, 465 751-758.
02AMA	Amayri, S., 2002. Synthese, Charakterisierung und Löslichkeit von Erdalkaliuranylcarbonaten M ²⁺ [UO ₂ (CO ₃) ₂ ·xH ₂ O; M: Mg, Ca, Sr, Ba. Technical University of Dresden.
68AME/PAT	Amek, R. and Patel, C.C. (1968). Thermochemical studies of hydrolytic reactions, 5. A thermochemical study of hydrolyzed Cu(ClO ₄) ₂ solutions. Acta Chem. Scand., 22, 1097-1101.
97AME/HEL	AMEND, J. P. & HELGESON, H. C. 1997. Group additivity equations of state for calculating the standard molal thermodynamic properties of aqueous organic species at elevated temperatures and pressures. Geochimica et cosmochimica acta, 61, 11-46.
08AMO/GAM	Amorello, D., Gambino, V., Romano, V., Zingales, R. 2008. Dioxouranium(VI) hydrolysis at 75 and 100°C in 3.6 mol·kg ⁻¹ LiClO ₄ aqueous medium, J. Solution Chem., 37, 641-655.
05AMR/GAN	AMRAM, K. & GANOR, J. 2005. The combined effect of pH and temperature on smectite dissolution rate under acidic conditions. Geochimica et Cosmochimica Acta, 69, 2535-2546.
30AND	ANDERSON, C. T. 1930. The heat capacities of arsenic, arsenic trioxide and arsenic pentoxide at low temperatures. Journal of the American Chemical Society, 52, 2296-2300.
89AND/ALL	ANDERSSON, K., ALLARD, B., BENGTSSON, M. & MAGNUSSON, B. 1989. Chemical composition of cement pore solutions. Cement and Concrete Research, 19, 327-332.
08AND/ERV	ANDERSSON, M., ERVANNE, H., GLAUS, M. A., HOLGERSSON, S., KARTTUNEN, P., LAINE, H., LOTHENBACH, B., PUIGDOMÈNECH, I., SCHWYN, B., SNELLMAN, M., UEDA, H., VUORIO, M., WIELAND, E. & YAMAMOTO, T. 2008. Development of Methodology for Evaluation of Long-term Safety Aspects of Organic Cement Paste Components. . Posiva.

06AND/EBE	ANDERSSON, S., EBERHARDT, K., EKBERG, C., LILJENZIN, J. O., NILSSON, M. & SKARNEMARK, G. 2006. Determination of stability constants of lanthanide nitrate complex formation using a solvent extraction technique. <i>Radiochim. Acta</i> , 94 469-474.
04AND/EKB	ANDERSSON, S., EKBERG, C., LILJENZIN, J. O., NILSSON, M. & SKARNEMARK, G. 2004. Study of nitrate complex formation with trivalent Pm, Eu, Am and Cm using a solvent extraction technique. <i>Radiochim. Acta</i> , 92 863-867.
05AND/NIE	ANDERSSON, T., NIELSEN, T. & WESSLÉN, B. 2005. Degradation of low density polyethylene during extrusion. III. Volatile compounds in extruded films creating off-flavor. <i>Journal of applied polymer science</i> , 95, 847-858.
04AND/STA	ANDERSSON, T., STALBOM, B. & WESSLÉN, B. 2004. Degradation of polyethylene during extrusion. II. Degradation of low-density polyethylene, linear low-density polyethylene, and high-density polyethylene in film extrusion. <i>Journal of applied polymer science</i> , 91, 1525-1537.
87AND/KAT	ANDHARE, V. R., KATKAR, V. S. & MUNSHI, K. N. 1987. <i>J. Indian Chem. Soc.</i> 64.
63AND/COU	ANDON, R. J. L., COUNSELL, J. F., HERINGTON, E. F. G. & MARTIN, J. F. 1963. Thermodynamic properties of organic oxygen compounds. VII. Calorimetric study of phenol from 12 to 330° K. <i>Trans. Faraday Soc.</i> , 59, 830-835.
67AND/COU	ANDON, R. J. L., COUNSELL, J. F., MARTIN, J. F. & MASH, C. J. 1967. Thermodynamic properties of phosphorus compounds. II. Low-temperature heat capacity and entropy of sodium mono-, di-, and tri-phosphates. <i>Journal of Applied Chemistry</i> , 17, 65-70.
94AND	ANDRA 1994. Impact de l'EDTA et de l'acide critique sur la chimie des radionucléides. Andra.
96AND	ANDRA 1996. Calculs de spéciation des radionuclides prioritaires pour la sûreté d'un stockage en formation géologique profonde. Solubilités en fonction des caractéristiques des fluides des sites Haute-Marne, Meuse Gard et Vienne. Calculs de sensibilité.: Andra.
97AND	ANDRA 1997. Chimie du sélénium et procédés biogéochimiques affectant sa mobilité en systèmes naturels, étude bibliographique.: Andra.
98AND	ANDRA 1998. Paramètres géochimiques associés au transfert des radionucléides dans les barrières ouvragées. Comparaison bétons/argiles.: Andra.
99AND1	ANDRA 1999. Critical review of the influence of organics on radionuclide behaviour in a cementitious repository.: Andra.
99AND	ANDRA 1999. Référentiel géologique, Site de Meuse/Haute Marne.: Andra.
00AND	ANDRA 2000. Barrières ouvragées argileuses et cimentaires. Représentations phénoménologiques associées au comportement des radioéléments. Fournitures des données de base en vue des calculs de sûreté.: Andra.
05AND	ANDRA 2005. Dossier 2005 argile – Tome – Architecture et gestion du stockage géologique.: Andra.
05AND2	ANDRA 2005. Dossier 2005 argile – Tome – Evolution phénoménologique du stockage géologique.: Andra.
05AND3	ANDRA 2005. Dossier 2005 Argile -architecture and management of a geological disposal system.: Andra.
05AND4	ANDRA 2005. Dossier 2005 Argile –phenomenological evolution of a geological repository.: Andra.
05AND6	ANDRA 2005. Dossier 2005: Andra research on the geological disposal of high-level long-lived radioactive waste.: Andra.
09AND	ANDRA 2009. Inventaire national des matières et déchets radioactifs. Catalogue descriptif des familles.: Andra.
12AND	ANDRA 2012. Inventaire national des matières et déchets radioactifs 2012. Catalogue descriptive des familles.: Andra.
80AND/SAM	ANDREEV, A. I., SAMSONOVA, N. P., ROBOV, A. M. & FEDOROV, V. A. 1980. Formation of nitrate complexes of tin(II) in aqueous solutions. <i>Koordinatsionnaya Khimiya</i> , 5 1325-1327.

89AND/FOR	ANDREWS, J. N., FORD, D. J., HUSSAIN, N., TRIVEDI, D. & YOUNGMAN, M. J. 1989. Natural radioelement solution by circulating groundwaters in the Stripa granite. <i>Geochimica et Cosmochimica Acta</i> , 53, 1791-1802.
50AND/KEE	ANDREWS, L. J. & KEEFER, R. M. 1950. Cation complexes of compounds containing carbon-carbon double bonds. VII. Further studies on the argentation of substituted benzenes. <i>J. Amer. Chem. Soc.</i> , 72, 5034-5037.
77ANT/NEV	ANTONOVICH, V. P., NEVSKAYA, E. M. & SURVOROVA, E. N. 1977. Spectrophotometric determination of the hydrolysis constants of monomeric antimony(III) ions. <i>Russ. J. Inorg. Chem.</i> , 22 696-699.
91ANT/GRE	ANTTILA, R., GRENTHE, I., GLASER, J., BRUNO, J. & LAGERMAN, B. 1991. Ternary metal complexes 1. The Be(II)-F--H ₂ O system. <i>Acta chemica scandinavica</i> , 45, 523-525.
89APE/MAN	APELBLAT, A. & MANZUROLA, E. 1989. Solubility of ascorbic, 2-furancarboxylic, glutaric, pimelic, salicylic, and phthalic acids in water from 279.15 to 342.15K, and apparent molar volumes of ascorbic, glutaric, and pimelic acids in water at 298.15 K. <i>The Journal of Chemical Thermodynamics</i> , 21, 1005-1008.
90APE/MAN	APELBLAT, A. & MANZUROLA, E. 1990. Solubility of suberic, azelaic, levulinic, glycolic and diglycolic acids in water from 278.25K to 361.35K. <i>Journal of chemical thermodynamics</i> , 22, 289-292.
90APE	APELBLAT, A. 1990. Enthalpies of solution of malonic, glutaric, ascorbic, and DL-asparticacids in water and of fumaric acid in 0.1 mol·dm ⁻³ HCl. <i>Journal of chemical thermodynamics</i> , 22, 253-256.
06APE/MAN	APELBLAT, A., MANZUROLA, E. & ABO BALAL, N. 2006. The solubilities of benzene polycarboxylic acids in water. <i>J. Chem. Thermodyn.</i> , 38, 565-571.
96APL/PIE	APLINCOURT, L., PIERRARD, J. C. & RIMBAULT, J. 1996. Étude thermodynamique et solubilité des complexes hydroxyles du zirconium(IV). <i>Andra</i> .
98APP/VER	APPELO, C. A. J., VERWEIJ, E. & SCHÄFER, H. 1998. A hydrogeochemical transport model for an oxidation experiment with pyrite/calcite/exchangers/organic matter containing sand. <i>Applied Geochemistry</i> , 13, 257-268.
22APP/REI	APPLEBEY, M. P. & REID, R. D. 1922. The isomerism of metallic oxides. Part I. Lead monoxide. <i>J. Chem. Soc</i> , 121 2129-2136.
95APR/DEM	APRAHAMIAN, V. H. & DEMOPOULOS, G. P. 1995. The Solution Chemistry and Solvent Extraction Behaviour of Cu, Fe, Ni, Zn, Pb, Sn, Ag, As, Sb, Bi, Se and Te in Acid Chloride Solutions. Reviewed from the Standpoint of PGM Refining. <i>Mineral Processing and Extractive Metallurgy Review</i> , 14, 143-167.
96ARC	ARCHER, D. G. 1996. Thermodynamic properties of synthetic otavite, CdCO ₃ (cr) : Enthalpy increment measurements from 4.5 K to 350 K. <i>Journal of chemical and engineering data</i> , 41, 852-858.
64ARC/MON	ARCHER, D. W. & MONK, C. B. 1964. Ion-association constants of some acetates by pH (glass electrode) measurements. <i>J. Chem. Soc.</i> , 3117-3122.
07ARC/PAG	ARCILLA, C. A., PAGUICAN, E., FERRER, C., ALEXANDER, W. R., MCKINELY, I. G. & MIYOSHI, S. 2007. IPHAP: Information on Philippine bentonites, hyperalkaline waters and potential analogue sites. <i>Clays in natural and engineered barriers for radioactive waste confinement</i>

09ARC/PAS	ARCILLA, C. A., PASCUA, C. S., VARGAS, E., HONRADO, M. L. L., ALEXANDER, W. R., NAMIKI, K., FUJII, N., YAMAKAWA, M., SATO, T. & MCKINLEY, I. G. 2009. Reaction pathways for rising hyperalkaline groundwater in bentonite mine in Philippines. Goldschmidt Conference Abstracts
76ARE/CAL	Arena, G., Cali, R., Rizzarelli, E. and Sammartano, S. (1976). Thermodynamic study on the formation of the cupric ion hydrolytic species. <i>Thermochim. Acta</i> , 16, 315-321.
10ARM/FEL	Armstrong, C. R., Felmy, A. R., Clark, S. B. 2010. Solubility of triuranyl diphosphate tetrahydrate (TDT) and Na autunite at 23 and 50 °C, <i>Radiochim. Acta</i> , 98, 549-554.
68ARN/SZI	ARNEK, R. & SZILARD, I. 1968. Thermochemical studies of hydrolytic reactions. 9. The reactions of H ⁺ and molybdate ions in 3 M Na(ClO ₄). <i>Acta Chem. Scand</i> , 22 1334-1338.
68ARN/SCH	Arnek, R. and Schlyter, K. 1968. <i>Acta Chem. Scand.</i> 22, 1327.
82ARN/PUI	Arnek, R., Puigdomènech, I. and Valiente, M. A. (1982) Calorimetric study of copper(II) chloride complexes in aqueous solution. <i>Acta Chem. Scand.</i> , 36A, 15-19.
58ARN/PLA	ARNOLD, D. S., PLANK, C. A., ERICSON, E. E. & PIKE, F. P. 1958. Solubility of benzene in water. <i>Chem. Eng. Data Ser.</i> , 3, 253-256.
99ARN/STE	ARNORSSON, S. & STEFANSSON, A. 1999. Assessment of feldspar solubility constants in water in the range of 0°C to 350 °C at vapor saturation pressures. <i>American Journal of Science</i> , 299, 173-209.
99ART/SAS	ARTHUR, R. C., SASAMOTO, H., SHIBATA, M., YUI, M. & NEYAMA, A. 1999. Development of thermodynamic databases for geochemical calculations. . JNC.
98ART/KIE	ARTINGER, R., KIENZLER, B., SCHÜSSLER, W. & KIM, J. I. 1998. Effects of humic substances on the 241 Am migration in a sandy aquifer: column experiments with Gorleben groundwater/sediment systems. <i>Journal of Contaminant Hydrology</i> , 35(1-3) 261-275.
02ART/RAB	ARTINGER, R., RABUNG, T., KIM, J. I., SACHS, S., SCHMEIDE, K., HEISE, K. H., BERNHARD, G. & NITSCHKE, H. 2002. Humic colloid-borne migration of uranium in sand columns. <i>Journal of Contaminant Hydrology</i> , 58 1-12.
02ART/SCH	ARTINGER, R., SCHUESSLER, W., SCHAEFER, T. & KIM, J. I. 2002. A kinetic study of Am(III)/Humic colloid interactions. <i>Environmental Science and Technology</i> , 36 4358-4363.
70ASH/MOR	Ashcroft, S. J. and Mortimer, C. T. 1970. <i>The thermochemistry of transition metal complexes</i> . Academic Press.
85ASH/BUL	Ashton, L.A., Bullock, J.I., Simpson, P.W.G. (1985) The association constant of the first chloro-copper(II) complex in water to 100°C. <i>Polyhedron</i> , 4, 1323-1327.
81ASH/HAN	Ashurst, K.G. and Hancock, R.D. (1981) Characterization of inner- and outer-sphere complexes by thermodynamics and absorption spectra, Part 2, Chloro-complexes of copper(II). <i>J. Chem. Soc. Dalton Trans.</i> , 245-250.
88ASH/HOW	ASHWORTH, R. A., HOWE, G. B., MULLINS, M. E. & ROGERS, T. N. 1988. Air-water partitioning coefficients of organics in dilute aqueous solutions. <i>J. Hazard. Mater.</i> , 18, 25-36.
09ASN	ASN 2009. Annual report: Nuclear safety and radiation protection in France in 2009. Chapter 16 ASN.
06AST/PIN	ASTILLEROS, J. M., PINA, C. M., FERNÁNDEZ-DÍAZ, L., PRIETO, M. & PUTNIS, A. 2006. Nanoscale phenomena during the growth of solid solutions on calcite 1014 surfaces. <i>Chemical Geology</i> , 225 322-335.

92ATK/BEN	ATKINS, M., BENNETT, D. G., DAWES, A. C., GLASSER, F. P., KINDNESS, A. & READ, D. 1992. A thermodynamic model for blended cements. <i>Cement and Concrete Research</i> , 22, 497-502.
92ATK/GLA	ATKINS, M., GLASSER, F. P. & KINDNESS, A. 1992. Cement hydrate phase: Solubility at 25°C. <i>Cement and Concrete Research</i> , 22, 241-246.
91ATK/GLA	ATKINS, M., GLASSER, F. P. & MORONI, L. P. 1991. The long-term properties of cement and concretes. In <i>scientific Basis for Nuclear Waste Management. Mat. Res. Soc. Symp. Proc.</i> , 212 373-386.
93ATK/GLA	ATKINS, M., GLASSER, F. P., MORONI, L. P. & JACK, J. J. 1993. Thermodynamic Modelling of Blended Cements at Elevated Temperatures (50–90°C). UK: DoE.
10AUR/FER	AURELIO, G., FERNANDEZ-MARTÍNEZ, A., CUELLO, G. J., ROMÁN-ROSS, G., ALLIOT, I. & CHARLET, L. 2010. Structural study of selenium(IV) substitutions in calcite. <i>Chem. Geol.</i> , 270, 249-256.
66AVE	AVEDIKIAN, L. 1966. Calorimetric study of ionization reactions. Application of the method of calorimetric determination to the measurement of enthalpies of neutralization and of ionization of some halogenated aliphatic acids in aqueous solution. <i>Bulletin de la Societe Chimique de France</i> , 8, 2570-2576.
64AVE/ANA	AVESTON, J., ANACKER, E. W. & JOHNSON, J. S. 1964. Hydrolyses of molybdenum(IV). Ultracentrifugation, acidity measurements, and raman spectra of polymolybdates. <i>Inorg. Chem.</i> , 3 735-746.
68AVE/MIT	AVEYARD, R. & MITCHELL, R. W. 1968. Heat of solution in water of the liquid methylene group at 25°C. <i>Trans. Faraday Soc.</i> , 64, 1757-1762.
01AYA/MAD	AYATI, M. & MADSEN, H. E. 2001. Solubility product of the cadmium phosphate $Cd_5H_2(PO_4)_4 \cdot 4H_2O$ at 37 °C. <i>Journal of chemical and engineering data</i> , 46, 113-116.
97AZA/FOU	AZAROUAL, M., FOUILLAC, C. & MATRAY, J. M. 1997. Solubility of silica polymorphs in electrolyte solutions, I. Activity coefficient of aqueous silica from 25 to 250°C, Pitzer's parameterisation. <i>Chemical Geology</i> , 140, 155-165.
76AZA/DON	AZAZ, E. & DONBROW, M. 1976. Solubilization of phenolic compounds in nonionic surface-active agents. I. Binding pattern and parameters of phenol, cresols, and xylenols. <i>J. Interface Sci</i> , 57, 11-19.
10AZI	AZIMI, G. 2010. Evaluating the potential of scaling due to calcium compounds in hydrometallurgical processes. University of Toronto
08AZI/PAP	AZIMI, G., PAPANGELAKIS, V. G. & DUTRIZAC, J. E. 2008. Development of an MSE-based chemical model for the solubility of calcium sulphate in mixed chloride-sulphate solutions. <i>Fluid Phase Equilibria</i> , 266, 172-186.
69AZI/LYL	AZIZ, A. & LYLE, S. J. 1969. Equilibrium constants for aqueous fluoro complexes of scandium, yttrium, americium (III) and curium (III) by extraction into di-2-ethylhexyl phosphoric acid. <i>Journal of Inorganic and Nuclear Chemistry</i> , 31, 3471-3480.
68AZI/LYL	AZIZ, A., LYLE, S. J. & NAQVI, S. J. 1968. Chemical equilibria in americium and curium sulphate and oxalate systems and an application of a liquid scintillation counting method. <i>J. Inorg. Nucl. Chem.</i> , 30 1013-1018.
69AZI/LYL	Aziz, A., Lyle, S. J. 1969. Equilibrium constants for aqueous fluoro complexes of scandium, yttrium, americium (III) and curium (III) by extraction into di-2-ethylhexyl phosphoric acid. <i>Journal of Inorganic and Nuclear Chemistry</i> , 31(11), 3471-3480.
12AZO/REM	Azoulay, I., Rémazeilles, C. and Refait, P. 2012. Determination of standard Gibbs free energy of formation of chukanovite and Pourbaix diagrams of iron in carbonated media. <i>Corrosion science</i> , 58, 229-236.

63BAB/LUK	BABKO, A. K., LUKACHINA, V. V. & NABIVANETS, B. I. 1963. Solubility and acid base properties of tantalum and niobium hydroxides. Russ. J. Inorg. Chem, 8, 951-957.
85BAB/MAT	BABUSHKIN, V. I., MATVEEV, G. M. & MCHEDLOV-PETROSIAN, O. P. 1985. Thermodynamics of silicates, Springer-Verlag.
76BAE/MES	BAES, C. F. & MESMER, R. E. 1976. The hydrolysis of cations, John Wiley and Sons.
81BAE/MES	BAES, C. F. & MESMER, R. E. 1981. The thermodynamics of cation hydrolysis. American Journal of Science, 281, 935-962.
76BAE/MES	Baes, C.H. and Mesmer, R.E. 1976. The hydrolysis of cations. John Wiley & Sons, New York.
89BAE/MCK	BAEYENS, B. & MCKINLEY, I. G. 1989. A PHREEQE database for Pd, Ni and Se. . Nagra.
03BAE/BRA	BAEYENS, B., BRADBURY, M. H. & HUMMEL, W. 2003. Determination of aqueous nickel-carbonate and nickel-oxalate complexation constants. J. Solution Chem., 32 319-339.
77BAG/RAM	BAGAWDE, S. V., RAMAKRISHNA, V. V. & PATIL, S. K. 1977. A study of complexing of Pu(IV) with sulphate, fluoride and nitrate ions in aqueous solution. Radiochem. Radioanal. Lett, 31 65-74.
89BAI/MOE	BAILAR, J. C., MOELLER, T., KLEINBERG, J., GUSS, C. O., CASTELLION, M. E. & METZ, C. 1989. Chemistry, 3 rd edition.
71BAI/LAR	BAILEY, A. R. & LARSON, J. W. 1971. Heats of dilution and the thermodynamics of dissociation of uranyl and vanadyl sulfates. J. Phys. Chem., 75 2368-2372.
04BAI/MOS	BAILEY, E. H., MOSSELMANS, J. F. W. & SCHOFIELD, P. F. 2004. Uranyl acetate in aqueous solutions – An XAS study between 25°C and 250°C. Geochim. Cosmochim. Acta, 68 1711-1722.
72BAI/MIC	BAILEY, R. A. & MICHELSEN, T. W. 1972. Complex chromium and uranyl isocyanates. Journal of Inorganic and Nuclear Chemistry, 34, 2935-2937.
94BAK/MCC	BAKER, S., MCCROHON, R., OLIVER, P. & PILKINGTON, N. J. 1994. The sorption of niobium, tin, iodide and chloride onto Nirex reference vault backfill. Mat. Res. Soc.. Symp. Proc.
58BAL/COU	BALACEANU, J. C., COUSSEMANT, F. & MOURET, P. 1958. Oxidizing lixiviation of pitchblendes and precipitation of the uranium with hydrogen. Proc. 2nd United Nations Intl. Conference Peaceful Uses of Atomic energy Geneve.
91BAL/NOR	Ball J. W. and Nordstrom D. K. (1991) User's manual for WATEQ4F, with revised thermodynamic data base and test cases for calculating speciation of major, trace, and redox elements in natural waters, USGS-OFR-91-183, U.S. Geological Survey, Menlo Park, California.
87BAL/NOR	Ball J. W., Nordstrom D. K., and Zachmann D. W. (1987) WATEQ4F - a personal computer FORTRAN translation of the geochemical model WATEQ2 with revised data base, USGS/OFR-87-50, U.S. Geological Survey, Menlo Park, California.
91BAL/NOR	BALL, J. W. & NORDSTROM, D. K. 1991. User's manual for WATEQ4F, with revised thermodynamic data base and test cases for calculating speciation of major, trace and redox elements in natural waters US Geol. Surv.
98BAL/NOR	BALL, J. W. & NORDSTROM, D. K. 1998. Critical evaluation and selection of standard state thermodynamic properties for chromium metal and its aqueous ions, hydrolysis species, oxides, and hydroxides. Journal of Chemical & Engineering Data, 43, 895-918.
81BAN/KAD	BANERJEA, D., KADEN, T. A. & SIGEL, H. 1981. Enhanced stability of ternary complexes in solution through the participation of heteroaromatic N bases. Comparison of the coordination tendency of pyridine, imidazole, ammonia, acetate and hydrogen phosphate toward metal ion nitrilotriacetate complexes. Inorg. Chem., 20 2586-2590.

84BAN	BANERJEE, S. 1984. Solubility of organic mixtures in water. <i>Envir. Sci. Technol.</i> , 18, 587-591.
80BAN/YAL	BANERJEE, S., YALKOWSKI, S. H. & VALVANI, S. C. 1980. Water solubility and octanol/water partition coefficients of organics. Limitations of the solubility-partition coefficient correlation. <i>Environ. Sci. Tech.</i> , 14, 1227-1229.
37BAN	BANGHAM, D. H. 1937. The Gibbs adsorption equation and adsorption on solids. <i>Transactions of the Faraday Society</i> , 33, 805-811.
64BAN/PAT	BANSAL, B. M. L., PATIL, S. K. & SHARMA, H. D. 1964. Chloride, nitrate and sulphate complexes of europium (III) and americium (III),. <i>J.Inorg. Nucl. Chem.</i> , 32 353-366.
98BAR/BER	BARANIAK, L., BERNHARD, G. & NITSCHKE, H. 1998. Uranium sorption on metamorphic rocks and sediments under the influence of hydrothermal wood degradation products. . <i>Forschungszentrum Rossendorf</i> .
02BAR/BER	BARANIAK, L., BERNHARD, G. & NITSCHKE, H. 2002. Influence of hydrothermal wood degradation products on the uranium adsorption onto metamorphic rocks and sediments. <i>Journal of radioanalytical and nuclear chemistry</i> , 253, 185-190.
61BAR/KEL	BARANY, R. & KELLEY, K. K. 1961. Heats and free energies of formation of gibbsite, kaolinite, halloysite, and dickite, Washington, D.C., U.S. Dept. of the Interior, Bureau of Mines.
65BAR	BARANY, R. 1965. Heats of formation of goethite, ferrous vanadate, and manganese molybdate.: U.S. Department of the Interior, Bureau of Mines.
85BAR/PAR	BARD, J. A., PARSONS, R. & JORDAN, J. 1985. Standard potentials in aqueous solution, IUPAC, Oxford, U.K.
02BAR/FUL	BARGAR, J. R., FULLER, C. C. & DAVIS, J. A. 2002. Mechanism of uranium sorption by apatite materials from a permeable reactive barrier demonstration at Fry Canyon, Utah. <i>American Geophysical Union, Fall Meeting 2002</i>
93BAR	BARIN, I. 1993. Thermochemical data of pure substances, VCH.
95BAR	BARIN, I. 1995. Thermochemical data of pure substances, VCH
77BAR/KNA	BARIN, I., KNACKE, O. & KUBASCHEWSKI, O. 1977. Thermochemical properties of inorganic substances: supplement., Springer-Verlag.
86BAR/PAR	BARKER, W. W. & PARKS, T. C. 1986. The thermodynamic properties of pyrrhotite and pyrite: A re- evaluation. <i>Geochimica et Cosmochimica Acta</i> , 50 2185-2194.
70BAR/KLI	BARKUSOV, V. L. & KLINTSOVA, A. P. 1970. Cassiterite solubility in water and aqueous solutions of sodium hydroxide at 25°C. <i>Geokhimiya</i> , 10 1268-1272.
96BAR/PAL	BARON, D. & PALMER, C. D. 1996. Solubility of $KFe_3(CrO_4)_2(OH)_6$ at 4 to 35°C. <i>Geochimica Et Cosmochimica Acta</i> , 60, 3815-3824.
98BAR/PAL	BARON, D. & PALMER, C. D. 1998. Solubility of $KFe(CrO_4)_2 \cdot 2H_2O$ at 4–75°C. <i>Appl. Geochem</i> , 12, 961-973.
03BAR/ENN	BARRATT, S. R., ENNOS, A. R., GREENHALGH, M., ROBSON, G. D. & HANDLEY, P. S. 2003. Fungi are the predominant micro-organisms responsible for degradation of soil-buried polyester polyurethane over a range of soil water holding capacities. <i>Journal of applied microbiology</i> , 95, 78-85.
60BAR	BARSHAD, I. 1960. Thermodynamics of water adsorption and desorption on montmorillonite. <i>Clays Clay Minerals</i> , 84-101.
76BAR/WES	Bartel, J. J., Westrum, E. F., Jr., Haas, J. L., Jr. 1976. Thermodynamics of Fe(II)Fe(III) oxide systems: I. Hydrothermal Fe_3O_4 , <i>J. Chem. Thermodyn.</i> , 8, 575-581.

60BAR/BET	Barton,P . B., and Bethke,P .M. (1960). Thermodynamic properties of some synthetic zinc and copper minerals: Am. Jour. Sci., v.258A, p. 21-34.
65BAR/SOM	BARTUSEK, M. & SOMMER, L. 1965. On the complex forming tendency of phenolic hydroxyl with UO_2^{2+} . Journal of Inorganic and Nuclear Chemistry, 27 2397-2412.
70BAS/SMI	BASKIN, Y. & SMITH, S. D. 1970. Enthalpy-of-formation data on compounds of uranium with groups VA and VIA elements. Journal of Nuclear Materials, 37, 209-222.
80BAS	BASSET, R. L. 1980. A critical evaluation of the thermodynamic data for boron ions, ion pairs, complexes and polyanions in aqueous solution at 298.15 K and 1bar. Geochim. et Cosmochim. Acta, 44 1151-1160.
97BAS/BER	BASTON, G. M. N., BERRY, J. A. & BROWNSWORD, M. 1997. Studies of the effects of organic materials on the sorption of uranium(IV) and uranium(VI) onto St Bees sandstone from the sellafield site. . Nirex.
01BAS/BER	BASTON, G. M. N., BERRY, J. A., BOND, K. A. & BOULT, M. 2001. Effects of organic materials at different concentrations on plutonium and uranium sorption onto rock samples taken in Nirex borehole 2 from Fleming hall formation of the Borrowdale volcanic group at sellafield.: Nirex.
91BAS/BER	BASTON, G. M. N., BERRY, J. A., BOND, K. A., BROWNSWORD, M. & LINKLATER, C. M. 1991. Studies of the effects of organic materials on the sorption of Uranium(IV) and Thorium(IV) on London clay and Caithness flagstones. . Nirex.
92BAS/BER	BASTON, G. M. N., BERRY, J. A., BOND, K. A., BROWNSWORD, M. & LINKLATER, C. M. 1992. Effects of organic degradation products on the sorption of actinides. Radiochimica Acta, 58 349-356.
95BAS/BER	BASTON, G. M. N., BERRY, J. A., BROWNSWORD, M., HEATH, T. G., TWEED, C. J. & WILLIAMS, S. J. 1995. Sorption of plutonium and americium on repository, backfill and geological materials relevant to the JNFL low-level radioactive waste repository at Rokkasho-Mura. Mat. Res. Soc. Symp. Proc., 353 957-964.
98BAU/BER	BAUER, A. & BERGER, G. 1998. Kaolinite and smectite dissolution rate in high molar KOH solutions at 35° and 80°C. Applied Geochemistry, 13, 905-916.
81BAU	Bauman, J. E. Jr (1981) U.S. Bur. Mines Inf. Circ., 8852, 268-274.
03BAU/JOH1	BAUR, I. & JOHNSON, C. A. 2003. Sorption of selenite and selenate to cement minerals. Environmental science & technology, 37, 3442-3447.
03BAU/JOH	BAUR, I. & JOHNSON, C. A. 2003. The solubility of selenate-AFt ($3CaO \cdot Al_2O_3 \cdot 3CaSeO_4 \cdot 37.5 H_2O$) and selenate-AFm ($3CaO \cdot Al_2O_3 \cdot CaSeO_4 \cdot xH_2O$). Cement and concrete research, 33, 1741-1748.
03BAU/JOH2	BAUR, I. & JOHNSON, C. A. 2003. The solubility of selenate-AFt ($3CaO \cdot Al_2O_3 \cdot 3CaSeO_4 \cdot 37.5 H_2O$) and selenate-AFm ($3CaO \cdot Al_2O_3 \cdot CaSeO_4 \cdot xH_2O$). Cement and concrete research, 33, 1741-1748.
89BAY/EWA	BAYLISS, S., EWART, F. T., HOWSE, R. M., LANE, S. A., PILKINGTON, N. J., SMITH-BRIGGS, J. L. & WILLIAMS, S. J. 1989. The solubility and sorption of radium and tin in a cementitious near-field environment. Mat. Res. Soc. Symp. Proc. .
96BAY/MCC	BAYLISS, S., MCCROHON, R., OLIVER, P., PILKINGTON, N.-J. & THOMASON, H. P. 1996. Near-Field Sorption Studies: January 1989 to June 1991. . UKAEA (Harwell, UK).

02BEC/BUR	BECHTOLD, T., BURTSCHER, E. & TURCANO, A. 2002. Ca ²⁺ -Fe ³⁺ -D-gluconate-complexes in alkaline solution. Complex stabilities and electrochemical properties., 13 2683-2688.
00BEC/FER	BECKER, U., FERNANDEZ-GONZALEZ, A., PRIETO, M., HARRISON, R. & PUTNIS, A. 2000. Direct calculation of thermodynamic properties of the barite/celestite solid solution from molecular principles. <i>Physics and Chemistry of Minerals</i> , 27, 291-300.
65BEE/MOR	BEEZER, A. E., MORTIMER, C. T. & TYLER, E. G. 1965. Heats of formation and bond energies. Part XIII. Arsenic tribromide, arsenious and arsenic oxides, and aqueous solutions of sodium arsenite and sodium arsenate. <i>Journal of the Chemical Society</i> , 4471-4478.
21BEG/PER	Begg, J., Pérez, D., Colàs, E., and Duro, L. 2021. Update of ThermoChimie: Iron Second progress report. Fe-CO ₃ system. TCIII- 2021- 05E_vs1
21BEG/ROD1	Begg, J., Rodríguez, J., Colàs, E. and Duro, L. 2021. Update of ThermoChimie: Iron. Fifth progress report. Fe-S system. TCIII-2021-15E_vs1
21BEG/ROD2	Begg, J., Rodríguez, J., Colàs, E. and Duro, L. 2021. Update of ThermoChimie: Iron. Fourth progress report. Fe-SO ₄ system. TCIII-2021-14E_vs1
22BEG/ROD	Begg, J., Rodríguez, J., Colàs, E., and Duro, L. 2022. NEA-TDB review - Tc update. TCIII-2022-06E_vs1
21BEG/ROD3	Begg, J., Rodríguez, J., Pérez, D., Colàs, E. and Duro, L. 2021. Update of ThermoChimie: Iron. Third progress report. Fe-Cl system. TCIII-2021-11E_vs1
21BEG/ROD	Begg, J., Rodríguez, J., Pérez, D., Colàs, E., Duro, L., 2021. Track-changes and track-error document: From version 10a to version 10d. ThermoChimie report TCIII-2021-12E_vs1.
73BEH/ROS	BEHRENS, R. G. & ROSENBLATT, G. M. 1973. Vapor pressure and thermodynamics of orthorhombic antimony trioxide (valentinite). <i>J. Chem. Thermodyn.</i> , 5 173.
81BEL	BELFORT, G. 1981. Selective adsorption of organic homologs onto activated carbon from dilute aqueous solutions-solvophobic interaction approach: development and test of theory. <i>Chem. Water Reuse</i> , 2, 207-241.
82BEL/GAB	BELITSKY, I. A., GABUDA, S. P., DREBUSCHCHAK, V. A., NAUMOV, V. N., NOGETVA, V. V. & PAUKOV, V. N. 1982. Heat capacity of chabazite in the temperature range of 5 to 316K, entropy and enthalpy at standard conditions. <i>Geokhimiya</i> , 12, 444-446.
53BEL/GEO	BELL, R. P. & GEORGE, J. H. B. 1953. The incomplete dissociation of some thalious and calcium salts at different temperatures. <i>Transactions of the Faraday Society</i> , 49, 619-627.
74BEL/DEM	BELLOMO, A., DE MARCO, D., CASALE, A. & ROBERTS, A. 1974. <i>Ann. Chim (Italy)</i> , 64, 295.
08BEL/LAK	BELOVA, D. A., LAKSHTANOV, L. Z. & STIPP, S. L. S. 2008. Experimental study of Ni adsorption on chalk: preliminary results. <i>Mineralogical Magazine</i> , 72, 377-379.
00BEN/FAT	BEN SAID, K., FATTAHI, M., MUSIKAS, C., REVEL, R. & ABBÉ, J. C. 2000. The speciation of Tc(IV) in chloride solutions. <i>Radiochim. Acta</i> , 88 567-571.
01BEN/JEM	BEN, A. & JEMAL, M. 2001. Synthèse et thermochimie de phosphates au cadmium: Partie I: Cas du phosphate tricadmique et de la chlorapatite cadmiee. <i>Thermochimica Acta</i> , 366, 1-6.
95BEN/MIL	BENEDETTI, M. F., MILNE, C. J., KINNIBURGH, D. G., VAN RIEMSDIJK, W. H. & KOOPAL, L. K. 1995. Metal ion binding to humic substances: Application of the non ideal competitive adsorption model. <i>Environmental Science and Technology</i> , 29 446-457.

96BEN/VAN	BENEDETTI, M. F., VAN RIEMSDIJK, W. H., KOOPAL, L. K., KINNIBURGH, D. G., GOODY, D. C. & MILNE, C. J. 1996. Metal ion binding by natural organic matter: From the model to the field. <i>Geochimica et Cosmochimica Acta</i> , 60, 2503-2513.
82BEN/OBD	BENES, P., OBDRZALEK, M. & CEJCHANOVA, M. 1982. The physico-chemical forms of traces of radium in aqueous solutions containing chlorides, sulfates and carbonates. <i>Radiochem. Radioanal. Lett</i> , 50, 227-242.
80BEN/WIL	BEN-NAIM, A. & WILF, J. 1980. Solubilities and hydrophobic interactions in aqueous solutions of monoalkylbenzene molecules. <i>J. Phys. Chem.</i> , 84, 583-586.
92BEN/HOF	Bennett, D. A., Hoffman, D. C., Nitsche, H., Russo, R. E., Torres, R. A., Baisden, P. A., Andrews, J. E., Palmer, C. E. A., Silva, R. J. 1992. Hydrolysis and carbonate complexation of dioxoplutonium(V), <i>Radiochim. Acta</i> , 56, 15-19.
00BEN/WIL	BENNING, L. G., WILKIN, R. T. & BARNES, H. L. 2000. Solubility and stability of zeolites in aqueous solution: II. Calcic clinoptilolite and mordenite. <i>American Mineralogist</i> , 85, 495-508.
80BEN/TEA	BENSON, L. V. & TEAGUE, L. S. 1980. A tabulation of thermodynamic data for chemical reactions involving 58 elements common to radioactive waste package systems. . Lawrence Berkeley Laboratory.
68BEN	BENSON, S. W. 1968. <i>Thermochemical Kinetics</i> , John Wiley and Sons
04BEN/BOU	BENTOUHAMI, E., BOUET, G. M., MEULLEMEESTRE, J., VIERLING, F. & KHAN, M. A. 2004. Physicochemical study of the hydrolysis of Rare-Earth elements (III) and thorium (IV). <i>C. R. Chim.</i> , 7 537-545.
56BER	Berecki-Biedermann, C. (1956). Studies on the hydrolysis of metal ions, Part 13, The hydrolysis of the copper 2+ ion, Cu ²⁺ . <i>Arkiv Kemi.</i> , 9, 175-189.
95BER/CAS	BEREND, I., CASES, J.-M., FRANCOIS, M., URIOT, J.-P., MICHOT, L., MASION, A. & THOMAS, F. 1995. Mechanism of adsorption and desorption of water vapor by homoionic montmorillonites; 2, The Li ⁺ , Na ⁺ , K ⁺ , Rb ⁺ and Cs ⁺ -exchanged forms. <i>Clays and Clay Minerals</i> , 43, 324-336.
86BER/PAU	BEREZOVSKII, G. A., PAUKOV, I. E., PROKOPENKO, I. V., SUKHOVEI, K. S., TORYANOV, S. I. & TSIRELNIKOV, V. I. 1986. Thermodynamic properties of zirconium trichloride at 7-312 K. <i>Russian J. Phys. Chem</i> , 60 938-939.
86BER/PRO	BEREZOVSKII, G. A., PROKOPENKO, I. V., TAGAEV, A. B. & IZMAILOVICH, A. S. 1986. Eleventh all-union conference on calorimetry and chemical thermodynamics. .
62BER/NEW	BERMAN, H. A. & NEWMAN, E. S. 1962. Heat of Formation of Calcium Aluminate Monosulfate at 25°C. <i>Journal of Research of the National Bureau of Standards. A, Physics and Chemistry</i> , 67A, 1-13.
85BER/BRO	BERMAN, R. G. & BROWN, T. H. 1985. Heat capacity of minerals in the system Na ₂ O-K ₂ O-CaO-MgO-FeO-Fe ₂ O ₃ -Al ₂ O ₃ -SiO ₂ -TiO ₂ -H ₂ O-CO ₂ : representation, estimation, and high temperature extrapolation. <i>Contributions to Mineralogy and Petrology</i> , 89, 168-183.
82BER/SCH	BERNER, R. A. & SCHOTT, J. 1982. Mechanism of pyroxene and amphibole weathering; II, Observations of soil grains. <i>American Journal of Science</i> , 282, 1214-1231.
67BER	BERNER, R. A. 1967. Thermodynamic stability of sedimentary iron sulfides. <i>American Journal of Science</i> , 265 773-785.
02BER/CUR	BERNER, U. & CURTI, E. 2002. Radium solubilities from SF/HLW wastes using solid solution and co-precipitation models. . Paul Scherrer Institute

14BER	Berner, U. (2014). The PSI/Nagra Chemical Thermodynamic Database 12/07 (update of the Nagra/PSI TDB 01/01): Data Selection of Selenium.
90BER	BERNER, U. 1990. A thermodynamic description of the evolution of pore water chemistry and uranium speciation during the degradation of cement. . Nagra.
99BER	BERNER, U. 1999. Concentration Limits in the Cement Based Swiss Repository for Long-lived, Intermediate-level Radioactive Wastes (LMA). . PSI.
02BER	BERNER, U. 2002. Project Opalius Clay: Radionuclide concentration limits in the cementitious near field of an ILW Repository. . PSI.
03BER	BERNER, U. 2003. Radionuclide concentration limits in the cementitious near-field of an ILW repository. Nagra
88BER	BERNER, U. R. 1988. Modelling the incongruent dissolution of hydrated cement minerals. Radiochimica Acta, 44, 387-393.
92BER	BERNER, U. R. 1992. Evolution of pore water chemistry during degradation of cement in a radioactive waste repository environment. Waste Management, 12, 201-219.
95BER	BERNER, U. R. 1995. KRISTALLIN-I: Estimates of solubility limits for safety relevant radionuclides. . PSI.
96BER/GEI	Bernhard, G., Geipel, G., Brendler, V., Nitsche, H., 1996. Speciation in uranium in seepage waters of a mine tailing pile studied by timeresolved laser-induced fluorescence spectroscopy. Radiochimica Acta 74, 87-91.
97BER/GEI	Bernhard, G., Geipel, G., Brendler, V., Reich, T., Nitsche, H., 1997. Validation of complex formation of Ca ²⁺ , UO ₂ ²⁺ and CO ₃ ²⁻ , Forschungszentrum Rossendorf Institute of Radiochemistry, Tech. Rep.
01BER/GEI	BERNHARD, G., GEIPEL, G., REICH, T., BRENDLER, V., AMAYRI, S. & NITSCHKE, H. 2001. Uranyl(VI) carbonate complex formation: Validation of the Ca ₂ UO ₂ (CO ₃) ₃ (aq) species. Radiochim. Acta, 89 511-518.
05BER/SCH	BERNING, D. E., SCHROEDER, N. L. & CHAMBERLIN, R. M. 2005. The autoreduction of pertechnetate in aqueous in aqueous alkaline solutions. J. Radional. Nucl. Ch., 263 613-618.
84BER	BERNKOPF, M. F. 1984. Hydrolysereaktionen und karbonatkomplexierung von dreiwertigem americium in natuerlichen aquatischen system. Institut für radiochemie der Technischen Universität München
90BER/BON	BERRY, J. A. & BOND, K. A. 1990. Effect of degradation products on radionuclide sorption in the geosphere. Analytical proceedings, 27 340.
97BER/BON	BERRY, J. A., BOND, K. A. & LINKLATER, C. M. 1997. Effects of organic materials on the sorption of thorium onto samples from the borrowdale volcanic group, Sellafield, Borehole 2. . Nirex.
89BER/BON	BERRY, J. A., BOND, K. A., FERGUSON, D. R. & PILKINGTON, N. J. 1989. Studies of the effects of organic materials on the sorption of uranium and plutonium.: Nirex.
91BER/BON	BERRY, J. A., BOND, K. A., FERGUSON, D. R. & PILKINGTON, N. J. 1991. Experimental studies of the effects of organics materials on the sorption of uranium and plutonium. Radiochim. Acta, 52/53 201-203.
07BER/DAC	BERTOLDI, C., DACHS, E. & APPEL, P. 2007. Heat-pulse calorimetry measurements on natural chlorite-group minerals. American Mineralogist, 92, 553-559.
05BER/DAC	BERTOLDI, C., DACHS, E., CEMIC, L., THEYE, T., WIRTH, R. & GROGER, W. 2005. The heat capacity of the serpentine subgroup mineral berthierine (Fe _{2.5} Al _{0.5})[Si _{1.5} Al _{0.5} O ₅](OH) ₄ . Clays and Clay Minerals, 53, 380-388.

04BET	BETHKE, C. 2004. <i>GWB Reference Manual</i> , RockWare Incorporated.
15BET/YEA	BETHKE, C. M. & YEAKEL, S. 2015. <i>The Geochemist's Workbench: GWB Essentials Guide</i> . Aqueous Solutions, LLC.
16BET/YEA	BETHKE, C. M. & YEAKEL, S. 2016. <i>The Geochemist's Workbench Release 11: GWB Essentials Guide</i> . Champaign, Illinois: Aqueous Solutions, LLC.
96BET	BETHKE, C. M. 1996. <i>Geochemical reaction modeling</i> , University of Illinois, Oxford University Press.
50BET/LEI	BETTS, R. H. & LEIGH, R. M. 1950. Ionic species of tetravalent uranium in perchloric and sulphuric acids. <i>Can. J. Res.</i> , 28 514-525.
96BEV/PUI	BEVERSKOG, B. & PUIGDOMÈNECH, I. 1996. Revised Pourbaix diagrams for iron at 25–300 °C. <i>Corrosion Science</i> , 38, 2121-2135.
97BEV/PUI	BEVERSKOG, B. & PUIGDOMÈNECH, I. 1997. Revised Pourbaix diagrams for nickel at 25-300°C. <i>Corrosion Sci</i> , 39 969-980.
97BEV	Beverkog, B. and I. Puigdomènech (1997). Revised Pourbaix Diagrams for Copper at 25 to 300°C. <i>J. Electrochem. Soc.</i> , 144, 3476-3483.
96BEV/PUI	Beverkog, B. and Puigdomenech, I. 1996. Revised Pourbaix diagrams for iron at 25-300°C; <i>Corr. Sci.</i> 38, 2121-2135.
02BEV/PET	Beverkog, B., and Pettersson, S. O. (2002). Pourbaix diagrams for copper in 5 m chloride solution, <i>SKI Report 02:23</i> .
88BHA/KAT	BHADANGE, S. G., KATKAR, V. S. & MUNSHI, K. N. 1988. <i>J. Indian Chem. Soc.</i> , 65, 123.
01BIC/BOS	BICKMORE, B. R., BOSBACH, D., HOCELLA, M. F., CHARLET, L. & RUFÉ, E. 2001. In situ atomic force microscopy study of hectorite and nontronite dissolution: Implications for phyllosilicate edge surface structures and dissolution mechanisms. <i>American Mineralogist</i> , 86, 411-423.
66BIE/CHO	BIEDERMAN, G. & CHOW, J. T. 1966. Studies on the hydrolysis of metal ions. Part 57. The hydrolysis of iron (III) ion and the solubility product of Fe(OH) ₂ .70Cl _{0.30} in 0.5 M (Na ⁺)Cl ⁻ medium. <i>Acta Chemica Scandinavica</i> , 20 1376-1388.
60BIE/HIE	BIEDERMAN, G. & HIETANEN, S. 1960. Studies on the Hydrolysis of Metal Ions. Part 29. The Hydrolysis of the Silver Ion, Ag ⁺ , in Acid Self-medium. <i>Acta Chem. Scand.</i> , 14 711.
57BIE	BIEDERMANN P., G. A. S. 1957. On the solubility product of precipitated iron(III) hydroxide. <i>Acta Chemica Scandinavica</i> , 11 731-740.
75BIE/ROM	BIEDERMANN, G. & ROMANO, V. 1975. On the standard potential of the Cr(III) - Cr(II) couple in 1 (M) NaCl medium. <i>Acta Chem. Scand</i> , 29 615-622.
57BIE/SCH	Biedermann, G., Schindler, P. 1957. On the solubility product of precipitated iron(III) hydroxide, <i>Acta Chem. Scand.</i> , 11, 731-740.
75BIE/ZIE	BIERNAT, J., ZIEGLER, B. & ZRALKO, M. 1975. Variability of some polarographically determined stability constants, a new kind of coordination : the dual complexation. <i>J. Electroanal. Chem.</i> , 63 444.
56BIG	BIGGS, A. I. 1956. Ionization constants of phenol and of some substituted phenols. <i>Trans. Faraday Soc.</i> , 52, 35-39.
61BIG	BIGGS, A. I. 1961. The heat of ionization of some substituted anilines. <i>J. Chem. Soc.</i> , 2572-2574.
96BIG/SCH	BIGHAM, J. M., SCHWETMANN, U., TRAINA, S. J., WINLAND, R. L. & WOLF, M. 1996. Schwertmannite and the chemical modeling of iron in acid sulfate waters. <i>Geochimica et Cosmochimica Acta</i> , 60, 2111-2121.
82BIL/SCH	BILINSKI, H. & SCHINDLER, P. 1982. Solubility and equilibrium constants of lead in carbonate solutions (25°C, I = 0.3 mol dm ⁻³). <i>Geochim. et Cosmochim. Acta</i> , 46 921-928.
66BIL/BRA	BILINSKI, H., BRANICA, M. & SILLEN, L. G. 1966. Precipitation and hydrolysis of metallic ions. II. Studies on the solubility of zirconium hydroxide in dilute solutions and in 1 M NaClO ₄ . <i>Acta Chem. Scand.</i> , 20 853-861.

99BIN/MIL	BINNEWIES, M. & MILKE, E. 1999. Thermochemical data of elements and compounds, Wiley-VCH Verlag GmbH, Weinheim
02BIN/MIL	BINNEWIES, M. & MILKE, E. 2002. Thermodynamical Data of Elements and Compounds, Wiley-VCH Verlag GmbH, Weinheim.
59BIN	BINNS, E. H. 1959. The dissociation constant of phenol in water between 25°C and 60°C. Trans. Faraday Soc., 55, 1900-1903.
96BIO	BIO-RAD 1996. Chelex® 100 and Chelex 20 chelating ion exchange resin. Instruction manual Bio-Rad Laboratories.
64BIR/SHL	Biryukov, A.A., Shlenskaya, V.I. 1964. Composition and stability constants of chloro-complexes of palladium(II). Russ. J. Inorg. Chem. 9, 450-452.
93BIS/KIS	Bisengalieva M. R., Kiseleva I. A., Melchakova L. V., and Ogorodova L. P. (1993) Thermodynamic properties of malachite and azurite and analysis of sulfidization of oxide copper ores. Vestn. Mosk. Univ., Ser. 4: Geol.(2), 38-49. In Russian.
97BIS/KIS	Bisengalieva M. R., Kiseleva I. A., Melchakova L. V., Ogorodova L. P., and Gurevich A. M. (1997) The molar heat capacity of hydrous copper chloride: atacamite Cu ₂ Cl(OH) ₃ . J. Chem. Thermodynamics 29, 345-352.
03BIT/MÜL	BITEA, C., MÜLLER, R., NECK, V., WALTHER, C. & KIM, J. I. 2003. Study of the generation and stability of thorium (IV) colloids by LIBD combined with ultrafiltration. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 217, 63-70.
83BIT/FAH	BITTRICH, H.-J., FAHL, A. & HARTWIG, F. 1983. Zur Löslichkeitsbeeinflussung von Kohlenwasserstoffen in Wasser. II. Der Einfluss von quaternären ammoniumsalzen. Z. phys. Chem. Leipzig, 264, 891-895.
79BIT/GED	BITTRICH, H.-J., GEDAN, H. & FEIX, G. 1979. Zur Löslichkeitsbeeinflussung von Kohlenwasserstoffen in Wasser. 1979, Z. Phys. Chem.
77BJE/SKI	Bjerrum, J. and Skibsted, L.H. (1977) A contribution to our "knowledge of weak chloro-complex formation by copper(II) in aqueous chloride solutions. Acta Chem. Scand., 31A, 673-677.
86BJE/SKI	Bjerrum, J. and Skibsted, L.H. (1986) Weak chloro complex formation by copper(II) in aqueous chloride solutions, Inorg. Chem., 25, 2479-2481.
04BLA/GAR	BLACK, L., GARBEV, K., STEMMERMANN, P., HALLAM, K. R. & ALLEN, G. C. 2004. X-ray photoelectron study of oxygen bonding in crystalline C–S–H phases. Physics and Chemistry of Minerals, 31, 337-346.
03BLA/STU	BLACK, L., STUMM, A., GARBEV, K., STEMMERMANN, P., HALLAM, K. R. & ALLEN, G. C. 2003. X-ray photoelectron spectroscopy of the cement clinker phases tricalcium silicate and β-dicalcium silicate. Cement and Concrete Research, 33, 1561-1565.
55BLA/PAR	BLACKMAN, G. E., PARKE, M. H. & GARTON, G. 1955. The physiological activity of substituted phenols. II. Relations between physical properties and physiological activity. Archives of Biochemistry and Biophysics, 54, 55-71.
80BLA/LAG	BLAISE, A., LAGNIER, R., TROC, R., HENKIE, Z., MARKOWSKI, P. J. & MORTIMER, M. J. 1980. The heat capacities of U ₃ As ₄ and Th ₃ As ₄ . Journal of Low Temperature Physics, 39, 315-328.
80BLA/TRO	BLAISE, A., TROC, R., LAGNIER, R. & MORTIMER, M. J. 1980. The heat capacity of uranium monoarsenide. Journal of Low Temperature Physics, 38, 79-92.
12BLA/GAI	BLANC, P. & GAILHANOU, H. 2012. Thermochimie 2: Acquisition calorimétrique pour une berthiérine et publications en cours. Rapport final. BRGM.
13BLA/GAI	BLANC, P. & GAILHANOU, H. 2013. Thermochimie2 : Hydratation de minéraux argileux, acquisition de données expérimentales. Rapport final. BRGM.

13BLA/GAI1	BLANC, P. & GAILHANOU, H. 2013. ThermoChimie2 : Hydratation de minéraux argileux, acquisition de données expérimentales. Rapport final. BRGM.
14BLA/GAI1	BLANC, P. & GAILHANOU, H. 2014. ThermoChimie2: Measurement of the thermodynamic properties of a mixed-layer illite-smectite by calorimetry. BRGM.
12BLA/LAS	BLANC, P. & LASSIN, A. 2012. ThermoChimie2 : Hydratation de la MX80, acquisition de données expérimentales. BRGM.
08BLA/VIE	BLANC, P. & VIEILLARD, P. 2008. ThermoChimie: Selection de constantes thermodynamiques pour les zéolites. Rapport final. BRGM.
09BLA/VIE	BLANC, P. & VIEILLARD, P. 2009. ThermoChimie: Estimation of the enthalpies, entropies, heat capacities and molar volumes of dehydrated phyllosilicates. Rapport final. BRGM.
10BLA/VIE	BLANC, P. & VIEILLARD, P. 2010. Projet ThermoChimie. Estimation of the enthalpies, entropies, heat capacities and molar volumes of deshydrated Phyllosilicates. BRGM.
09BLA	BLANC, P. 2009. ThermoChimie – Sélection de constantes thermodynamiques pour les zéolites : version 2. Rapport final.: BRGM.
06BLA/BOU	BLANC, P., BOURBON, X. & LASSIN, A. 2006. Un modèle thermodynamique et minéralogique de béton : Selection de constantes thermodynamiques. Rapport final.
07BLA/BOU	BLANC, P., BOURBON, X. & LASSIN, A. 2007. Un modèle thermodynamique et minéralogique de béton: sélection de constantes thermodynamiques BRGM.
10BLA/BOU1	BLANC, P., BOURBON, X., LASSIN, A. & GAUCHER, E. C. 2010. Chemical model for cement-based materials: Temperature dependence of thermodynamic functions for nanocrystalline and crystalline C–S–H phases. Cement and Concrete Research, 40, 851-866.
10BLA/BOU	BLANC, P., BOURBON, X., LASSIN, A. & GAUCHER, E. C. 2010. Chemical model for cement-based materials: Thermodynamic data assessment for phases other than C–S–H. Cement and Concrete Research, 40, 1360-1374.
10BLA/BOU2	BLANC, P., BOURBON, X., LASSIN, A. & GAUCHER, E. C. 2010. Chemical model for cement-based materials: Thermodynamic data assessment for phases other than C–S–H. Cement and Concrete Research, 40, 1360-1374.
07BLA/GAI	BLANC, P., GAILHANOU, H. & VIEILLARD, P. 2007. ThermoChimie – Estimation des entropies, capacités calorifiques et volumes molaires des phyllosilicates déshydrates et hydrates. BRGM.
14BLA/GAI	BLANC, P., GAILHANOU, H., ROGEZ, J., MIKAELIAN, G., KAWAJI, H., WARMONT, F., GABOREAU, S., GRANGEON, S., GRENÈCHE, J. M., VIEILLARD, P., FIALIPS, C. I., GIFFAUT, E., GAUCHER, E. C. & CLARET, F. 2014. Thermodynamic properties of chlorite and berthierine derived from calorimetric measurements. Physics and Chemistry of Minerals. 41(8), 603-615.
14BLA/GAI2	BLANC, P., GAILHANOU, H., ROGEZ, J., MIKAELIAN, G., KAWAJI, H., WARMONT, F., GABOREAU, S., GRANGEON, S., GRENÈCHE, J. M., VIEILLARD, P., FIALIPS, C. I., GIFFAUT, E., GAUCHER, E. C. & CLARET, F. 2014. Thermodynamic properties of chlorite and berthierine derived from calorimetric measurements. Physics and Chemistry of Minerals. 41(8), 603-615.
13BLA/GAI2	BLANC, P., GAILHANOU, H., ROGEZ, J., MIKAELIAN, G., KAWAJI, H., WARMONT, F., GRANGEON, S., GRENÈCHE, J.-M., FIALIPS, C. I., GIFFAUT, E. & GAUCHER, E. C. 2013. Thermodynamic properties of a chlorite and a berthierine by calorimetric methods. Physics and Chemistry of Minerals.

04BLA/GAU	BLANC, P., GAUCHER, E., MOUSSAY, A., BARDOT, F., CROUZET, C., PROUST, E. & LASSIN, A. 2004. Radionuclide speciation in the Grimsel granite groundwater Febex bentonite pore water mixing zone BRGM.
06BLA/IGN	BLANC, P., IGNATIADIS, I., LASSIN, A. & BURNOL, A. 2006. ThermoChimie : Sélection de constantes thermodynamiques pour le chrome, le cobalt et le strontium. Rapport Final. BRGM.
07BLA/LAS	BLANC, P., LASSIN, A. & PIANTONE, P. 2007. THERMODDEM a database devoted to waste minerals BRGM.
06BLA/LAS	BLANC, P., LASSIN, A., GAUCHER, E. C. & JACQUOT, E. 2006. Un modèle thermodynamique et minéralogique de béton: prise en compte de l'influence de la température BRGM.
06BLA/PIA	BLANC, P., PIANTONE, P., LASSIN, A. & BURNOL, A. 2006. Thermochimie : Sélection de constantes thermodynamiques pour les éléments majeurs, le plomb et le cadmium. Rapport final. BRGM.
13BLA/VIE1	BLANC, P., VIEILLARD, P., GAILHANOU, H. & GABOREAU, S. 2013. Chapter 6 - Thermodynamics of Clay Minerals. In: FAÏZA, B. & GERHARD, L. (eds.) Developments in Clay Science. Elsevier.
13BLA/VIE	BLANC, P., VIEILLARD, P., GAILHANOU, H., GABOREAU, S., GAUCHER, E. C., FIALIPS, C. I. & GIFFAUT, E. 2013. A generalized model for predicting the thermodynamic properties of clay minerals. American Journal of Sciences.
13BLA/VIE2	BLANC, P., VIEILLARD, P., GAILHANOU, H., GABOREAU, S., GAUCHER, E. C., FIALIPS, C. I. & GIFFAUT, E. 2013. A generalized model for predicting the thermodynamic properties of clay minerals. American Journal of Sciences.
15BLA/VIE1	BLANC, P., VIEILLARD, P., GAILHANOU, H., GABOREAU, S., GAUCHER, E. C., FIALIPS, C. I., MADÉ, B. & GIFFAUT, E. 2015. A generalized model for predicting the thermodynamic properties of clay minerals. American Journal of Science, 315.
15BLA/VIE	BLANC, P., VIEILLARD, P., GAILHANOU, H., GABOREAU, S., MARTY, N., CLARET, F., MADÉ, B. & GIFFAUT, E. 2015. ThermoChimie database developments in the framework of cement/clay interactions. Applied Geochemistry. 55, 95-107.
15BLA/VIE2	BLANC, P., VIEILLARD, P., GAILHANOU, H., GABOREAU, S., MARTY, N., CLARET, F., MADÉ, B. & GIFFAUT, E. 2015. ThermoChimie database developments in the framework of cement/clay interactions. Applied Geochemistry. 55, 95-107.
74BLO/RAZ	Blokhin, V.V., Razmyslova, L.I., Shalaevskaya, M.i., Makashev, Yu.A. and Mironov, V.E. (1974) Thermodynamics of copper(II) monochloride complexes in aqueous alcoholic solutions. Russ. J. Phys. Chem., 48, 275-276.
85BLO/STI	BLOMQVIST, K. & STILL, E. R. 1985. Solution studies of systems with polynuclear complex formation: copper (II) and cadmium(II) D-gluconate systems. Anal. Chem., 57 749.
00BLO/RUS	BLOMQVIST, R., RUSKEENIEMI, T., KAIJA, J., AHONEN, L., PAANANEN, M., SMELLIE, J., GRUNDFELT, B., PEDERSEN, K., BRUNO, J., PÉREZ DEL VILLAR, L., CERA, E., RASILAINENE, K., PITKANEN, P., SUKSI J.AND READ D., J. A. C. & FRAPE, S. 2000. The Palmottu natural analogue project. Phase II: Transport of radionuclides in natural flow system at Palmottu European Atomic Energy Commission.
77BLO	BLOUNT, C. W. 1977. Barite solubilities and thermodynamic quantities up to 300°C and 1400 bars. Am. Mineral, 62, 942-957.
07BLU/DEM	BLUTEAU, M. & DEMOPOULOS, G. 2007. The incongruent dissolution of scorodite - solubility, kinetics and mechanism. Hydrometallurgy, 87, 163-177.
04BLY/FRA	BLYTH, A., FRAPE, S., RUSKEENIEMI, T. & BLOMQVIST, R. 2004. Origins, closed system formation and preservation of calcites in glaciated crystalline bedrock: evidence from the Palmottu natural analogue site, Finland. Applied geochemistry, 19, 675-686.

10BOG/DON	BOGGS, M. A., DONG, W., GU, B. & WALL, N. A. 2010. Complexation of Tc(IV) with acetate at varying ionic strengths. <i>Radiochim. Acta</i> , 98 583-587.
58BOG/MAR	BOGUCKI, R. F. & MARTELL, A. E. 1958. Hydrolysis and Olation of Th (IV) Chelates of Polyaminopolycarboxylic Acids ¹ . <i>Journal of the American Chemical Society</i> , 80, 4170-4174.
51BOH/CLA	BOHON, R. L. & CLAUSSEN, W. F. 1951. The solubility of aromatic hydrocarbons in water. <i>J. Amer. Chem. Soc.</i> , 73, 1571-1578.
05BOI/SEW	Boily, J.-F., Seward, T.M. 2005. Palladium(II) chloride complexation: spectrophotometric investigation in aqueous solutions from 5 to 125°C and theoretical insight into Pd-Cl and Pd-OH ₂ interactions. <i>Geochim. Cosmochim. Acta</i> 69, 3773-3789.
66BOL/HAL	BOLTON, P. D., HALL, F. M. & REECE, I. H. 1966. Thermodynamic ionization constants of p-halophenols from spectrophotometric measurements. <i>Spectrochim. Acta</i> , 22, 1149-1155.
70BON/TAY	BOND, A. M. & TAYLOR, R. J. 1970. Polarographic studies of the fluoride complexes of tin(II) in neutral and acidic media. <i>Electroanal. Chem.</i> , 28 207-215.
70BON/WAU	BOND, A. M. & WAUGH, A. B. 1970. Polarography and its application to overcome of DC polarographic maxima in the study of complexes ions. <i>Electrochim. Acta.</i> , 15 1471.
70BON	BOND, A. M. 1970. Study of the fluoride complexes of antimony(III) in acidic media by rapid A-C polarography for the quasi-reversible electrode processes. <i>J. Electroche. Soc.</i> , 117 1145.
72BON/HEF	Bond, A. M., Hefter, G. 1972. A study of the weak fluoride complexes of the divalent first row transition metal ions with a fluoride ion-selective electrode, <i>J. Inorg. Nucl. Chem.</i> , 34, 603-607.
91BON/TWE	BOND, K. A. & TWEED, C. J. 1991. Geochemical modelling of the sorption of tetravalent radioelements Nirex.
94BON/TWE	BOND, K. A. & TWEED, C. J. 1994. HATCHES thermodynamic database, version 7.0 Chemical Studies Department. Harwell Laboratory.
97BON/HEA	BOND, K. A. N., HEATH, T. G. & TWEED, C. J. 1997. HATCHES: A referenced Thermodynamic database for chemical equilibrium studies.: Nirex.
03BON/CUE	BONHOMME, S., CUER, A., DELORT, A. M., LEMAIRE, J., SANCELME, M. & SCOTT, G. 2003. Environmental degradation of polyethylene. <i>Polymer Degradation and Stability</i> , 81 441-452.
02BON	BONHOURE, I. 2002. U(VI) immobilization by cementitious phases.
06BON/BAU	BONHOURE, I., BAUR, I., WIELAND, E., JOHNSON, C. A. & SCHEIDEGGER, A. M. 2006. Uptake of Se (IV/VI) oxyanions by hardened cement paste and cement minerals: an X-ray absorption spectroscopy study. <i>Cement and concrete research</i> , 36, 91-98.
03BON/WIE	BONHOURE, I., WIELAND, E., SCHEIDEGGER, A. M., OCHS, M. & KUNZ, D. 2003. EXAFS study Sn(IV) immobilization by hardened cement paste and calcium silicate hydrates. <i>Environ. Sci. Technol.</i> , 37 2184-2191.
08BON/COT	BONIN, L., COTE, G. & MOISY, P. 2008. Speciation of An (IV)(Pu, Np, U and Th) in citrate media. <i>Radiochimica Acta</i> , 96, 145-152.
04BON/MOO	BONTCHEV, R. P. & MOORE, R. C. 2004. Crystal structure of sodium isosaccharate, NaC ₆ H ₁₁ O ₆ H ₂ O. <i>Carbohydrate research</i> , 339, 801-805.
10BOR/MYA	BORIS, F., MYASOEDOV, H. W. & KIRBY, I. G. T. 2010. The chemistry of the actinide and transactinide elements: Protactinium.
15BOR	BORKEL, C. 2015. Understanding the mobility of caesium, nickel and selenium released from waste disposal: Chemical retention mechanisms of degraded cement. Barcelona.

01BOR/MOO	BORKOWSKI, M., MOORE, R. C., BRONIKOWSKI, M. G., CHEN, J. F., POKROVSKY, O. S., XIA, Y. X. & CHOPPIN, G. R. 2001. Thermodynamic modeling of actinide complexation with oxalate at high ionic strength. J. Radioanal. Nucl. Chem., 248 467-471.
00BOS/CHA	BOSBACH, D., CHARLET, L., BICKMORE, B. & HOCELLA, M. F. 2000. The dissolution of hectorite: In-situ, real-time observations using atomic force microscopy. American Mineralogist, 85, 1209-1216.
99BOT/BRO1	BOTHE, J. V. & BROWN, P. W. 1999. Arsenic immobilization by calcium arsenate formation. Environ. Sci. Technol., 33 3806-3811.
99BOT/BRO	BOTHE, J. V. & BROWN, P. W. 1999. The stabilities of calcium arsenates at 23 +/- 1°C. Journal of hazardous materials, B69, 197-207.
99BOT/BRO2	BOTHE, J. V. & BROWN, P. W. 1999. The stabilities of calcium arsenates at 23 +/- 1°C. Journal of hazardous materials, B69, 197-207.
87BOT/THA	BOTT, M. & THAUER, R. K. 1987. Proton-motive-force-driven formation of CO from CO ₂ and H ₂ in methanogenic bacteria. Eur. J. Biochem., 168, 407-412.
03BÖT	BÖTTGER, W. Z. 1903. Löslichkeitsstudien an schwer löslichen Stoffen. Phys. Chem, 46 521.
04BOU/REI	BOUKHALFA, H., REILLY, S. D., SMITH, W. H. & NEU, M. P. 2004. EDTA and mixed-ligand complexes of tetravalent and trivalent plutonium. Inorganic chemistry, 43, 5816-5823.
95BOU	BOURBON, X. 1995. Sélection de données thermodynamiques afférentes aux corrections de temperature sur les principaux équilibres chimiques en milieu naturel Andra.
96BOU1	BOURBON, X. 1996. Sélection de données thermodynamiques afférentes aux corrections de temperature sur les équilibres chimiques (Sodium, Potassium, Césium, Magnésium, Calcium, Strontium, Cobalt, Nickel, Paladium) Andra.
96BOU2	BOURBON, X. 1996. Sélection de données thermodynamiques afférentes aux corrections de temperature sur les équilibres chimiques. I/II Analyse de bases de données Andra.
96BOU3	BOURBON, X. 1996. Sélection de données thermodynamiques afférentes aux corrections de temperature sur les équilibres chimiques. II/III Cations d'actinides (Th, U, Np, Pu, Am, Cm) Andra.
96BOU2	BOURBON, X. 1996. Sélection de données thermodynamiques afférentes aux corrections de temperature sur les principaux équilibres chimiques en milieu naturel Andra.
96BOU4	BOURBON, X. 1996. Sélection de données thermodynamiques afférentes aux corrections de temperature sur les principaux équilibres chimiques en milieu naturel Andra.
97BOU	BOURBON, X. 1997. Sélection de données thermodynamiques afférentes aux corrections de température sur les équilibres chimiques (Zirconium, Niobium, Technétium, Etain, Sélénium, Iode) Andra.
01BOU	BOURBON, X. 2001. Réactivité chimique et données élémentaires sur les principaux hydrates des matériaux cimentaires. Approche sur un modèle phénoménologique de comportement.: Andra.
03BOU	BOURBON, X. 2003. Chemical conceptual model for cement based materials, mineral phases and thermodynamic data Andra.
09BOU/MAR	BOURBON, X., MARTIN, C. & SCHUMACHER, S. 2009. Compositions de solutions de type "eaux cimentaires". Andra.
95BOU	Bourbon. 1995. Sélection de données thermodynamiques afférenet aux corrections de température sur les équilibres chimiques. I/II Analyse de bases de données, C RP P. HEM 95.001.

99BOU/TRO	BOURRIÉ, G., TROLARD, F., GÉNIN, J. M. R., JAFFREZIC, A., MAÎTRE, V. & ABDELMOULA, M. 1999. Iron control by equilibria between hydroxy-Green Rusts and solutions in hydromorphic soils. <i>Geochimica et Cosmochimica Acta</i> , 63, 3417-3427.
04BOU/TRO	BOURRIÉ, G., TROLARD, F., REFAIT, P. & FEDER, F. 2004. A solid solution model for Fe(II)-Fe(III)-Mg(II) Green Rusts and fougérite and estimation of their Gibbs free energies of formation. <i>Clay and Clay Minerals</i> , 52, 382-394.
04BOU/LES	BOUTIN, M., LESAGE, J., OSTIGUY, C., PAULUHN, J. & BERTRAND, M. J. 2004. Identification of the isocyanates generated during the thermal degradation of a polyurethane car paint. <i>Journal of analytical and applied pyrolysis</i> , 71, 791-802.
90BOW/BUR	BOWERS, T. S. & BURNS, R. G. 1990. Activity diagrams for clinoptilolite; susceptibility of this zeolite to further diagenetic reactions. <i>American Mineralogist</i> , 75, 601-619.
97BRA/BAE	BRADBURY, M. H. & BAEYENS, B. 1997. Far-Field sorption databases for performance assessment of a L/ILW repository in an disturbed/altere d Palfris marl host rock Nagra.
98BRA/VAN	BRADBURY, M. H. & VAN LOON, L. R. 1998. Cementitious Near-Field sorption data bases for Performance Assessment of a L/ILW Repository in a Palfris Marl Host Rock. . PSI.
73BRA/DEW	BRADLEY, R. S., DEW, M. J. & MUNRO, D. C. 1973. The solubility of benzene and toluene in water and aqueous salt solutions under pressure. . <i>High Temp.-High Press.</i> , 5, 169-176.
99BRA/PAP	BRADY, P. V., PAPENGUTH, H. W. & KELLY, J. W. 1999. Metal sorption to dolomite surfaces. <i>Applied Geochemistry</i> , 14, 569-579.
03BRA/BOS	BRANDT, F., BOSBACH, D., KRAWCZYK-BÄRSCH, E., ARNOLD, T. & BERNHARD, G. 2003. Chlorite dissolution in the acid pH-range: a combined microscopic and macroscopic approach. <i>Geochimica et Cosmochimica Acta</i> , 67, 1451-1461.
62BRA/NAN	BRANNAN, J. R. & NANCOLLAS, G. H. 1962. Ion association in solutions of nickel malonate and n-butyl malonate. <i>Transactions of the Faraday Society</i> , 58, 354-358.
04BRA/PÁE1	BRAVO-SUÁREZ, J. J., PÁEZ-MOZO, E. A. & OYAMA, S. T. 2004. Models for the estimation of thermodynamic properties of layered double hydroxides: application to the study of their anion exchange characteristics. <i>Quim. Nova</i> , 27, 574-581.
04BRA/PÁE	BRAVO-SUÁREZ, J. J., PÁEZ-MOZO, E. A. & OYAMA, S. T. 2004. Review of the synthesis of layered double hydroxides: a thermodynamic approach. <i>Quimica Nova</i> , 27, 601-614.
04BRA/PÁE2	BRAVO-SUÁREZ, J. J., PÁEZ-MOZO, E. A. & OYAMA, S. T. 2004. Review of the synthesis of layered double hydroxides: a thermodynamic approach. <i>Quimica Nova</i> , 27, 601-614.
34BRA/HER	Bray, W. C. and Hershey, A. V. 1934. The hydrolysis of ferric ion. The standard potential of the ferric-ferrous electrode at 25°. The equilibrium $Fe^{3+} + Cl^- = FeCl_2^+$, <i>J. Am. Chem. Soc.</i> 56, 1889-1893.
83BRE/HOR	BREEN, P. J. & HORROCKS JR, W. D. 1983. Europium(III) luminescence excitation spectroscopy. Inner-sphere complexation of europium (III) by chloride, thiocyanate, and nitrate ions. <i>Inorganic Chemistry</i> , 22, 536-540.
07BRE/TER	BREGIROUX, D., TERRA, O., AUDUBERT, F., DACHEUX, N., SERIN, V., PODOR, R. & BERNACHE-ASSOLLANT, D. 2007. Solid-State synthesis of monazite-type compounds containing tetravalent elements. <i>Inorganic Chemistry</i> , 46 10372-10382.
07BRE/ALT	BRENDEBACH, B., ALTMAIER, M., ROTHE, J., NECK, V. & DENECKE, M. A. 2007. EXAFS study of aqueous Zr(IV) and Th(IV) complexes in alkaline $CaCl_2$ solutions: $Ca_3[Zr(OH)_6]^{4+}$ and $Ca_4[Th(OH)_8]^{4+}$. <i>Inorg. Chem.</i> , 46 6804-6810.

79BRE/DOU	BRESLAUER, K. J. & DOUGLASS, C. 1979. A calorimetric determination of enthalpies and heat capacities of protonation. J. Chem. Thermodyn., 11, 527-530.
08BRE/BRU	BREYNAERT, E., BRUGGEMAN, C. & MAES, A. 2008. XANES-EXAFS Analysis of Se Solid-Phase Reaction Products Formed upon Contacting Se (IV) with FeS ₂ and FeS. Environmental science & technology, 42, 3595-3601.
08BRI/BEN	BRINZA, L., BENNING, L. G. & STATHAM, P. J. 2008. Adsorption studies of Mo and V onto ferrihydrite. Mineral. Mag., 72, 385-388.
25BRI	BRITTON, H. T. S. 1925. Electrometric studies of the precipitation of hydroxides. IV. Precipitation of mercuric, cadmium, lead, silver, cupric, uranic and ferric hydroxides by use of the oxygen electrode. Journal of the Chemical Society Transactions, 127 2148-2159.
59BRO	BRONNIMANN, M. 1959. No Title. Bern
22BRÖ	BRÖNSTED, J. N. 1922. Studies of solubility: IV. The principle of specific interaction of ions. Journal of the American Chemical Society, 44, 877-898.
54BRO/BRE	BROWN, H. C., BREWSTER, J. H. & SHECTER, H. 1954. An interpretation of the chemical behavior of five- and six-membered ring compounds. J. Am. Chem. Soc., 76 467.
87BRO/SYL	BROWN, P. L. & SYLVA, R. N. 1987. Unified theory of metal ion complex formation constants AAEC.
87BRO/WAN	BROWN, P. L. & WANNER, H. 1987. Predicted formation constants using the unified theory of metal ion complexation, OECD Nuclear Energy Agency
05BRO/CUR	BROWN, P. L., CURTI, E., GRAMBOW, B. & EKBERG, C. 2005. Chemical thermodynamics Vol. 8: Chemical thermodynamics of zirconium, NEA North Holland Elsevier Science Publishers B. V.
85BRO/SYL	BROWN, P. L., SYLVA, R. N. & ELLIS, J. 1985. An equation for predicting the formation constants of hydroxo-metal complexes. J. Chem. Soc., Dalton Trans., 723-730.
16BRO/EKB	Brown, P.L., Ekberg, C., 2016. Hydrolysis of metal ions. John Wiley & Sons.
90BRO/BUC	BROWNSWORD, M., BUCHAN, A. B., EWART, F. T., MCCROHON, R., ORMEROD, G. J., SMITH-BRIGGS, J. L. & THOMASON, H. P. 1990. The solubility and sorption of uranium(VI) in a cementitious repository. Material research society symposium proceedings
54BRU	BRUBAKER, C. H. 1954. An examination of tin(IV) solutions in sulphuric acid. Journal of the American Chemical Society, 76 4269-4271.
54BRU1	BRUBAKER, C. H. 1954. An examination of tin(IV) solutions in sulphuric acid. Journal of the American Chemical Society, 76 4269-4271.
54BRU2	BRUBAKER, C. H. 1954. The hydrolysis of tin(IV) in sulphuric acid. Journal of the American Chemical Society, 77 5265-5268.
57BRU	BRUBAKER, C. H. 1957. Sulfate complexes of tin(IV). J. Phys. Chem., 61 696-697.
05BRU/MAE	BRUGGEMAN, C., MAES, A., VANCLUYSEN, J. & VANDEMUSSELE, P. 2005. Selenite reduction in Boom clay: Effect of FeS ₂ , clay minerals and dissolved organic matter. Environmental Pollution, 137, 209-221.
02BRU/VAN	BRUGGEMAN, C., VANCLUYSEN, J. & MAES, A. 2002. New selenium solution speciation method by ion chromatography plus gamma counting and its application to FeS ₂ -controlled reducing conditions. Radiochim. Acta, 90 629-635.
94BRU/DUR	BRUNO, J. & DURO, L. 1994. Aplicación de la modelización geoquímica predictiva a un sistema natural: El Berrocal. Estudios Geológicos, 50 411-418.

00BRU/DUR	BRUNO, J. & DURO, L. 2000. Reply to W. Hummel's comment on and correction to "On the influence of carbonate in mineral dissolution: 1. The thermodynamics and kinetics of hematite dissolution in bicarbonate solutions at T = 25°C" by J. Bruno, W. Stumm, P. Wersin, and F. Brandberg. <i>Geochimica et Cosmochimica Acta</i> , 64, 2173.
89BRU/PUI	BRUNO, J. & PUIGDOMÈNECH, I. 1989. Validation of the SKBU1 Uranium thermodynamic database for its use in geochemical calculations with EQ3/6. <i>Materials Research Society Symposium Proceedings</i> , 127 887-896.
87BRU	Bruno, J., 1987. Beryllium(II) hydrolysis in 3.0 mol dm ⁻³ perchlorate. <i>J. Chem. Soc., Dalton Trans.</i> 2431–2437.
07BRU/BOS	BRUNO, J., BOSBACH, D., KULIK, D. & NAVROTSKY, A. 2007. Chemical thermodynamics: Vol. 10: Chemical thermodynamics of solid solutions of interest in radioactive waste management: a state-of-the-art report, OECD Publishing.
91BRU/CAS	BRUNO, J., CASAS, I. & PUIGDOMÈNECH, I. 1991. The kinetics of dissolution of UO ₂ under reducing conditions and the influence of an oxidized surface layer (UO ₂ ⁺⁺): Application of a continuous flow-through reactor. <i>Geochimica et Cosmochimica Acta</i> 55 647-658.
97BRU/CAS	BRUNO, J., CASAS, I., CERA, E. & DURO, L. 1997. Development and application of a model for the long-term alteration of UO ₂ spent nuclear fuel test of equilibrium and kinetic mass transfer models in the Cigar Lake ore deposit. <i>Journal of contaminant hydrology</i> , 26, 19-26.
87BRU/CAS	BRUNO, J., CASAS, I., LAGERMAN, B. & MUÑOZ, M. 1987. The determination of the solubility of amorphous UO ₂ (s) and the mononuclear hydrolysis constants of uranium(IV) at 25°C. <i>Sci. Basis Nucl. Waste Management X, Symp. Proceedings</i>
97BRU/CER	BRUNO, J., CERA, E., DE PABLO, J., DURO, L., JORDANA, S. & SAVAGE, D. 1997. Determination of radionuclide solubility limits to be used in SR 97. Uncertainties associated to calculated solubilities.: SKB.
97BRU/CER1	BRUNO, J., CERA, E., DE PABLO, J., DURO, L., JORDANA, S. & SAVAGE, D. 1997. Determination of radionuclide solubility limits to be used in SR 97. Uncertainties associated to calculated solubilities.: SKB.
97BRU/CER2	BRUNO, J., CERA, E., DURO, L., ERIKSEN, T., SELLIN, P., SPAHIU, K. & WERME, L. 1997. A kinetic model for the stability of the spent fuel matrix under oxic conditions: Model development against experimental evidence. <i>Materials Research Society Symposium Proceedings</i> , 465 491-502.
01BRU/CER	BRUNO, J., CERA, E., EL AMRANI, F. Z., ARCOS, D. & DURO, L. 2001. Development of the ThermoChimie thermodynamic database, Major elements. Andra.
03BRU/CER	BRUNO, J., CERA, E., GRIVÉ, M., DURO, L. & ERIKSEN, T. 2003. Experimental determination and chemical modelling of radiolytic processes at the spent/fuel water interface.: SKB.
92BRU/CRO	BRUNO, J., CROSS, J. E., EIKENBERG, J., MCKINLEY, I. G., READ, D., SANDINO, A. & SELLIN, P. 1992. Testing models of trace element geochemistry at Poços de Caldas. <i>Journal of Geochemical Exploration</i> , 45, 451-470.
95BRU/DEP	BRUNO, J., DE PABLO, J., DURO, L. & FIGUEROLA, E. 1995. Experimental study and modeling of the U(VI)-Fe(OH) ₃ surface precipitation/coprecipitation equilibria. <i>Geochim. Cosmochim. Ac.</i> , 59 4113-4123.
01BRU/DUR1	BRUNO, J., DURO, L. & GRIVÉ, M. 2001. The applicability and limitations of the geochemical models and tools used in simulating radionuclide behaviour in natural waters SKB.

02BRU/DUR	BRUNO, J., DURO, L. & GRIVÉ, M. 2002. The applicability and limitations of thermodynamic geochemical models to simulate trace element behaviour in natural waters. Lessons learned from natural analogue studies. <i>Chemical Geology</i> , 190 371-393.
02BRU/DUR1	BRUNO, J., DURO, L. & GRIVÉ, M. 2002. The applicability and limitations of thermodynamic geochemical models to simulate trace element behaviour in natural waters. Lessons learned from natural analogue studies. <i>Chemical Geology</i> , 190 371-393.
01BRU/DUR	BRUNO, J., DURO, L., CERA, E., GRIVÉ, M., EL AMRANI, F. & ROVIRA, M. 2001. Revision of the ThermoChimie thermodynamic database for radioelements.: Andra.
01BRU/DUR2	BRUNO, J., DURO, L., CERA, E., GRIVÉ, M., EL AMRANI, F. & ROVIRA, M. 2001. Revision of the ThermoChimie thermodynamic database for radioelements.: Andra.
02BRU/DUR2	BRUNO, J., DURO, L., CERA, E., GRIVÉ, M., EL AMRANI, F. Z. & ROVIRA, M. 2002. Revision of the ThermoChimie thermodynamic database for radioelements.: Andra.
98BRU/DUR	BRUNO, J., DURO, L., DE PABLO, J., CASAS, I., AYORA, I., DELGADO, J., GIMENO, M. J., PEÑA, J., LINKLATER, C., PEREZ DEL VILLAR, L. & GÓMEZ, P. 1998. Estimation of the concentrations of trace metals in natural systems. The application of co-dissolution and co-precipitation approaches to El Berrocal (Spain) and Poços de Caldas (Brazil). <i>Chemical Geology</i> , 51 277-291.
01BRU/DUR3	BRUNO, J., DURO, L., GRIVÉ, M. & MERINO, J. 2001. Review of the radionuclides solubility limits for their use in PA exercises under clayey and cementitious conditions Andra.
86BRU/FER	BRUNO, J., FERRI, D., GRENTHE, I. & SALVATORE, F. 1986. Studies on metal carbonate equilibria. 13. On the solubility of uranium (IV) dioxide, UO ₂ . <i>Acta. Chem. Scand.</i> , 40 428-434.
18BRU/GON	Bruno, J., González-Siso, M.R., Duro, L., Gaona, X., Altmaier, M. 2018. Key master variables affecting the mobility of Ni, Pu, Tc and U in the near field of the SFR Repository. Main experimental findings and PA implications of the PhD thesis. SKB Technical Report TR-18-01.
87BRU/GRE	BRUNO, J., GRENTHE, I., SANDSTRÖM, M. & FERRI, D. 1987. Studies of metal carbonate equilibria. Part 15. The beryllium (II)–water–carbon dioxide (g) system in acidic 3.0 mol dm ⁻³ perchlorate media. <i>Journal of the Chemical Society, Dalton Transactions</i> , 10, 2439-2444.
92BRU/STU	BRUNO, J., STUMM, W., WERSIN, P. & BRANDBERG, F. 1992. On the influence of carbonate in mineral dissolution: I. The thermodynamics and kinetics of hematite dissolution in bicarbonate solutions at T = 25°C. <i>Geochimica et Cosmochimica Acta</i> , 56 1139-1147.
92BRU/WER	BRUNO, J., WERSIN, P. & STUMM, W. 1992. On the influence of carbonate in mineral dissolution: II. The solubility of FeCO ₃ (s) at 25°C and 1 atm total pressure. <i>Geochimica et Cosmochimica Acta</i> , 56 1149-1155.
90BUC/EWA	BUCHAN, A. B., EWART, F. T., HOBLEY, J., ORMEROD, G. J., SMITH-BRIGGS, J. L. & THOMASON, H. P. 1990. Solubility limiting solid phases of uranium.: Harwell Laboratory.
64BUK/UGO	BUKETOV, E. A., UGORETS, M. Z. & TASHINKIN, A. S. 1964. Solubility products and entropies of sulphides, selenides and tellurides. <i>Russian J Inorgan Chem</i> , 9 292-294.
66BUK/FLE	BUKSH, M. N., FLEGENHEIMER, J., HALL, F. M., MADDOCK, A. G. & DE MIRANDA, C. F. 1966. The chemistry of protactinium—VII The fluoro-complexes. <i>Journal of Inorganic and Nuclear Chemistry</i> , 28, 421-431.
00BUN/KNO	BUNDSCHUH, T., KNOPP, R., MÜLLER, R., KIM, J. I., NECK, V. & FANGHÄNEL, T. 2000. Application of LIBD to the determination of the solubility product of thorium(IV)-colloids. <i>Radiochim. Acta</i> , 88 625-629.

70BUN/THO	BUNTING, J. W. & THONG, K. M. 1970. Stability constants for some 1:1 metal-carboxylate complexes. <i>Can. J. Chem.</i> , 48 1654-1656.
85BUR	BURAU, R. G. 1985. Environmental chemistry of selenium. <i>California Agriculture</i> , 16-18.
63BUR/DYR	Burger, K., Dyrssen, D. 1963. On the complex formation of palladium with dimethylglyoxime. <i>Acta Chem. Scand.</i> 17, 1489-1502.
93BUR/DRA	BURGESS, J. & DRASDO, D. N. 1993. Solubilities of calcium salts of dicarboxylic acids in methanol-water mixtures; transfer chemical potentials of dicarboxylate anions. <i>Polyhedron</i> , 12, 2905-2911.
82BUR/BUS	Burkov, K.A., Bus'ko, E.A., Lilich, L.S. and Ivanova, I.N. (1982) The copper 2+ ions hydrolysis at 25 and 50°C, <i>Zh. Neorg. Khim.</i> , 27, 1455-1459.
95BUR/JOB	BURNETT A. B., K. B. A. C., JOBE, D. J., LEMIRE, R. J. & TAYLOR, P. 1995. Synthesis, characterization and heat of formation of the amorphous and crystalline forms of TcO ₂ . <i>Radiochim. Acta</i> , 69 241-249.
95BUR/CAM	Burnett, K. B., Campbell, A. B., Jobe, D. J., Lemire, R. J., Taylor, P. 1995. Synthesis, characterization and heat of formation of the amorphous and crystalline forms of TcO ₂ . <i>Radiochim. Acta</i> , 69, 241- 249.
98BUR/PET	BURNS, J. B., PETERSON, J. R. & HAIRE, R. G. 1998. Standard enthalpies of formation for europium, gadolinium and lutetium oxychlorides, calculated from measured enthalpies of solution. <i>J. Alloy. Compd.</i> , 265 146-152.
03BUR/WOS	Burtovyy, R., Wosewicz, D., Czopnik, A., Tkacz, M. (2003). Heat capacity of copper hydride. <i>Thermochimica acta</i> , 400(1), 121-129.
86BUS/PLU	BUSENBERG, E. & PLUMMER, L. N. 1986. The solubility of BaCO ₃ (cr) (whiterite) in CO ₂ -H ₂ O solutions between 0 and 90°C, evaluation of the association constants of BaHCO ₃ ⁺ (aq) and BaCO ₃ (aq) between 5 and 80°C, and a preliminary evaluation of the thermodynamic properties of Ba ²⁺ (aq). <i>Geochim. et Cosmochim. Acta</i> , 50 2225-2233.
84BUS/PLU	BUSENBERG, E., PLUMMER, L. N. & PARKER, V. B. 1984. The solubility of strontianite (SrCO ₃) in CO ₂ -H ₂ O solutions between 2 and 91°C, the association constants of SrHCO ₃ (aq) and SrCO ₃ (aq) between 5 and 80°C, and an evaluation of the thermodynamic properties of Sr ²⁺ (aq) and SrCO ₃ (cr) at 25°C and 1 atm total pressure. <i>Geochimica et Cosmochimica Acta</i> , 48, 2021-2035.
77BUS/MES	BUSEY, R. H. & MESMER, R. E. 1977. Ionization equilibriums of silicic acid and polysilicate formation in aqueous sodium chloride solutions to 300°C. <i>Inorganic Chemistry</i> , 16, 2444-2450.
72BUS/BEV	BUSEY, R. H., BEVAN, J. R. B. & GILBERT, R. A. 1972. The heat capacity of potassium pertechnetate from 10 to 310K. Entropy and Gibbs energy. Entropy of the aqueous pertechnetate ion. <i>J. Chem. Thermodyn.</i> , 4 77-84.
60BUS/BEV	Busey, R. H., Bevan, Jr., R. B. 1960. Chemistry of technetium, Solubility and heat of solution of potassium pertechnetate and potassium hexachlororhenate(IV). <i>Tech. Rep. ORNL-2983</i> , Oak Ridge National Laboratory, Oak Ridge, Tennessee, pp. 8-9.
72BUS/BEV	Busey, R. H., Bevan, Jr., R. B., Gilbert, R. A. 1972. The heat capacity of potassium pertechnetate from 10 to 310 K. Entropy and Gibbs energy. Entropy of the aqueous pertechnetate ion, <i>J. Chem. Thermodyn.</i> , 4, 77-84.
62BUS	BUSLAEV, Y. A. 1962. Instability constants of complex zirconium fluorides. <i>Zhur. Neorg. Khim.</i> , 7
93BYR/KUM	BYRNE, R. H. & KUMP, L. R. 1993. Comment on "Speciation of aqueous palladium(II) chloride solutions using optical spectroscopies" by C.D. Tait, D.R. Janecky and P.S.Z. Rogers. <i>Geochimica et Cosmochimica Acta</i> , 57, 1151.
00BYR/LUO	BYRNE, R. H. & LUO, Y.-R. 2000. Direct observations of nonintegral hydrous ferric oxide solubility products: $K^*_{so}=[Fe^{3+}][H^+]-2.86$. <i>Geochimica et Cosmochimica Acta</i> , 64, 1873-1877.

00BYR/YAO	BYRNE, R. H. & YAO, W. 2000. Formation of palladium(II) hydroxychloride complexes and precipitates in sodium chloride solutions and seawater. <i>Geochimica et Cosmochimica Acta</i> , 64, 4153.
85BYR/MIL	Byrne, R. H., and Miller, W. L. (1985). Copper (II) carbonate complexation in seawater. <i>Geochimica et Cosmochimica Acta</i> , 49(8), 1837-1844.
91BYR/LEE	BYRNE, R. H., LEE, J. H. & BINGLER, L. S. 1991. Rare earth element complexation by PO_4^{3-} ions in aqueous solution. <i>Geochimica et Cosmochimica Acta</i> , 55 2729-2735.
00BYR/LUO	Byrne, R. H., Luo, Y.-R. and Young, R. W. 2000. Iron hydrolysis and solubility revisited: observations and comments on iron hydrolysis characterizations, <i>Mar. Chem.</i> , 70, 23-35.
83BYR/VAN	Byrne, R.H., Van der Weijden, C.H., Kester, D.R. and Zuehlke, R.W. (1983) Evaluation of the $CuCl^+$ stability constant and molar absorptivity in aqueous media. <i>J. Solut. Chem.</i> , 12, 581-595.
01CAB/IGN	CABRAL, T. & IGNATIADIS, I. 2001. Mechanistic study of the pyrite–solution interface during the oxidative bacterial dissolution of pyrite (FeS ₂) by using electrochemical techniques. <i>International Journal of Mineral Processing</i> , 62, 41-64.
83CAC/CHO	CACECI, M. S. & CHOPPIN, G. R. 1983. The determination of the first hydrolysis constant of Eu(III) and Am(III). <i>Radiochim. Acta</i> , 33 101-104.
98CAC/CHO	CACHERIS, W. P. & CHOPPIN, G. R. 1998. Dissociation kinetics of thorium-humate complex. <i>Radiochimica Acta</i> , 42 185-190.
02CAL/CAR	CALMET, J. F., CARLIN, F., NGUYEN, T. M., BOUSQUET, S. & QUINOT, P. 2002. Irradiation ageing of CSPE/EPR control command electric cables. Correlation between mechanical properties and oxidation. <i>Radiation Physics and Chemistry</i> , 63, 235-239.
00CAM/GAN	CAMA, J., GANOR, J., AYORA, C. & LASAGA, C. A. 2000. Smectite dissolution kinetics at 80°C and pH 8.8. <i>Geochimica et Cosmochimica Acta</i> , 64, 2701-2717.
63CAM	CAMPI, E. 1963. Complexes of metal ions with tartaric, malic, malonic and succinic acids. <i>Ann. Chim. (Rome)</i> , 53, 96.
15CAM/COL1	CAMPOS, I., COLÀS, E. & GRIVÉ, M. 2015. Ionic strength corrections. Project ANDRA TC2-Task G. 1st Progress Report. Amphos21.
15CAM/COL	CAMPOS, I., COLÀS, E. & GRIVÉ, M. 2015. Validation exercises. Project TC2-Task B. 1st Progress Report. Amphos 21.
15CAM/COL2	CAMPOS, I., COLÀS, E. & GRIVÉ, M. 2015. Validation exercises. Project TC2-Task B. 1st Progress Report. Amphos 21.
16CAM/COL1	CAMPOS, I., COLÀS, E. & GRIVÉ, M. 2016. ThermoChimie database. Data traceability: Further work. Project TC2-Task C. 2nd Progress Report. Amphos 21.
16CAM/COL2	CAMPOS, I., COLÀS, E. & GRIVÉ, M. 2016. Validation exercises. Project TC2-Task B. 2nd Progress Report. Amphos 21.
17CAM/COL1	CAMPOS, I., COLÀS, E. & GRIVÉ, M. 2017. GL-CTEC milieux salins Modèles chimiques des majeurs et des RN/TC dans les matériaux cimentaires en milieux salins concentrés. Task 2: Radionuclides. Objectif 6 – CG.PE.ASTR.14.0029. Final report. Amphos 21.
17CAM/COL2	CAMPOS, I., COLÀS, E. & GRIVÉ, M. 2017. Systematic cross-checking: Selected data review. Project TC2 – Task A. 4th Progress Report. Amphos 21.
17CAM/COL3	CAMPOS, I., COLÀS, E. & GRIVÉ, M. 2017. Validation exercises. Project TC2-Task B. 3rd Progress Report. Amphos 21.
18CAM/COL	CAMPOS, I., COLÀS, E. & GRIVÉ, M. 2018. Systematic cross-checking: Consistency of ThermoChimie database. Project TC2-TASK A. Final Report. Amphos 21.
16CAM/COL3	CAMPOS, I., COLÀS, E., DURO, L. & GRIVÉ, M. 2016. Ionic strength corrections. Project TC2-Task G. 2nd Progress Report. Amphos 21.

16CAM/COL2	CAMPOS, I., COLÀS, E., DURO, L. & GRIVÉ, M. 2016. ThermoChimie database: Thermodynamic data of Si. Project TC2-Task I. Progress Report. Amphos 21.
16CAM/COL4	CAMPOS, I., COLÀS, E., DURO, L. & GRIVÉ, M. 2016. ThermoChimie database: Thermodynamic data of Si. Project TC2-Task I. Progress Report. Amphos 21.
16CAM/COL5	CAMPOS, I., COLÀS, E., DURO, L. & GRIVÉ, M. 2016. ThermoChimie database: Thermodynamic data of Si. Project TC2-Task I. Progress Report. Amphos 21.
16CAM/PÉR	CAMPOS, I., PÉREZ, D., COLÀS, E. & GRIVÉ, M. 2016. ThermoChimie database. Track-error document. Version 9.b.0. Amphos 21.
18CAM/PÉR	CAMPOS, I., PÉREZ, D., COLÀS, E. & GRIVÉ, M. 2018. ThermoChimie database. Track changes and Track-error document.: Amphos 21.
15CAM/PÉR	CAMPOS, I., PÉREZ, D., GARCÍA, D., COLÀS, E. & GRIVÉ, M. 2015. ThermoChimie data extraction. Project ANDRA TC1-Task C. Final Report. Amphos 21.
16CAM/VAL	CAMPOS, I., VALLS, A., COLÀS, E. & GRIVÉ, M. 2016. Systematic cross-checking: Significant figures for entropies. Project TC2 – Task A. 2nd Progress Report. Amphos 21.
58CAN/PAP	CANADY, W. J., PAPEE, H. M. & LAIDLER, K. J. 1958. Microcalorimetric studies of heats of neutralization and ionization of some weak acids in highly dilute aqueous solutions. <i>Trans. Faraday Soc.</i> , 54, 502-506.
38CAN/KIB	CANNAN, R. K. & KIBRICK, A. 1938. Complex formation between carboxylic acids and divalent metal cations. <i>J. Amer. Chem. Soc.</i> , 60 2314-2320.
87CAN/BYR	CANTRELL, K. J. & BYRNE, R. H. 1987. Rare earth element complexation by carbonate and oxalate ions. <i>Geochim. Cosmochim. Acta</i> , 51 597-605.
94CAP/VIT	CAPDEVILA, H. & VITORGE, P. 1994. Redox potentials of PuO ₂ ²⁺ /PuO ₂ ⁺ and Pu ⁴⁺ /Pu ³⁺ at different ionic strengths and temperatures. Entropy and heat capacity. <i>Radiochim. Acta</i> , 68 51-62.
99CAP/RIG	CAPDEVILA, H., RIGLET-MARTIAL, C., PERETROUKHINE, V., VITORGE, P. & BION, L. 1999. L'état de l'art sur la complexation des actinides trivalents et tétravalents par les ions hydroxyde, carbonate et silicate SESD.
96CAP/VIT	CAPDEVILA, H., VITORGE, P., GIFFAUT, E. & DELMAU, L. 1996. Spectrophotometric study of the dissociation of the Pu(IV) carbonate limiting complex. <i>Radchim. Acta</i> , 74 93-98.
61CAR/OLI	CARELL, B. & OLIN, A. 1961. Studies on the hydrolysis of metal ions. Application of the self-medium method to the hydrolysis of beryllium perchlorate. <i>Acta Chemica Scandinavica</i> , 15, 1875-1884.
64CAR/BOG	CAREY, G. H., BOGUCKI, R. F. & MARTELL, A. E. 1964. Mixed ligand chelates of thorium (IV). <i>Inorganic Chemistry</i> , 3, 1288-1295.
96CAR/AAL	CARLSSON, T. & AALTO, H. 1996. Interactions of Ni and Ca at the calcite-solution interface. . VTT.
97CAR/VOU	CARLSSON, T. & VOURINEN, U. 1997. Radionuclide solubilities at elevated temperatures-a literature study. POSIVA.
69CAR/LEM	CARO, P. & LEMAÎTRE-BLAISE, M. 1969. Hydroxycarbonates des terres rares Ln ₂ (CO ₃) _x (OH) _{2(3-x)} nH ₂ O. <i>Comp. Rend. Ac. Sci Paris</i> , 269 687-690.
68CAR/LEM	CARO, P., LEMAITRE-BLAISE, M. & TROMBE, F. 1968. Identification et solubilités des phases solides à l'équilibre sous une atmosphère de gaz carbonique dans les systèmes ternaires oxydes de terres rares-gaz carbonique-eau. <i>Comp. Rend. Ac. Sci. Paris</i> , 267 1594-1597.

93CAR	CARROLL, S. 1993. Precipitation of Nd-Ca carbonate solid solution at 25°C. <i>Geochimica et Cosmochimica Acta</i> , 57 3383-3393.
91CAR/BRU	CARROLL, S. A. & BRUNO, J. 1991. Mineral-solution interactions in the U (VI)-CO ₂ -H ₂ O system. <i>Radiochimica Acta</i> , 52 187-193.
07CAR/MAY	CARTWRIGHT, A. J., MAY, C. C., WORSFOLD, P. J. & KEITH-ROACH, M. J. 2007. Characterisation of thorium-EDTA and Thorium-NTA species by electrospray ionisation-mass spectrometry. <i>Analytica Chimica Acta</i> , 590 125-131.
03CAR/RAM	CARVALHO-E-SILVA, M. L., RAMOS, A. Y., TOLENTINO, H. C. N., ENZWEILER, J., NETTO, S. M. & ALVES, M. C. M. 2003. Incorporation of Ni into natural goethite: An investigation by X-ray absorption spectroscopy. <i>American Mineralogist</i> , 88, 876-882.
04CAS/CRI	CASA, J. M., CRISÓSTOMO, G. & CIFUENTES, L. 2004. Antimony solubility and speciation in aqueous sulphuric acid solutions at 298 K. <i>The Canadian journal of chemical engineering</i> , 82 175.
94CAS/BRU1	CASAS, I. & BRUNO, J. 1994. Testing of solubility and speciation codes.: SKB.
89CAS	CASAS, I. 1989. Estudios Fisico-Químicos de la disolución del UO ₂ . Universidad Autónoma de Barcelona
97CAS/BRU	CASAS, I., BRUNO, J., CERA, E., FINCH, R. J. & EWING, R. C. 1997. Caracterization and dissolution behaviour of a Becquerelite from Shinkolobwe, Zaire. <i>Geochimica. et Cosmochima Acta</i> , 61 3879-3884.
94CAS/BRU2	CASAS, I., BRUNO, J., CERA, E., FINCH, R. J. & R.C., E. 1994. Kinetic and thermodynamic studies of uranium minerals. Assessment of the long-term evolution of spent nuclear fuel.: SKB.
84CAS/TAU	CASASSAS, E. & TAULER, R. 1984. Mixed-ligand complex formation in the system copper. II: Salicylate ion-ethylenediamine. <i>Journal de chimie physique</i> , 81, 233-241.
92CAS/BER	CASES, J. M., BEREND, I., BESSON, G., FRANCOIS, M., URIOT, J. P., THOMAS, F. & POIRIER, J. E. 1992. Mechanism of adsorption and desorption of water vapor by homoionic montmorillonite. 1. The sodium-exchanged form. <i>Langmuir</i> , 8, 2730-2739.
97CAS/BER	CASES, J. M., BEREND, I., FRANCOIS, M., URIOT, J. P., MICHOT, L. J. & THOMAS, F. 1997. Mechanism of adsorption and desorption of water vapor by homoionic montmorillonite; 3, The Mg ²⁺ , Ca ²⁺ , and Ba ³⁺ exchanged forms. <i>Clays and Clay Minerals</i> , 45, 8-22.
88CAS/CAR	CASEY, W. H., CARR, M. J. & GRAHAM, R. A. 1988. Crystal defects and the dissolution kinetics of rutile. <i>Geochimica et Cosmochimica Acta</i> , 52, 1545-1556.
96CAS/CHA	CASEY, W. H., CHAL, L., NAVROTSKY, A. & ROCK, P. A. 1996. Thermochemistry of mixing strontianite [SrCO ₃ (s)] and aragonite [CaCO ₃ (s)] to form Ca _x Sr _{1-x} CO ₃ (s) solid solutions. <i>Geochimica et cosmochimica acta</i> , 60 933-940.
69CAS/MAG	CASSOL, A., MAGON, L., TOMAT, G. & PORTANOVA, R. 1969. Relative stabilities of complexes of MO ₂ ²⁺ (M=U, Np and Pu) with monocarboxylate anions. <i>Inorganica Chimica Acta</i> , 3 639-643.
04CEC/BLA	CECCARELLO, S., BLACK, S., READ, D. & HODSON, M. E. 2004. Industrial radioactive barite scale: suppression of radium uptake by introduction of competing ions. <i>Minerals engineering</i> , 17, 323-330.
88CEM/KLE	Cemi, L., Kleppa, O. J. 1988. High temperature calorimetry of sulfide systems. III. Standard enthalpies of formation of phases in the systems Fe-Cu-S and Co-S, <i>Phys. Chem. Miner.</i> , 16, 172-179.
99CER/DRA	CEREFICE, G., DRAYE, M., NOYES, K. & CZERWINSKI, K. 1999. Hafnium Hydroxide Complexation and Solubility: the Impact of Hydrolysis Reactions on the Disposition of Weapons-Grade Plutonium. <i>MRS Proc.</i> , 556, 1025.

08CET/XIO	CETINER, Z. S. & XIONG, Y. 2008. Chemical controls on the solubility, speciation and mobility of lanthanum at near surface conditions: A geochemical modeling study. <i>Applied Geochemistry</i> , 23 2301-2315.
09CET	CETINER, Z. S. 2009. The influence of pH and temperature on the aqueous geochemistry of neodymium in near surface conditions. <i>Environmental Monitoring and Assessment</i> , 151 279-287.
05CET/WOO	CETINER, Z. S., WOOD, S. A. & GAMMONS, C. H. 2005. The aqueous geochemistry of the rare earth elements. Part XIV. The solubility of rare earth element phosphates from 23 to 150°C. <i>Chemical geology</i> , 217, 147-169.
20ÇEV/PAP	Çevirim-Papaioannou, N., Gaona, X., Böttle, M., Bethune, E.Y., Schild, D., Adam, C., Sittel, T., Altmaier, M., 2020. Thermodynamic description of Be(II) solubility and hydrolysis in acidic to hyperalkaline NaCl and KCl solutions. <i>Applied Geochemistry</i> 117, 104601.
99CHA/RIC	Chadwell, S.J., Rickard, D. and Luther III, G.W. (1999) Electrochemical evidence for pentasulfide complexes with Mn ²⁺ , Fe ²⁺ , Co ²⁺ , Ni ²⁺ , Cu ²⁺ and Zn ²⁺ . <i>Aquatic Geochemistry</i> , 5, 29-57.
01CHA/RIC	Chadwell, S.J., Rickard, D. and Luther III, G.W. 2001. Electrochemical evidence for metal polysulfide complexes: tetrasulfide (S ₄ ²⁻) reactions with Mn ²⁺ , Fe ²⁺ , Co ²⁺ , Ni ²⁺ , Cu ²⁺ and Zn ²⁺ . <i>Electroanalysis</i> 13, 21-29.
94CHA/NAV	CHAI, L. & NAVROTSKY, A. 1994. Enthalpy of formation of siderite and its application in phase equilibrium calculation. <i>American Mineralogist</i> , 79 921-929.
10CHA/BAR	CHAKRABORTY, S., BARDELLI, F. & CHARLET, L. 2010. Reactivity of Fe(II) on calcite: Selenium reduction. <i>Environ. Sci. Technol.</i> , 44, 1288-1294.
84CHA/TIO	CHAN, C. B., TIOH, H. & HEFTER, G. T. 1984. Fluoride complexes of the alkali metal ions. <i>Polyhedron</i> , 7 845-851.
88CHA/NEW	CHANDRATILLAKE, M. R., NEWTON, G. W. A. & ROBINSON, V. J. 1988. Project Chemval: Comparison of Thermodynamic Databases Used in Geochemical Modelling. Department of the Environment Radioactive Waste Management Research Programme.
06CHA/KOR	CHANG, H., KORSHIN, G. & FERGUSON, J. F. 2006. Investigation of Mechanisms of Oxidation of EDTA and NTA by Permanganate at High pH. <i>Environmental Science and Technology</i> , 40 5089-5094.
71CHA/BES	CHANG, S. S. & BESTUL, A. B. 1971. Heat capacities of cubic, monoclinic, and vitreous arsenious oxide from 5 to 360K. <i>The Journal of Chemical Physics</i> , 55, 933-946.
05CHA/OSA	Chareev, D. A., Osadchii, E. G. 2005. Pyrrhotite-pyrite equilibria in the Ag-Fe-S system at 245 to 310°C and standard pressure. <i>Geochem. Mineral. Petrol.</i> , 43, 41-46.
11CHA/KAN	CHARLET, L., KANG, M., BARDELLI, F. & CHAKRABORTY, S. 2011. Redox effect on the transfer of radionuclides: the selenium case. 13th International Conference on the Chemistry and Migration Behaviour of Actinides and Fission Products in the Geosphere. Beijing (China).
07CHA/SCH	CHARLET, L., SCHEINOST, A. C., TOURNASSAT, C., GRENECHE, J. M., GÉHIN, A., FERNÁNDEZ-MARTÍNEZ, A., COUDERT, S., TISSERAND, D. & BRENDLE, J. 2007. Electron transfer at the mineral/water interface: Selenium reduction by ferrous iron sorbed on clay. <i>Geochimica et Cosmochimica Acta</i> , 71 5731-5749.
85CHA/DAV	Chase M. W., Jr., Davies C. A., Downey J. R., Jr., Frurip D. J., McDonald R. A., and Syverud A. N. (1985) JANAF Thermochemical tables, third edition. <i>J. Phys. Chem. Ref. Data</i> 14, Suppl. No. 1, 1-1856.
98CHA	CHASE, M. W. 1998. NIST-JANAF thermochemical tables. Part I, Part II, NIST.

85CHA/DAV	CHASE, M. W. J., DAVIES, C. A., DOWNEY, J. R. J., FRURIP, D. J., MCDONALD, R. A. & SYVERUD, A. N. 1985. JANAF Thermochemical Tables, Third Edition, Part I, Al-Co; Part II, Cr-Zr. J. Phys. Chem. Ref. Data, 14, supplement 1 1-1856.
89CHA/RAO	CHATT, A. & RAO, R. 1989. Complexation of europium (III) with carbonate ions in groundwater. Mater. Res. Soc. Symp. Proc., 127 897-904.
82CHE/MAR	CHEN, C. T. A. & MARSHALL, W. L. 1982. Amorphous silica solubilities IV. Behavior in pure water and aqueous sodium chloride, sodium sulfate, magnesium chloride, and magnesium sulfate solutions up to 350°C. Geochimica et Cosmochimica Acta, 46, 279-287.
62CHE/LAI	CHEN, D. T. Y. & LAIDLER, K. J. 1962. Thermodynamics of the ionization of substituted phenols. Trans. Faraday Soc., 58, 480-489.
99CHE/EWI	CHEN, F., EWING, R. C. & CLARK, S. B. 1999. The Gibbs free energies and enthalpies of formation of U6+ phases: an empirical method of prediction. Amer. Mineralogist, 84, 650-664.
04CHE/THO	CHEN, J. J., THOMAS, J. J., TAYLOR, H. F. W. & JENNINGS, H. M. 2004. Solubility and structure of calcium silicate hydrate. Cement and Concrete Research, 34, 1499-1519.
16CHE/CHE	Chen, R., Chen, J., Hong, M., & Zhang, W. (2016). Formation of chukanovite in simulated groundwater containing CO ₃ ²⁻ . Environmental technology, 37(21), 2786-2792.
05CHE/LIU	CHEN, W.-F. & LIU, T.-K. 2005. Ion activity products of iron sulfides in groundwaters: implications from the Choshui fan-delta, Western Taiwan. Geochimica et Cosmochimica Acta, 69 3535-3544.
01CHE/JEM	CHERIFA, A. B. & JEMAL, M. 2001. Synthèse et thermochimie de phosphates au cadmium: Partie I: Cas du phosphate trivalent et de la chlorapatite cadmiée. Thermochimica Acta, 366, 1-6.
89CHE/RIM	CHERMAK, J. A. & RIMSTIDT, J. D. 1989. Estimating the thermodynamic properties (Delta G of f and Delta H of f) of silicate minerals at 298 K from the sum of polyhedral contributions. American Mineralogist, 74, 1023-1031.
09CHE/KNY	Chernorukov, N. G., Knyazev, A. V., Smirnova, N. N., Ershova, A.V. 2009. Physicochemical study of the perovskites MII(In ₂ /3U ₁ /3)O ₃ (MII =Sr, Ba) at low temperatures, Radiochemistry (Moscow), 51, 120-123.
05CHE/NIP	Chernorukov, N. G., Nipruk, O. V., Knyazev, A. V., Strakhova, E. Y. 2005. Heterogeneous equilibria in saturated aqueous solutions of uranophane-kasolite group uranosilicates, Radiochemistry (Moscow), 47, 358-364.
06CHE/SUL	Chernorukov, N. G., Suleimanov, E. V., Nipruk, O. V., Veridusova, V. V. 2006. Solubility of uranoarsenates MAsUO ₆ ·nH ₂ O in water and aqueous HClO ₄ (M = H ⁺ , Li ⁺ , Na ⁺ , K ⁺ , Rb ⁺ , Cs ⁺ , NH ₄ ⁺), Radiochemistry (Moscow), 48, 162-166.
09CHE/KNY	Chernorukov, N.G., Knyazev, A.V., Vlasova, E.V., Kuznetsova, N.Y., 2009. A physicochemical study of alkaline-earth metal carbonatouranylates. Radiochemistry (Moscow) 51, 244-249.
61CHE/GOL	CHERNYAEV, I. I., GOLOVNYA, V. A. & SHCHELOKOV, R. N. 1961. Carbonato oxalato aquo complexes of uranyl [dioxocarbonato-oxalatodiaquouranates]. Russ. J. Inorg. Chem., 6 280-283.
70CHI	Childs, C.W. (1970). A potentiometric study of equilibria in aqueous divalent metal orthophosphate solutions. Inorg. Chem., 9, 2465-2469.
97CHI/RUT	CHIOU, C. T. & RUTHERFORD, D. W. 1997. Effects of exchanged cation and layer charge on the sorption of water and EGME vapors on montmorillonite clays. Clays and Clay Minerals, 45, 867-880.
01CHI/APP	CHIPERA, S. J. & APPS, J. A. 2001. Geochemical Stability of Natural Zeolites. Reviews in Mineralogy and Geochemistry, 45, 117-161.
95CHI	CHIVOT, J. 1995. Identification et solubilité des produits de corrosion des conteneurs ou surconteneurs métalliques Andra.

98CHI	CHIVOT, J. 1998. Selection de donnees thermodynamiques concernant le systeme Fe-H ₂ O CEREM.
99CHI	Chivot, J. 1999. Les diagrammes E-pH révisés du système Fe-H ₂ O en fonction de la température. CEA/FAR SCEC, RT-SCECF 496.
99CHI1	CHIVOT, J. 1999. Les diagrammes E-pH révisés du système FER-H ₂ O en fonction de la Température In: CEREM (ed.). CEREM.
99CHI2	CHIVOT, J. 1999. Sélection de données thermodynamiques concernant le système nickel-eau. Diagrammes Eh-pH révisés du système nickel-eau en fonction de la température CEREM.
99CHI3	CHIVOT, J. 1999. Selection de donnees thermodynamiques concernant les systemes Fe-CO ₂ -H ₂ O et Ca-CO ₂ -H ₂ O Diagrammes E-pH du systeme Fe-CO ₂ -H ₂ O en fonction de la temperature CEREM.
04CHI	CHIVOT, J. 2004. Thermodynamique des produits de corrosion: fonctions thermodynamiques, diagrammes de solubilité, diagrammes E-ph des systèmes Fe-H ₂ O, Fe-CO ₂ -H ₂ O, Fe-S-H ₂ O, Cr-H ₂ O et Ni-H ₂ O en fonction de la temperature, Châtenay-Malabry, France, ANDRA.
03CHO/RAI	CHO, H., RAI, D., HESS, N. J., XIA, Y. & RAO, L. 2003. Acidity and structure of isosaccharinate in aqueous solution: a nuclear magnetic resonance study. Journal of solution chemistry, 32, 691-702.
08CHO/JUN	Cho, H.-R., Jung, E.-C., Jee, K. Y. 2008. Probe beam detection of laser-induced breakdown for measuring solubility of actinide compounds, Jpn. J. Appl. Phys., Part 1, 47, 3530-3532.
10CHO/JUN	Cho, H.-R., Jung, E.-C., Park, K. K., Song, K., Yun, J.-I. 2010. Effect of reduction on the stability of Pu(VI) hydrolysis species, Radiochim. Acta, 98, 555-561.
16CHO/YOU	Cho, H.-R., Youn, Y.-S., Jung, E.-C., Cha, W. 2016. Hydrolysis of trivalent plutonium and solubility of Pu(OH) ₃ (am) under electrolytic reducing conditions, Dalton Trans., 45, 19449-19457.
87CHO/MAR	CHO, M., MARUYAMA, S. & LIOU, J. G. 1987. An experimental investigation of heulandite-laumontite equilibrium at 1000 to 2000 bar P fluid. Contributions to Mineralogy and Petrology, 97, 43-50.
96CHO/CHE	CHOPPIN, G. R. & CHEN, J. F. 1996. Complexation of Am(III) by oxalate in NaClO ₄ media. Radiochim. Acta, 74 105-110.
91CHO/MAT	CHOPPIN, G. R. & MATHUR, J. N. 1991. Hydrolisis of actinyl(VI) cations. Radiochim. Acta, 52/53, 25-28.
70CHO/SCH	CHOPPIN, G. R. & SCHNEIDER, J. K. 1970. The acetate complexing by trivalent actinide ions. J. Inorg. Nucl. Chem., 32 3283-3288.
65CHO/STR	CHOPPIN, G. R. & STRAZIK, W. F. 1965. Complexes of trivalent lanthanide and actinide ions: I. Outer-sphere ion pairs. Inorg. Chem, 4 1250-1254.
76CHO/UNR	CHOPPIN, G. R. & UNREIN, P. J. 1976. Thermodynamic study of actinide fluoride complexation. 4th International Transplutonium Element Symposium. North-Holland Publ. .
88CHO	CHOPPIN, G. R. 1988. Humics and radionuclide migration. Radiochimica Acta, 44-45 23-28.
92CHO	CHOPPIN, G. R. 1992. The role of natural organics in radionuclide migration in natural aquifer systems. Radiochimica Acta, 58, 113-120.
99CHO/BRO	CHOPPIN, G. R., BRONIKOWSKI, M., CHEN, J., BYEGARD, J., RAI, D. & MIKAZU, Y. 1999. Thermodynamic data for predicting concentrations of AnO ₂ ⁺ , and AnO ₂₂ ⁺ species in geologic environments. JNC.
86CHO/DAD	CHOPPIN, G. R., DADGER, A. & RIZKALLA, E. N. 1986. Thermodynamics of complexation of lanthanides by dicarboxylate ligands. Inorg, 25 3581-3584.

06CHO/THA	CHOPPIN, G. R., THAKUR, P. & MATHUR, J. N. 2006. Complexation thermodynamics and structural aspects of actinide-aminopolycarboxylates. <i>Coordination Chemistry Reviews</i> , 250 936-947.
83CHR/IZA	CHRISTENSEN, J. J. & IZATT, R. M. 1983. Handbook of metal ligands heats and related thermodynamic quantities, Marcel Dekker, Inc.
67CHR/IZA	CHRISTENSEN, J. J., IZATT, R. M. & HANSEN, L. D. 1967. Thermodynamics of proton ionisation in dilute aqueous solution. VII. ΔH° and ΔS° values for proton ionisation from carboxylic acids at 25°C. <i>J. Am. Chem. Soc.</i> , 89, 213-222.
04CHR/MOL	CHRISTOV, C. & MOLLER, N. 2004. A chemical equilibrium model of solution behavior and solubility in the H-Na-K-Ca-OH-Cl-HSO ₄ -SO ₄ -H ₂ O system to high concentration and temperature. <i>Geochimica et Cosmochimica Acta</i> , 68(18) 3717-3739-3717-3739.
73CHU/SKO	CHUBAKOVA, E. I. & SKORIK, N. A. 1973. The stability of lanthanum, yttrium, scandium, and thorium glutarate and oxalate complexes in aqueous and alcoholic solutions. <i>Russ. J. Inorg. Chem.</i> , 18 1446-1449.
68CHU/MAR	CHUGHTAI, A. R., MARSHALL, R. & NANCOLLAS, G. H. 1968. Complexes in calcium phosphate solutions. <i>The Journal of Physical Chemistry</i> , 72, 208-211.
56CHU	Chukhlantsev, V. G. (1956). The solubility products of some metarsenites. <i>Russ. J. Inorg. Chem.</i> , 1 132-138.
56CHU1	CHUKHLANTSEV, V. G. 1956. Solubility products of arsenates. <i>J. Inorg. Chem. (USSR)</i> , 1 1975-1982.
56CHU	CHUKHLANTSEV, V. G. 1956. The solubility products of some metarsenites. <i>Russ. J. Inorg. Chem.</i> , 1 132-138.
56CHU2	CHUKHLANTSEV, V. G. 1956. The solubility products of some metarsenites. <i>Russ. J. Inorg. Chem.</i> , 1 132-138.
98CHU/KIM	CHUNG, D. Y., KIM, E. H., LEE, E. H. & YOO, J. H. 1998. Solubility of rare earth oxalate in oxalic and nitric acid media. <i>J. Ind. Eng. Chem.</i> , 7 277-284.
00CIA/IUL	CIAVATTA, L. & IULIANO, M. 2000. Formation equilibria of tin(II) orthophosphate complexes. <i>Polyhedron</i> , 19 2403-2407.
80CIA	CIAVATTA, L. 1980. The specific interaction theory in evaluating ionic equilibria. <i>Annali di Chimica</i> , 70 551-567.
88CIA	CIAVATTA, L. 1988 Università di Napoli, Naples, Italy. Private communication (from the citation in [92GR/FUG])
90CIA	CIAVATTA, L. 1990. The specific interaction theory in equilibrium analysis. Some empirical rules for estimating interaction coefficients of metal ion complexes. <i>Annali di Chimica</i> , 80 255-263.
02CIA/DET	Ciavatta, L., De Tommaso, G. and Iuliano, M. 2002. On the complex formation equilibria between iron(III) and sulfate ions, <i>Ann. Chim. (Rome)</i> , 92, 661-668.
80CIA/FER	Ciavatta, L., Ferri, D., Palombari, R. (1980). On the equilibrium $\text{Cu}^{2+} + \text{Cu}(\text{s}) \rightleftharpoons 2\text{Cu}^+$. <i>Journal of Inorganic and Nuclear Chemistry</i> , 42(4), 593-598.
68CIL	CILLEY, A. W. 1968. The solubility of tin(II) orthophosphate and the phosphate complexes of tin(II). <i>Inorganic Chemistry</i> , 7 612-614.
92CIR/NAV	CIRONE, S. & NAVROTSKY, A. 1992. Substitution of ^[6,4] Al in phlogopite; high-temperature solution calorimetry, heat capacities, and thermodynamic properties of the phlogopite-eastonite join. <i>American Mineralogist</i> , 77, 1191-1205.
04CLA/SAK	CLARET, F., SAKHAROV, B. A., DRITS, V. A., VELDE, B., MEUNIER, A., GRIFFAULT, L. & LANSON, B. 2004. Clay minerals in the Meuse-Haute Marne underground laboratory (France): Possible influence of organic matter on clay mineral evolution? <i>Clays and Clay Minerals</i> , 52, 515-532.

03CLA/SCH	CLARET, F., SCHÄFER, T., BAUER, A. & BUCKAU, G. 2003. Generation of humic and fulvic acid from Callovo-Oxfordian clay under high alkaline conditions. <i>Science of the total environment</i> , 317, 189-200.
99CLA/CON	CLARK, D. L., CONRADSON, S. D., DONOHOE, R. J., KEOGH, D. W., MORRIS, D. E., PALMER, P. D., ROGERS, R. D. & TAIT, C. D. 1999. Chemical speciation of the uranyl ion under highly alkaline conditions. Synthesis, structures, and oxo ligand exchange dynamics. <i>Inorganic Chemistry</i> , 38, 1456-1466.
95CLA/HOB	CLARK, D. L., HOBART, D. E. & NEU, M. P. 1995. Actinide carbonate complexes and their importance in actinide environmental chemistry. <i>Chem. Rev.</i> , 95 25-48.
80CLE/JOH	CLEVER, H. L. & JOHNSTON, F. J. 1980. The solubility of some sparingly soluble lead salts: An evaluation of the solubility in water and aqueous electrolyte solutions. <i>Chem. Ref. Data</i> , 9 751-784.
92CLE/DER	CLEVER, H. L., DERRICK, M. E. & JOHNSON, S. A. 1992. The Solubility of Some Sparingly Soluble Salts of Zinc and Cadmium in Water and in Aqueous Electrolyte Solutions. <i>Journal of Physical and Chemical Reference Data</i> , 21.
53COB1	COBBLE, J. W. 1953. Empirical considerations of entropy. I. The entropies of the oxy-anions and related species. <i>The Journal of Chemical Physics</i> , 21 1443-1446.
53COB2	COBBLE, J. W. 1953. Empirical considerations of entropy. II. The entropies of inorganic complex ions. <i>The Journal of Chemical Physics</i> , 21 1446-1450.
53COB3	COBBLE, J. W. 1953. Empirical considerations of entropy. III. A structural approach of the entropies of aqueous organic solutes and complex ions. <i>The Journal of Chemical Physics</i> , 21 1451-1456.
82COB/MUR	COBBLE, J. W., MURRAY, R. C., TURNER, P. J. & CHEN, K. 1982. High temperature thermodynamic data for species in aqueous solution EPRI.
78COD	CODATA 1978. CODATA recommended key values for thermodynamics, 1977. Report of the CODATA Task Group on key values for thermodynamics, 1977. <i>Journal Chemical Thermodynamics</i> , 10 903-906.
17COL/GRI	COLÀS, E. & GRIVÉ, M. 2017. ThermoChimie database: Mg-U(VI)-CO ₃ complexes. Project TC2-Task I'. Progress report. Amphos 21.
14COL	COLÀS, E. 2014. Complexation of Th(IV) and U(VI) by polyhydroxy and polyaminocarboxylic acids., Universitat Politècnica de Catalunya (UPC).
19COL/CAM	Colàs, E., Campos I., Grivé, M. 2019. Entropy estimations to assess temperature effect on the behaviour of radionuclides. Oral presentation in III High Temperature Aqueous Chemistry (HiTAC) WorkShop, Karlsruhe (Germany).
13COL/GRI	COLÀS, E., GRIVÉ, M. & CAMPOS, I. 2013. Update of ThermoChimie Thermodynamic data of tin species. Progress report Andra-TDB7, Task 1, April 2013. . Amphos 21.
07COL/GRI	COLÀS, E., GRIVÉ, M. & DURO, L. 2007. Detailed experimental plan for tasks 7.1, 7.2, 7.3, 7.4 and 7.5.: Amphos 21.
17COL/GRI	Colàs, E., Grivé, M., 2017. ThermoChimie database: Mg-U(VI)-CO ₃ complexes. Project TC2-Task I'. Progress report.
08COL/GRI1	COLÀS, E., GRIVÉ, M., ROJO, I. & DURO, L. 2008. Progress report 3: Th-ISA/gluconate (task 7.1) and U(VI)-ISA/gluconate complexes (task 7.2). Preliminary results.: Amphos 21.
08COL/GRI	COLÀS, E., GRIVÉ, M., ROJO, I. & DURO, L. 2008. Results for tasks 7.1 and 7.2 June 2007 – June 2008.: Amphos 21.
08COL/GRI2	COLÀS, E., GRIVÉ, M., ROJO, I. & DURO, L. 2008. Results for tasks 7.1 and 7.2 June 2007 – June 2008.: Amphos 21.

09COL/GRI1	COLÀS, E., GRIVÉ, M., ROJO, I. & DURO, L. 2009. 7.1: Th+ISA, GLU, EDTA in alkaline media. 7.3: Th,U(IV)+ISA, GLU, EDTA in presence of calcium. Project ANDRA_TDB6 Task 7, 7 th PR. . Amphos 21.
09COL/GRI2	COLÀS, E., GRIVÉ, M., ROJO, I. & DURO, L. 2009. Progress report 4: Th-ISA/gluconate/EDTA complexes (task 7.1) and U(VI)-EDTA complexes (task 7.2). Amphos 21.
09COL/GRI3	COLÀS, E., GRIVÉ, M., ROJO, I. & DURO, L. 2009. Progress report 5: Th-ISA/gluconate/EDTA complexes (task 7.1), U(VI)-ISA/gluconate/EDTA complexes (task 7.2) and Th-GLU complexes in presence of carbonate (task 7.4). Amphos 21.
09COL/GRI2	COLÀS, E., GRIVÉ, M., ROJO, I. & DURO, L. 2009. Progress report 6: Th+ISA, GLU, EDTA in alkaline media (Task 7.1), U(V)+ISA, GLU, EDTA in alkaline media (Task 7.2) and Th, U(IV) +ISA, GLU, EDTA in presence of calcium (Task 7.3). . Amphos 21.
09COL/GRI4	COLÀS, E., GRIVÉ, M., ROJO, I. & DURO, L. 2009. Progress report 6: Th+ISA, GLU, EDTA in alkaline media (Task 7.1), U(V)+ISA, GLU, EDTA in alkaline media (Task 7.2) and Th, U(IV) +ISA, GLU, EDTA in presence of calcium (Task 7.3). . Amphos 21.
10COL/GRI1	COLÀS, E., GRIVÉ, M., ROJO, I. & DURO, L. 2010. Task 7. Report 10. Nickel complexation with GLU and ISA. Literature review and experimental methodology.: Amphos 21.
10COL/GRI2	COLÀS, E., GRIVÉ, M., ROJO, I. & DURO, L. 2010. Task 7. Report 8. Th complexation with ISA/GLU/EDTA. Amphos 21.
10COL/GRI	COLÀS, E., GRIVÉ, M., ROJO, I. & DURO, L. 2010. Task 7. Report 9. Uranium complexation with ISA/GLU/EDTA. Project ANDRA_TDB6 Task 7, 9 th PR. . Amphos 21.
10COL/GRI3	COLÀS, E., GRIVÉ, M., ROJO, I. & DURO, L. 2010. Task 7. Report 9. Uranium complexation with ISA/GLU/EDTA. Project ANDRA_TDB6 Task 7, 9 th PR. . Amphos 21.
11COL/GRI	COLÀS, E., GRIVÉ, M., ROJO, I. & DURO, L. 2011. Solubility of ThO ₂ ·xH ₂ O(am) in the presence of gluconate. Radiochimica Acta, 99, 269.
07COL/MON	COLÀS, E., MONTOYA, V., GAONA, X., DOMÈNECH, C., GRIVÉ, M. & DURO, L. 2007. Development of ThermoChimie database – Version 6 update.: Amphos 21.
17COL/PÉR	COLÀS, E., PÉREZ, D. & GRIVÉ, M. 2017. Impact of uncertainty propagation on calculations. Project TC2-Task F2. 1st Progress report. Amphos 21.
19COL/RIB	Colàs, E., Riba, O., Madé, B., Grivé, M., Duro, L. 2019. Palladium sorption on clays: Effect of temperature. Oral presentation at the III High Temperature Aqueous Chemistry (HiTAC) WorkShop, Karlsruhe (Germany).
21COL/ROD2	Colàs, E., Rodríguez, J. and Duro, L. 2021. Update of ThermoChimie: Iron Seventh progress report. Fe-F and Fe-PO ₄ system. TCIII-2021-18E_vs1
21COL/ROD	Colàs, E., Rodríguez, J., Grandia, F. and Duro, L. 2021. Update of ThermoChimie: Iron. Sixth progress report. Green Rusts. TCIII-2021-17E_vs1
15COL/VAL1	COLÀS, E., VALLS, A. & GRIVÉ, M. 2015. Uncertainties: Data gap identification and priorities. Project ANDRA TC2-Task F1. 1st Progress Report. Amphos 21.
15COL/VAL	COLÀS, E., VALLS, A. & GRIVÉ, M. 2015. Uncertainties: Data gap identification and priorities. Project TC2-Task F1. 1st Progress report. Amphos 21.

15COL/VAL2	COLÀS, E., VALLS, A. & GRIVÉ, M. 2015. Uncertainties: Data gap identification and priorities. Project TC2-Task F1. 1st Progress report. Amphos 21.
16COL/VAL	COLÀS, E., VALLS, A., PÉREZ, D. & GRIVÉ, M. 2016. Uncertainties: filling in data gaps. Project TC2-Task F1. 2nd Progress Report. Amphos 21.
52COL/MON	COLMAN-PORTER, C. A. & MONK, C. B. 1952. Dissociation constants of the alkaline-earth salts of some monocarboxylic acids. J. Chem. Soc., - 4363-4368.
80COL/JIM	COLOMINA, M., JIMÉNEZ, P., ROUX, M. V. & TURRIÓN, C. 1980. Thermochemical properties of o-, m- and p-hydroxybenzoic acids. Journal of Calorimetry and Analytical Thermochemistry, 11 1-6.
86COL/JIM	COLOMINA, M., JIMENEZ, P., ROUX, M. V. & TURRIÓN, C. 1986. Thermochemical properties of benzoic acid derivatives. XIII. Vapor pressure and enthalpies of sublimation and formation of toluic acid. Anales de Quimica, Serie A, 82, 126-130.
49CON/MCV	CONNICK, R. E. & MCVEY, W. H. 1949. The aqueous chemistry of zirconium. Journal of the American Chemical Society, 71, 3182-3191.
51CON/MCV	Connick, R. E. and McVey, W. H. 1951. Oxidation potentials of the Pu(III)-Pu(IV) and Fe(II)-Fe(III) couples in perchloric acid solution-Heat content and entropy changes, J. Am. Chem. Soc., 73, 1798-1804.
82CON/TAM	CONNICK, R. E., TAM, T. M. & VON DEUSTER, E. 1982. Equilibrium constant for the dimerization of bisulfite ion to form disulfite (2-) ion. Inorganic Chemistry, 21, 103-107.
51COO/BAN	COOLEY, R. A. & BANKS, H. O. 1951. The aqueous solubility of hafnium oxide by the radioactive isotope technique. J. Am. Chem. Soc., 73 4022.
92COO/KHA	COOLING, M. R., KHALFAOUI, B. & NEWSHAM, D. M. T. 1992. Phase equilibria in very dilute mixtures of water and unsaturated chlorinated hydrocarbons and of water and benzene. Fluid Phase Equil., 81, 217-229.
98COO/ALB	COOMBS, D. S., ALBERTI, A., ARMBRUSTER, T., ARTIOLI, G., COLELLA, C., GALLI, E., GRICE, J. D., LIEBAU, F., MANDARINO, J. A., MINATO, H., NICKEL, E. H., PASSAGLIA, E., PEACOR, D. R., QUARTIERI, S., RINALDI, R., ROSS, M., SHEPPARD, R. A., TILLMANN, E. & VEZZALINI, G. 1998. Recommended nomenclature for zeolite minerals; report of the Subcommittee on Zeolites of the International Mineralogical Association, Commission on New Minerals and Mineral Names. Mineralogical Magazine, 62, 533-571.
59COO/ELL	COOMBS, D. S., ELLIS, A. J., FYFE, W. S. & TAYLOR, A. M. 1959. The zeolite facies, with comments on the interpretation of hydrothermal syntheses. Geochimica et Cosmochimica Acta, 17, 53-107.
68COP/TYR	COPLEY, D. B. & TYREE S.Y., J. 1968. Time and temperature variations in the hydrolytic behaviour of hafnium(IV) in aqueous chloride media. Inorg. Chem., 7 1472-1474.
71COR/ELW	CORBY, T. C. & ELWORTHY, P. H. 1971. The solubility of some compounds in hexadecylpolyoxy-ethylene monoethers, polyethylene glycols, water and hexane. J. Pharm. Pharmac. Suppl., 23, 39-48.
82COR/SEC	CORIGLI, R., SECCO, F. & VENTURINI, M. 1982. Equilibria and kinetics of complex formation at gallium (III). Evidence for an associative mode of activation. Inorganic Chemistry, 21, 2992-2998.
96COR/SCH	CORNELL, R. M. & SCHWERTMANN, U. 1996. The iron Oxides: Structure, properties, reactions, occurrence and uses. , VCH.
89COR/GIO	CORNELL, R. M., GIOVANOLI, R. & SCHNEIDER, W. 1989. Review of the hydrolysis of iron (III) and the crystallisation of amorphous iron (III) hydroxide hydrate. J.chem. Tech. Biotechnolo., 46 115-143.

82COS/DEG	COSOVIC, B., DEGOBBIS, D., BILINSKI, H. & BRANICA, M. 1982. Inorganic cobalt species in seawater. <i>Geochim. Cosmochim. Acta.</i> , Acta 46, 151-158.
48COT/DRA	COTTRELL, T. L., DRAKE, G. W., LEVI, D. L., TULLY, K. J. & WOLFENDEN, J. H. 1948. The thermochemistry of solutions V. The heats of ionization of some organic acids. <i>Journal of Chemical Society</i> , 1016-1019.
00COU	COURAULT, A. C. 2000. Simulation expérimentale des C-S-H dans des bétons modernes : étude de la composition et des propriétés à l'équilibre dans des milieux complexes. Thèse de doctorat, Université Bourgogne.
07COU/CHR	COURDOUAN, A., CHRISTL, I., MEYLAN, S., WERSIN, P. & KRETZSCHMAR, R. 2007. Characterization of dissolved organic matter in anoxic rock extracts and in situ pore water of the Opalinus Clay. <i>Applied Geochemistry</i> , 22, 2926-2939.
07COU/CHR1	COURDOUAN, A., CHRISTL, I., MEYLAN, S., WERSIN, P. & KRETZSCHMAR, R. 2007. Characterization of dissolved organic matter in anoxic rock extracts and in situ pore water of the Opalinus Clay. <i>Applied Geochemistry</i> , 22, 2926-2939.
07COU/CHR2	COURDOUAN, A., CHRISTL, I., MEYLAN, S., WERSIN, P. & KRETZSCHMAR, R. 2007. Isolation and characterization of dissolved organic matter from the Callovo-Oxfordian formation. <i>Appl. Geochem.</i> , 22 1537-1548.
57COU/LAI	COUTURE, A. M. & LAIDLER, K. J. 1957. The entropies of ions in aqueous solution: II. An empirical equation for oxy-anions. <i>Canadian Journal of Chemistry</i> , 35 202-206.
84COU/RIC	COUTURIER, Y., RICHARD, G. & SARAZIN, G. 1984. Constantes de formation des complexes hydroxydes de l'aluminium en solution aqueuse de 20 à 70°C. <i>Geochimica et Cosmochimica Acta</i> , 48 649-659.
89COX/WAG	COX, J. D., WAGMAN, D. D. & MEDVEDEV, V. A. 1989. CODATA key values for thermodynamics, Hemisphere Pub. Corp.
94CRA/NES	CRAMER, J. & NESBITT, W. 1994. Groundwater evolution and redox geochemistry.: SKB.
94CRA/SME	CRAMER, J. & SMELLIE, J. E. 1994. Final report of the AECL/SKB Cigar Lake Analog Study SKB.
94CRA/VIL	CRAMER, J., VILKS, P., MILLER, H. & BACHINSKI, D. 1994. Hydrogeochemistry: Water sampling and analysis. . SKB.
04CRA/MAY	CRAWFORD, M.-J., MAYER, P., NÖTH, H. & SUTER, M. 2004. First structurally characterized actinide isocyanates. <i>Inorganic chemistry</i> , 43, 6860-6862.
04CRE/DES	Crea, F., de Stefano, C., Pettignano, A., Sammartano, S. 2004. Hydrolysis of dioxouranium(VI): a calorimetric study in NaCl(aq) and NaClO ₄ (aq), at 25 °C, <i>Thermochim. Acta</i> , 414, 185-189.
05CRE/MIL	Crea, F., Milea, D., Sammartano, S. 2005. Enhancement of hydrolysis through the formation of mixed hetero-metal species, <i>Talanta</i> , 65, 229-238.
76CRE	Crerar D. A. and Barnes H. L. (1976) Ore solution chemistry V. Solubilities of chalcopyrite and chalcocite assemblages in hydrothermal solution at 200° to 350°C. <i>Econ. Geol.</i> 71, 772-794.
96CRI/SER	CRISCENTI, L. J., SERNE, R. J., KRUPKA, K. M. & I., W. M. 1996. Predictive calculations to asses the long-term effect of cementitious materials on the pH and solubility of uranium (VI) in a shalooow and disposal environment PNNL.
97CRO	CROMIERES, L. 1997. Selection de données thermodynamiques concernant le plomb, le cadmium, le mercure et le bore, et evaluation de leur solubilite au sein du centre manche Andra.
91CRO/EWA	CROSS, J. E. & EWART, F. T. 1991. Hatches—a thermodynamic database and management system. <i>Radiochimica Acta</i> , 52/53 421-422.

89CRO/EWA	CROSS, J. E., EWART, F. T. & GREENFIELD 1989. Modelling the behaviour of organic degradation products. Mat. Res. Soc. Symp. Proc, 127 715.
87CRO/EWA	CROSS, J. E., EWART, F. T. & TWEED, C. J. 1987. Thermochemical Modelling with application to nuclear waste processing and disposal AERE.
95CRO/MOR	CROSS, J. E., MORETON, A. D. & TWEED, C. J. 1995. Thermodynamic modelling of radioactive waste disposal: assessment of near field solubility Nirex.
91CRO/EWA	Cross, J.E. and Ewart, F.T. 1991. Hatches- a thermodynamic database and management system. Radiochimica Acta 52/53, 2, 421-422.
06CRU	CRUCIANI, G. 2006. Zeolites upon heating: Factors governing their thermal stability and structural changes. Journal of Physics and Chemistry of Solids, 67, 1973-1994.
76CRU/HEY	CRUYWAGE, J. J., HEYNS, J. B. B. & ROHWER, E. F. C. H. 1976. Spectrophotometric investigation of the protonation of monomeric mollybdcic acid in sodium perchlorate medium. J.Inorg. Nucl. Chem., 38 203-206.
99CUA/SAI	CUADROS, J., SAINZ-DIAZ, C. I., RAMIREZ, R. & HERNANDEZ-LAGUNA, A. 1999. Analysis of Fe segregation in the octahedral sheet of bentonitic illite-smectite by means of FTIR, 27 Al MAS NMR and reverse Monte Carlo simulations. American Journal of Science, 299, 289-308.
93CUB	CUBICCIOTTI, D. 1993. Potential-pH diagrams for alloy-water system under LWR conditions. J. Nucl. Mater., 201 176-183.
02CUR/DEG	CURTI, E. & DEGUELDRE, C. 2002. Solubility and hydrolysis of Zr oxides: a review and supplemental data. Radiochimica Acta, 90 801-804.
97CUR	CURTI, E. 1997. Coprecipitation of radionuclides: basic concepts, literature review and first applications PSI.
98CUR	CURTI, E. 1998. Coprecipitation of radionuclides during cement degradation a preliminary modelling study for the swiss L/ILW repository Mat. Res. Soc. Symp. Proc.
99CUR	CURTI, E. 1999. Coprecipitation of radionuclides with calcite: estimation of partition coefficients based on a review of laboratory investigations and geochemical data. Applied Geochem., 14 433-446.
05CUR/KUL	CURTI, E., KULIK, D. A. & TITS, J. 2005. Solid solutions of trace Eu (III) in calcite: Thermodynamic evaluation of experimental data over a wide range of pH and pCO ₂ . Geochimica et cosmochimica acta, 69, 1721-1737.
71DAL	D'ALPRANO, A. 1971. The conductance and association behaviour of alkali perchlorates in water at 25°C. J. Phys. Chem., 75, 3290.
68DAS/SIM	DA SILVA, J. J. R. & SIMOES, M. 1968. Studies on uranyl complexes—III: Uranyl complexes of EDTA. III: Communication to the Academy of Sciences of Lisbon, May 1967. Talanta, 15, 609-622.
95DAC/BEN	DACHS, E. & BENISEK, A. 1995. The stability of annite+quartz: reversed experimental data for the reaction 2 annite + 3quartz= 2sanidine +3fayalite + 2H ₂ O. Contributions to Mineralogy and Petrology, 121, 380-387.
97DAC/BEN	DACHS, E. & BENISEK, A. 1997. Annite stability revised: hydrogen-sensor data for the reaction annite = sanidine + magnetite + H ₂ : additional results and reply to Chou. Contributions to Mineralogy and Petrology, 128, 306-311.
05DAC/BER	DACHS, E. & BERTOLDI, C. 2005. Precision and accuracy of the heat-pulse calorimetric technique low-temperature heat capacities of milligram-sized synthetic mineral samples. European Journal of Mineralogy, 17, 251-261.

95DAI/POS	DAI, Y. & POST, J. E. 1995. Crystal structure of hillebrandite; a natural analogue of calcium silicate hydrate (CSH) phases in Portland cement. <i>American Mineralogist</i> , 80, 841-844.
97DAL/SHO	DALE, J. D., SHOCK, E. L., MACLEOD, G., APLIN, A. C. & LARTER, S. R. 1997. Standard partial molal properties of aqueous alkylphenols at high pressures and temperatures. <i>Geochimica et cosmochimica acta</i> , 61, 4017-4024.
95DAM/GLA	DAMIDOT, D. & GLASSER, F. P. 1995. Investigation of the CaO-Al ₂ O ₃ -SiO ₂ -H ₂ O system at 25 °C by thermodynamic calculations. <i>Cement and Concrete Research</i> , 25, 22-28.
11DAM/LOT	DAMIDOT, D., LOTHENBACH, B., HERFORT, D. & GLASSER, F. P. 2011. Thermodynamics and cement science. <i>Cement and Concrete Research</i> , 41, 3717-3739.
94DAM/STR	DAMIDOT, D., STRONACH, S., KINDNESS, A., ATKINS, M. & GLASSER, F. P. 1994. Thermodynamic investigation of the CaO-Al ₂ O ₃ -CaCO ₃ -H ₂ O closed system at 25°C and the influence of Na ₂ O. <i>Cement and Concrete Research</i> , 24, 563-572.
85DAN/DER	DANIELE, P. G., DE ROBERTIS, A., DE STEFANO, C., SAMMARTANO, S. & RIGANO, C. 1985. On the possibility of determining the thermodynamic parameters for the formation of weak complexes using a simple model for the dependence on ionic strength of activity coefficients: Na ⁺ , K ⁺ , and Ca ²⁺ complexes of low molecular weight ligands in aqueous solution. <i>Journal of the Chemical Society, Dalton Transactions</i> , 2353-2361.
84DAN/DER	DANIELE, P. G., DE ROBERTIS, A., SAMMARTANO, S. & RIGANO, C. 1984. Calciummalonate complexes in aqueous solution. Thermodynamic parameters and their ionic strength dependence. <i>Thermochim. Acta</i> , 72, 305-322.
08DAN/FOT	DANIELE, P. G., FOTI, C., GIANGUZZA, A., PRENESTI, E. & SAMMARTANO, S. 2008. Weak alkali and alkaline earth metal complexes of low molecular weight ligands in aqueous solution. <i>Coordination chemistry reviews</i> , 252, 1093-1107.
83DAN/RIG	DANIELE, P. G., RIGANO, C. & SAMMARTANO, S. 1983. Ionic strength dependence of formation constants—I: Protonation constants of organic and inorganic acids. <i>Talanta</i> , 30, 81.
68DAR/KAP	DARBY, R. T. & KAPLAN, A. M. 1968. Fungal susceptibility of polyurethanes. <i>Applied microbiology</i> , 16, 900-905.
96DAS/MOH	DASH, U. N. & MOHANTY, B. K. 1996. Ion association of homologous dicarboxylic acids in aqueous acetone solutions at different temperatures. <i>Indian J. Chem.</i> , 35A, 983.
10DAU	DAUZÈRES, A. 2010. Etude expérimentale et modélisation des mécanismes physico-chimiques des interactions béton-argile dans le contexte du stockage géologique des déchets radioactifs. text, Poitiers.
51DAV	DAVIES, C. W. 1951. 280. The electrolytic dissociation of metal hydroxides. <i>Journal of the Chemical Society (Resumed)</i> , 1256-1258.
55DAV/PRU	DAVIES, W. G. & PRUE, J. E. 1955. A spectrophotometric study of the equilibrium $\text{Cr}_2\text{O}_7^{2-} + \text{H}_2\text{O} = 2\text{HCrO}_4^-$. <i>Trans. Faraday Soc.</i> , 51 1045-1051.
82DAV/STE	Davis, C.R. and Stevenson, K.L. (1982) The trichlorocuprate(1) ion in aqueous solution. Dependence of CTTS absorption band and formation constant on temperature. <i>Inorg. Chem.</i> , 21, 2514-2516.
78DAV/STE	Davis, D.D., Stevenson, K.L. and Davis, C.R. (1978) Photooxidation of dichloro- and trichlorocuprate(1) ions in acid solution. <i>J. Am. Chem. Soc.</i> , 100, 5344-5349.

62DAV/SMI	Davis, G., Smith, W. M., The kinetics of the formation of the monosulphato complex of iron(III) in aqueous solution, <i>Can. J. Chem.</i> , 40, (1962), 1836-1845.
87DAV/FUL	DAVIS, J. A., FULLER, C. C. & COOK, A. D. 1987. A model for trace metal sorption processes at the calcite surface: Adsorption of Cd ²⁺ and subsequent solid solution formation. <i>Geochim. Cosmochim. Ac.</i> , 51 1477-1490.
71DAV/COL	DAVIS, J. W. & COLLINS, A. G. 1971. Solubility of barium and strontium sulfates in strong electrolyte solutions. <i>Environmental Science and Technology</i> , 5, 1039-1043.
91DAV	DAVISON, W. 1991. The solubility of iron sulphides in synthetic and natural waters at ambient temperature. <i>Aquatic Sciences</i> , 53 309-329.
99DAV/PHI	DAVISON, W., PHILLIPS, N. & TABNER, B. J. 1999. Soluble iron sulfide species in natural waters: Reappraisal of their stoichiometry and stability constants. <i>Aquatic Science</i> , 61 23-43.
87DAV/ZAB	DAVYDOV, Y. P. & ZABRODSKII, V. N. 1987. Hydrolysis of zirconium(IV) with the formation of mono- and polynuclear hydroxyl complexes in solutions. <i>Akad. Navuk BSSR, Ser. Khim. Navuk</i> , 2 3-8.
70DAW/WIL	DAWSON, J. L., WILKINSON, J. & GILLIBRAND, M. I. 1970. Antimony species in aqueous sulphuric acid solutions. <i>J. Inorg. Nucl. Chem.</i> , 32 501.
55DAY/WIL	DAY, R. A., WILHITE, R. N. & HAMILTON, F. D. 1955. Stability of complexes of uranium(IV) with chloride, sulphate and thiocyanate. <i>J. Am. Chem. Soc.</i> , 77 3180-3182.
05DEC	DE CANNIERE, P. 2005. The Geochemical behaviour of Selenium in Boom Clay SCK CEN.
10DEC/MAE	DE CANNIÈRE, P., MAES, A., WILLIAMS, S., BRUGGEMAN, C., BEAUWENS, T., MAES, N. & COWPER, M. 2010. Behaviour of Selenium in Boom Clay. SCK.
99DEL/NAV	DE LIGNY, D. & NAVROTSKY, A. 1999. Energetics of kaolin polymorphs. <i>American Mineralogist</i> , 84, 506-516.
96DEL/BID	DE LLANO, A. Y., BIDOGLIO, G., AVOGADRO, A., GIBSON, P. N. & RIVAS ROMERO, P. 1996. Redox reactions and transport of selenium through fractured granite. <i>Journal of contaminant hydrology</i> , 21, 129-139.
84DER/DES	DE ROBERTIS, A., DE STEFANO, C. & SCARCELLA, R. 1984. Thermodynamics of formation of magnesium (II), calcium (II), strontium (II) and barium (II)—succinate complexes in aqueous solution. <i>Thermochim. Acta</i> , 80, 197.
97DER/DES	De Robertis, A., De Stefano, C., Foti, C., Signorino, G. (1997). Thermodynamic parameters for the formation of dimeric hydrolytic species of copper (II) in aqueous NaClO ₄ solution at different ionic strengths. <i>Talanta</i> , 44(10), 1839-1846.
90DER/DES	DE ROBERTIS, A., DE STEFANO, C., RIGANO, C. & SAMMARTANO, S. 1990. Thermodynamic parameters for the protonation of carboxylic acids in aqueous tetraethylammonium iodide solutions. <i>Journal of Solution Chemistry</i> , 19 569-587.
95DER/DIG	DE ROBERTIS, A., DI GIACOMO, P. & FOTI, C. 1995. Ion-selective electrode measurements for the determination of formation constants of alkali and alkaline earth metals with low-molecular-weight ligands. <i>Anal. Chim. Acta</i> , 300 45-51.
01DES/FOT	DE STEFANO, C., FOTI, C., GIUFFRE, E. & SAMMARTANO, S. 2001. Dependence on ionic strength of protonation enthalpies of polycarboxylate anions in NaCl aqueous solution. <i>J. Chem Eng. Data</i> , 46, 1417.
02DES/GIA	De Stefano, C., Gianguzza, A., Leggio, T., Sammartano, S. 2002. Dependence on ionic strength of the hydrolysis constants for dioxouranium(VI) in NaCl(aq) and NaNO ₃ (aq), at pH < 6 and T = 25°C, <i>J. Chem. Eng. Data</i> , 47,533-538.

00DEA	DEAN, J. A. 2000. Lange's Handbook of Chemistry, New York.
92DEE/HOW	DEER, W. A., HOWIE, R. A. & ZUSSMAN, J. 1992. An Introduction to the Rock-Forming minerals, Longman Scientific & Technical
72DEG/CHO	DEGISCHER, G. & CHOPPIN, G. R. 1972. Malonate complexing of lanthanide ions. Journal of Inorganic and Nuclear Chemistry, 34, 2823-2830.
82DEK	DEKOCK, C. W. 1982. Thermodynamic properties of selected transition metal sulphates and their hydrates U.S. Bur. Mines.
91DEL/LUN	DELANY, J. M. & LUNDEEN, S. R. 1991. The LLNL ThermoChemical Data Base – Revised data and file format for the EQ3/6 Package.: LLNL.
71DEL/GRE	DELLIEN, I. & GREENTHE, I. 1971. Thermodynamic properties of rare earth complexes IX. Stability constants for the lanthanoid malonate and hydrogen malonate complexes. Acta Chem. Scand., 25, 1387-1400.
76DEL/HEP	DELLIEN, I. & HEPLER, L. G. 1976. Enthalpies of formation of Cr ³⁺ (aq) and the inner sphere complexes CrF ₂ ⁺ (aq), CrCl ₂ ⁺ (aq), CrBr ₂ ⁺ (aq), and CrSO ₄ ⁺ (aq). Canadian Journal of Chemistry, 54, 1383-1387.
76DEL/HAL	DELLIEN, I., HALL, F. M. & HEPLER, L. G. 1976. Chromium, molybdenum, and tungsten: thermodynamic properties, chemical equilibria, and standard potentials. Chemical Reviews, 76, 283-310.
76DEL/MCC	DELLIEN, I., MCCURDY, K. G. & HEPLER, L. G. 1976. Enthalpies of formation of lead chromate, lead molybdate, and lead tungstate, and the entropy of aqueous tungstate ion. Journal of Chemical Thermodynamics, 8, 203-207.
07DEN/GUI	DEN AUWER, C., GUILBAUD, P., GUILLAUMONT, D., MOISY, P., DIGANDOMENICO, V., LE NAOUR, C., TRUBERT, D., SIMONI, E., HENNIG, C., SCHEINOST, A. & OTHERS 2007. Molecular Characterization of Actinide Oxocations from Protactinium to Plutonium. AIP Conference Proceedings
13DEN	Denden, I. 2013. Spéciation du technétium en milieu acide: effet des rayonnements ?, Ph. D. Thesis.
05DEN/BEH	DENIAU, I., BEHAR, F., LARGEAU, C., DE CANNIÈRE, P., BEUCAIRE, C. & PITSCH, H. 2005. Determination of kinetic parameters and simulation of early CO ₂ production from the Boom Clay kerogen under low thermal stress. Applied geochemistry, 20, 2097-2107.
08DEN/DEV	DENIAU, I., DEVOL-BROWN, I., DERENNE, S., BEHAR, F. & LARGEAU, C. 2008. Comparison of the bulk geochemical features and thermal reactivity of kerogens from Mol (Boom Clay), Bure (Callovo–Oxfordian argillite) and Tournemire (Toarcian shales) underground research laboratories. Science of the Total Environment, 389, 475-485.
51DEN/MON	DENNEY, T. O. & MONK, C. B. 1951. Ion pair formation in thiosulphate solutions. Transactions of the Faraday Society, 47, 992-998.
56DEN/TAY	DENT, L. S. & TAYLOR, H. F. W. 1956. The dehydration of xonotlite. Acta Crystallographica, 9, 1002-1004.
06DEO/NAV	DEORE, S. & NAVROTSKY, A. 2006. Oxide melt solution calorimetry of sulfides: Enthalpy of formation of sphalerite, galena, greenockite, and hawleyite. American Mineralogist, 91, 400-403.
72DER	DERVIN, J. 1972. Sur la structure et la stabilité des carbonates complexes de Thorium(IV), Cerium(IV), Zirconium(IV) et Hafnium (IV). Université de Reims
74DER/FAU	DERVIN, J., FAUCHERRE, J. & PRUSZEK, H. 1974. Étude en solution et à l'état solide des carbonates complexes de Zirconium et Hafnium. Rev. Chim. minérale, 11 372-387.
69DES/MIL	DESAI, A. G. & MILBURN, R. M. 1969. Iron(III)-phenol complexes. IV. Further thermodynamic studies of iron(III)-phenolate and proton-phenolate associations. J. Am. Chem. Soc., 91, 1958-1961.

62DES/NAI	DESAI, I. R. & NAIR, V. S. K. 1962. 455. Studies on metal complexes in solution. Part I. Phthalates of some transition metals. J. Chem. Soc., 2360-2366.
86DES	Desai, P.D. 1986. Thermodynamic properties of iron and silicon. J. Phys. Chem. Ref. Data, 15(3), 967-976.
65DES/COP	DESHPNADER, R. G., COPAR, P. K., RAO, C. L. & SHARMA, H. D. 1965. The aqueous chemistry of hafnium (IV) solvent extraction and ion exchange studies. J. Inorg. Nucl. Chem., 27, 2171-2181.
69DES/ICH	DESNOYERS, J. E. & ICHHAPORIA, F. M. 1969. Salting-in and salting-out of polar nonelectrolytes. Can. J. Chem., 47, 4639-4643.
65DES/PEL	DESNOYERS, J. E., PELLETIER, G. E. & JOLICOEUR, C. 1965. Salting-in by quaternary ammonium salts. Can. J. Chem., 43, 3232-3237.
96DEV/DAN	DEVIDAL, J.-L., DANDURAND, J.-L. & GOUT, R. 1996. Gibbs free energy of formation of kaolinite from solubility measurement in basic solution between 60 and 170 °C. Geochimica et Cosmochimica Acta, 60, 553-564.
03DEV/STA	DEVOL-BROWN, I., STAMMOSE, D., AHAMDACH, N. & GEISS, O. 2003. Modification of the Tournemire Argillite in Contact with Simplified Concrete Fluid. MRS Proceedings
07DEV/TIN	DEVOL-BROWN, I., TINSEAU, E., BARTIER, D., MIFSUD, A. & STAMMOSE, D. 2007. Interaction of Tournemire argillite (Aveyron, France) with hyperalkaline fluids: Batch Experiments performed with powdered and/or compact materials. Physics and Chemistry of the Earth, 32 320-333.
95DEW/DRI	DEWULF, J., DRIJVERS, D. & LANGENHOVE, H. V. 1995. Measurement of Henry's law constant as function of temperature and salinity for the low temperature range. Atmos. Environ., 29, 323-331.
99DEW/LAN	DEWULF, J., LANGENHOVE, H. V. & P., E. 1999. Determination of Henry's law coefficients by combination of the equilibrium partitioning in closed systems and solid-phase microextraction techniques. J. Chromatogr. , A830, 353-363.
83DIB/CAS	DI BERNADO, P., CASSOL, A., TOMAT, G., BISMONDO, A. & MAGON, L. 1983. Thermodynamics of the complex formation between thorium (IV) and some polydentate ligands in aqueous solution. J. Chem. Soc., Dalton Trans., 733-735.
77DIB/DIN	DI BERNARDO, P., DI NAPOLI, V., CASSOL, A. & MAGON, L. 1977. Thermodynamic properties of actinide complexes—IV. Thorium (IV)-and uranyl (VI)-malonate systems. Journal of Inorganic and Nuclear Chemistry, 39, 1659-1663.
09DIB/ZAN	DI BERNARDO, P., ZANONATO, P. L., TIAN, G., TOLAZZI, M. & RAO, L. 2009. Thermodynamics of the complexation of uranium(VI) by oxalate in aqueous solution at 10-70°C. Dalton Trans., 23 4450-4457.
98DIA1	DIKONOV, I. 1998. Thermodynamic properties of iron oxides and hydroxides. II Estimation of the surface and bulk thermodynamic properties of ordered and disordered maghemite ($\gamma\text{-Fe}_2\text{O}_3$). Eur. J. Mineral, 10 17-29.
98DIA	DIKONOV, I. 1998. Thermodynamic properties of iron oxides and hydroxides. III Surface and bulk thermodynamic properties of lepidocrocite ($\gamma\text{-FeOOH}$) to 500K. Eur. J. Mineral, 10 31-41.
98DIA2	DIKONOV, I. 1998. Thermodynamic properties of iron oxides and hydroxides. III Surface and bulk thermodynamic properties of lepidocrocite ($\gamma\text{-FeOOH}$) to 500K. Eur. J. Mineral, 10 31-41.
98DIA/RAG	DIKONOV, I. I., RAGNARSDOTTIR, K. V. & TAGIROV, B. R. 1998. Standard thermodynamic properties and heat capacity equations of rare earth hydroxides: II. Ce(III)-, Pr-, Sm-, Eu(III)-, Gd-, Tb-, Dy-, Ho-, Er-, Tm-, Yb- and Y-hydroxides. Comparison of thermochemical and solubility data. Chem. Geol., 151 327-347.

99DIA/SCH	DIAKONOV, I. I., SCHOTT, J., MARTIN, F., HARRICHOURRY, J.-C. & ESCALIER, J. 1999. Iron III solubility and speciation in aqueous solutions. Experimental study and modelling. Part 1. Hematite solubility from 60 to 300 °C in NaOH-NaCl solution and thermodynamic properties of $\text{Fe}(\text{OH})_4^-$ (aq). <i>Geochimica et Cosmochimica Acta</i> , 63 2247-2261.
94DIA/KHO	DIAKONOV, I., KHODAKOVSKY, I., SCHOTT, J. & SERGEEVA, E. 1994. Thermodynamic properties of iron oxides and hydroxides. I. Surface and bulk thermodynamic properties of goethite (alpha-FeOOH) up to 500°K. <i>European Journal of Mineralogy</i> , 6 967-983.
98DIA/KHO	Diakonov, I., Khodakovsky, I., Schott, J. Sergeeva, E. 1998. Thermodynamic properties of iron oxides and hydroxides. I. Surface and bulk thermodynamic properties of goethite (-FeOOH) up to 500K, <i>Eur. J. Mineral.</i> , 10, 17-29.
01DIC/LIG	DICK, C. M., LIGGAT, J. J. & SNAPE, C. E. 2001. Solid state ^{13}C NMR study of the char forming processes in polychloroprene. <i>Polymer degradation and stability</i> , 74, 397-405.
04DIE/GUS	DIETZEL, M., GUSSONE, N. & EISENHAUER, A. 2004. Co-precipitation of Sr^{2+} and Ba^{2+} with aragonite by membrane diffusion of CO_2 between 10 and 50°C. <i>Chemical Geology</i> , 203 139-151.
97DIO/HUE	DIOS CANCELA, G., HUERTAS, F. J., ROMERO TABOADA, E., SÁNCHEZ-RASERO, F. & HERNÁNDEZ LAGUNA, A. 1997. Adsorption of Water Vapor by Homoionic Montmorillonites. Heats of Adsorption and Desorption. <i>Journal of Colloid and Interface Science</i> , 185, 343-354.
84DIR/MIC	Dirkse, T. P.; Michalowiski, T.; Akaiwa, H.; Izumi, F. (1984) <i>Solubility Data Series</i> ; Pergamon Press: New York; Vol. 23.
96DIS/LES	DISNAR, J. L., LE STRAT, P., FARJANEL, G. & FIKRI, A. 1996. Sédimentation de la matière organique dans le nord-est du Bassin de Paris: conséquences sur le dépôt des argilites carbonées du Toarcien inférieur. <i>Chemical Geology</i> , 131 15-35.
99DJO/PIZ	DJOGIC, R., PIZETA, I. & ZELIC, M. 1999. Voltammetric study of uranyl-selenium interactions. <i>Anal. Chim. Acta</i> , 404 159-166.
85DJO/ZMB	DJOKIC-KONSTANTINOVSKA, D. & ZMBOVA, B. 1985. Investigation of the formation of tin(II)-fluoride complex by potentiometric titration. <i>Int. J. Appl. Radiat. Isot.</i> , 36 669-671.
75DOB	DOBOS, D. 1975. <i>Electrochemical data</i> , Elsevier Scientific Publishing Company
25DOE/HOS	DOERNER, H. A. & HOSKINS, W. M. 1925. Coprecipitation of radium and barium sulfates. <i>J. Am. Chem. Soc.</i> , 47 662-675.
01DOH/FEN	DOHÁNYOSOVÁ, P., FENCLOVÁ, D., VRBKA, P. & DOHNAL, V. 2001. Measurements of aqueous solubility of hydrophobic volatile organic compounds by solute vapour absorption technique: toluene, ethylbenzene, propylbenzene and butylbenzene at temperatures from 273K to 328K. <i>J. Chem. Eng. Data.</i> , 46, 1533-1539.
10DOH/HUN	DOHERTY, J. E. & HUNT, R. J. 2010. Approaches to highly parameterized inversion—A guide to using PEST for groundwater-model calibration. U.S. Geological Survey Scientific Investigations.
72DOM	DOMALSKI, E. S. 1972. Selected values of heats of combustion and heats of formation of organic compounds containing elements C, H, N, O, P and S. <i>Journal of physical and chemical reference data</i> , 1, 221-277.
08DOM/DEL	DOMÈNECH, C., DELOS, A., GRIVÉ, M. & DURO, L. 2008. Major geochemistry data validation in front of available information. Collaboration with BRGM and Hydrasa. 1st comparison exercise: Modelling the diffusion of an alkaline plume in a clay barrier Amphos 21.
04DOM/DUR	DOMÈNECH, C., DURO, L., RIPOLL, S. & BRUNO, J. 2004. Review of the thermodynamic database for Zr <i>Enviros</i> .
07DOM/GAO	DOMÈNECH, C., GAONA, X., GRIVÉ, M. & DURO, L. 2007. Review and assesment of enthalpy data: Identification of the main aqueous and solid phases of interest <i>Enviros</i> .

13DOM/GAR	DOMÈNECH, C., GARCÍA, D., PEKALA, M., GRIVÉ, M., NARDI, A., TRINCHERO, P. & MOLINERO, J. 2013. Evaluation of the chemical evolution and related radionuclide migration in a HLW cell in the Callovo-Oxfordian formation. Task 1, Synthesis Report.: Amphos 21.
10DOM/GRI	DOMÈNECH, C., GRIVÉ, M. & DURO, L. 2010. Major geochemistry data validation in front of available information. Collaboration with BRGM and Hydrasa. Project ANDRA-TDB6-Task 8, Final Report, . Amphos 21.
09DOM/GRI	DOMÈNECH, C., GRIVÉ, M., MONTOYA, V. & DURO, L. 2009. Assessment on the use of solid solution/co-precipitation approaches. Project ANDRA-TDB6-Task 4, Final Report. Amphos 21.
07DOM/MON	DOMÈNECH, C., MONTOYA, V., GRIVÉ, M. & DURO, L. 2007. Assessment on the use of solid solution/co-precipitation approaches. Project ANDRA-TDB6-Task 4, 2nd PR Amphos 21.
90DON/HEM	DONAHOE, R. J., HEMINGWAY, B. S. & LIOU, J. G. 1990. Thermochemical data for merlinoite. I, Low-temperature heat capacities, entropies, and enthalpies of formation at 298.15 K of six synthetic samples having various Si/Al and Na/(Na+K) ratios. The American mineralogist, 75, 188-200.
64DON/ODO	DONALDSON, J. D. & O'DONOGHUE, J. D. 1964. Complex tin(II) fluorides. J. Chem. Soc., - 271-275.
06DON/BRO	DONG, W. M. & BROOKS, S. C. 2006. Determination of the formation constants of ternary complexes of uranyl and carbonate with alkaline earth metals (Mg ²⁺ , Ca ²⁺ , Sr ²⁺ , and Ba ²⁺) using anion exchange method. Environ. Sci. Technol., 40 4689.
08DON/BRO	Dong, W., Brooks, S.C., 2008. Formation of aqueous MgUO ₂ (CO ₃) ₃ ²⁻ complex and uranium anion exchange mechanism onto an exchange resin. Environmental science & technology 42, 1979-1983.
85DOV/RIM	DOVE, P. & RIMSTIDT, J. 1985. The solubility and stability of scorodite, FeAsO ₄ · 2H ₂ O. American Mineralogist, 70 838-844.
84DOV	DOVE, P. M. 1984. The solubility and stability of scorodite, FeAsO ₄ ·2H ₂ O., Virginia Polytechnic Institute and State University
05DOV/HAN	DOVE, P. M., HAN, N. & DE YOREO, J. J. 2005. Mechanisms of classical crystal growth theory explain quartz and silicate dissolution behavior. Proceedings of the National Academy of Sciences of the United States of America, 102, 15357-15362.
58DRA/MOS	DRABKINA, L. E., MOSKVIN, A. I. & GELMAN, A. D. 1958. Determination of the solubility product of plutonyl oxalate. Russ. J. Inorg. Chem., 3 290-294.
05DRA	DRANSFIELD, J. M. 2005. Leaching of organic admixtures from concrete [Online]. Cement Admixtures Association Homepage. [Accessed].
00DRE/NAU	DREBUSHCHAK, V. A., NAUMOV, V. N., NOGTEVA, V. V., BELITSKY, I. A. & PAUKOV, I. E. 2000. Low-temperature heat capacity of heulandite: comparison with clinoptilolite. Thermochemica Acta, 348, 33-40.
95DRI/REF	DRISSI, S. H., REFAIT, P., ABDELMOULA, M. & GÉNIN, J. M. R. 1995. The preparation and thermodynamic properties of Fe(II)-Fe(III) hydroxide-carbonate (Green Rust 1); Pourbaix diagram of iron in carbonate-containing aqueous media. Corrosion Science, 37, 2025-2041.
06DRI/MCC	DRITS, V. A., MCCARTY, D. K. & ZVIAGINA, B. B. 2006. Crystal-Chemical Factors Responsible for the Distribution of Octahedral Cations Over Trans- and Cis-Sites in Dioctahedral 2:1 Layer Silicates. Clays and Clay Minerals, 54, 131-152.
55DRO	DROSSBACH, P. Z. 1955. The electrolysis of fused salts. Zeitschrift fur Angewandte Physik und Chemie., 59 512.
07DUF/CLA	DU FOU DE Kerdaniel, E., Clavier, N., Dacheux, N., Terra, O. & Podor, R. 2007. Actinide solubility-controlling phases during the dissolution of phosphate ceramics. Journal of nuclear materials, 362 451-458.

10DUB/VID	DUBACQ, B., VIDAL, O. & ANDRADE, V. D. 2010. Dehydration of dioctahedral aluminous phyllosilicates: thermodynamic modelling and implications for thermobarometric estimates. <i>Contributions to Mineralogy and Petrology</i> , 159, 159-174.
77DUB	Duby, P. (1977). The Thermodynamic Properties of Aqueous Inorganic Copper systems. INCRA Monograph IV. The Metallurgy of Copper. Int. Copper Res. Ass..
92DUC/SAN	DUCROS, M. & SANNIER, H. 1992. Méthode d'estimation des enthalpies de formation et des enthalpies libres de formation des composés inorganiques. <i>ThermoChimica Acta</i> , 196 27-43.
91DUD/MCL	DUDLEY, L. M., MCLEAN, J. E., FURST, T. H. & JURINAK, J. J. 1991. Sorption of Cd and Cu from an acid mine waste extract by two calcareous soils: column studies. <i>Soil Sci.</i> , 151 121-135.
72DUE/ROB	DUER, W. C., ROBINSON, R. A. & BATES, R. G. 1972. Molar conductivity of sodium fluoride in aqueous solution at 25°C. Applications of Pitts' conductivity equation. <i>J. Chem. Soc. Faraday Trans. I</i> , 68 716-722.
02DUF/COU	DUFF, M., COUGHLIN, J. U. & HUNTER, D. B. 2002. Uranium co-precipitation with iron oxide minerals. <i>Geochimica et Cosmochimica Acta</i> , 66, 3533-3547.
91DUF/JOH	Duffield, J. R., Johns, J. R., Marsicano, F., & Williams, D. R. 1991. Chemical speciation modelling and thermodynamic database compilation-III. Modelling solid formation and dissolution. <i>Polyhedron</i> , 10(10), 1121-1129.
78DUH/VID	DUHEM, P. & VIDAL, J. 1978. Extension of the dilutor method to measurement of high activity coefficients at infinite dilution. <i>Fluid Phase Equil.</i> , 2, 231-235.
50DUK/COU	DUKE, F. R. & COURTNEY, W. G. 1950. The stannous chloride equilibrium. <i>Iowa State J. Sci.</i> , 24 397-403.
79DUM/BIG	DUMONCEAU, J., BIGOT, S., TREUIL, M., FAUCHERRE, J. & FROMAGE, F. 1979. Détermination des constantes de formation des tétracarbonatolanthanides(III)-Note rectificative. <i>Comp. Rend. Ac. Sci.</i> , 288 415.
79DUM/BIG1	DUMONCEAU, J., BIGOT, S., TREUIL, M., FAUCHERRE, J. & FROMAGE, F. 1979. Détermination des constantes de formation des tétracarbonatolanthanides(III)-Note rectificative. <i>Comp. Rend. Ac. Sci.</i> , 288 415.
79DUM/BIG2	DUMONCEAU, J., BIGOT, S., TREUIL, M., FAUCHERRE, J. & FROMAGE, F. 1979. Étude spectrophotométrique des tétracarbonatolanthanides(III). <i>Comp. Ren. Ac. Sci.</i> , 289 165-166.
77DUP/GUI	DUPLESSIS, J. & GUILLAUMONT, R. 1977. Hydrolise du neptunium tetravalent. <i>Radiochem. Radioanal. Lett.</i> , 31 293-302.
02DUR/CER	DURO, L. & CERA, E. 2002. Revision of the thermodynamic database for radioelements. VersionB, Final report Andra.
96DUR	DURO, L. 1996. Estudio cinético y termodinámico de la interacción entre U(VI) y oxihidróxidos de Fe(III). Aplicaciones al estudio de la movilidad de metales traza en aguas subterráneas naturales. Departament de Química Inorgànica de la Universitat de Barcelona
00DUR/ARC	DURO, L., ARCOS, D., BRUNO, J., JORDANA, S., GRIVÉ, M., PON, J., CASTELIER, E., BEAUCAIRE, C., FAURÉ, M. H., PEÑA, J., GIMENO, M. J., DEL NERO, M., AYORA, C., SALAS, J., LEDOUX, E. & MADÉ, B. 2000. Blind prediction modelling (BPM) exercise in Oklo. Final EC-CEA workshop on Oklo-PhaseII. EUR 19137
97DUR/BRU	DURO, L., BRUNO, J., GÓMEZ, P., JOSÉGIMENO, M. & WERSIN, P. 1997. Modelling of the migration of trace elements along groundwater flowpaths by using a steady state approach application to the site at El Berrocal (Spain). <i>J. Cont. Hydrol.</i> , 26, 35-43.
02DUR/CER	Duro, L., Cera, E. 2002. Revision of the thermodynamic database for radioelements. VersionB, Final report Andra C RP OENQ 02-001.

06DUR/CER	DURO, L., CERA, E., GRIVÉ, M., DOMÈNECH, C., GAONA, X. & BRUNO, J. 2006. Development of the ThermoChimie thermodynamic data base Janvier 2006 Andra.
02DUR/DOM	DURO, L., DOMÈNECH, C., CERA, E. & BRUNO, J. 2002. ThermoChimie, the Andra thermodynamic database. Project ANDRA-TDB2 Andra.
12DUR/GRI	DURO, L., GRIVÉ, M. & GIFFAUT, E. ThermoChimie, the ANDRA thermodynamic database. 2012 MRS Spring Meeting, 2012. MRS.
06DUR/GRI	DURO, L., GRIVÉ, M., CERA, E., GAONA, X., DOMÈNECH, C. & BRUNO, J. 2006. Determination and assessment of the concentration limits to be used as SR-Can SKB.
11DUR/GRI	Duro, L., Grivé, M., Colàs, E. and Gaona, X., 2011. TDB for elevated temperature conditions using entropy estimations. Presented at the 1st High Temperature Aqueous Chemistry (HiTAC) WorkShop, Karlsruhe (Germany).
09DUR/GRI	DURO, L., GRIVÉ, M., GAONA, X. & TAMAYO, A. 2009. Review and assessment of enthalpy data: procedures for data estimation and final data selection for solid compounds. Project ANDRA-TDB6-Task 2, 3rd PR Amphos 21.
10DUR/RIC	DURO, L., RICHARD, L. & GRIVÉ, M. 2010. Review and assessment of enthalpy data. Procedures for data estimation and final data selection for solid compounds and aqueous species. Project ANDRA_TDB6 Task 2, Final Report, . Amphos 21.
82DUT/MIL	DUTTA-CHOUDHURY, M. K., MILJEVIC, N. & VAN HOOK, W. A. 1982. Isotope effects in aqueous systems. 13. The hydrophobic interaction. Some thermodynamic properties of benzene/water and toluene/water solutions and their isotope effects. J. Phys. Chem., 86, 1711-1721.
90DYR/KRE	DYRSSEN, D. & KREMLING, K. 1990. Increasing hydrogen sulfide concentration and trace metal behavior in the anoxic Baltic waters. Marine Chemistry, 30, 193-204.
85DZI/WIS	DZIMITROWICZ, D. J., WISEMA, P. J. & CHERNS, D. 1985. An electron microscope study of hydrous thorium dioxide $\text{ThO}_2 \cdot n\text{H}_2\text{O}$. Journal of colloid and interface science, 103 170-177.
69EBE/WED	EBERLE, S. H. & WEDE, U. 1969. Konstitution und stabilität der chelate des fünfwertigen neptunis mit N-2-hydroxyäthyliminodiessigsäure. Inorg. Nucl. Chem. Lett., 5 5-8.
63EBE/WAD	EBERSON, L. & WADSO, I. 1963. Intramolecular hydrogen bonding as a factor in determining the K1/K2 ratios of dicarboxylic acids. Acta Chem. Scand., 17 1552-1562.
96EC	EC 1996. First performance assessment of the disposal of spent fuel in a clay layer European Commission.
00EC	EC 2000. Green Paper: Environmental issues of PVC.: European Commission.
83EDE/BUC	EDELSTEIN, N., BUCHER, J., SILVA, R. J. & NITSCHKE, H. 1983. Thermodynamic properties of chemical species in nuclear waste. Lawrence Berkeley Laboratory Report.
79EDE/ŠAT	EDEROVÁ, J. & ŠATAVA, V. 1979. Heat capacities of C_3AH_6 , $\text{C}_4\text{ASH}_{12}$ and $\text{C}_6\text{AS}_3\text{H}_{32}$. Thermochemica Acta, 31, 126-128.
87EFI/PRO	EFIMOV, M. E., PROKOPENKO V.I., I. V. A., TROYANOV, S. I., MEDVEDEV, V. A., BEREZOVSKII, G. A. & PAUKOV, I. E. 1987. Thermodynamic properties of zirconium chlorides. I. The standard molar enthalpy of formation, the low-temperature heat capacity, the standard molar entropy, and the standard molar Gibbs energy of formation of zirconium trichloride. J.Chem. Thermodynamics, 19 353-358.
86EFI/PRO	EFIMOV, M. E., PROKOPENKO, I. V., MEDVEDEV, V. A. & TSIRELNIKOV, V. I. 1986. No Title. Russ.J. Phys.Chem, 60 1427.

89EFI/PRO	EFIMOV, M. E., PROKOPENKO, I. V., MEDVEDEV, V. A., TSIRELNIKOV, V. I., BEREZOVSKII, G. A. & PAUKOV, I. E. 1989. Thermodynamic properties of zirconium chlorides II. The standard molar enthalpies of formation, the low temperature heat capacities, the standard molar entropies, and the standard molar Gibbs energies of formation of zirconium monochloride, zirconium dichloride and zirconium tetrachloride. J. Chem. Thermodynamics, 21 677-685.
98EFU/RUN	EFURD, D. W., RUNDE, W., BANAR, J. C., JANECKY, D. R., KASZUBA, J. P., PALMER, P. D., ROENSCH, F. R. & TAIT, C. D. 1998. Neptunium and Plutonium Solubilities in a Yucca Mountain Groundwater. Environmental Science and Technology, 32 3893-3900.
75EGU/YAZ	EGUCHI, M. & YAZAWA, A. 1975. Fundamental studies on high temperature aqueous solutions, II: The precipitation reaction of cobalt hydroxide at temperatures between 25 and 200°C. Nippon Kogyo Kaishi, 91, 39-44.
90EIK	EIKENBERG, J. 1990. On the problem of silica solubility at high pH. . Nagra.
11EKB/ÖDE	EKBERG, C. & ÖDEGAARD-JENSEN, A. 2011. Uncertainties in chemical modelling of solubility, speciation and sorption. Accreditation Qual. Assur, 16, 207-214.
01EKB/BRO	EKBERG, C., BROWN, P., COMARMOND, J. & ALBINSSON, Y. 2001. On the hydrolysis of tetravalent metal ions. Mat.Res.Soc.Cym. Proc., 663 1091-1099.
04EKB/KÄL	EKBERG, C., KÄLLVENIUS, G., ALBINSSON, Y. & BROWN, P. L. 2004. Studies on the hydrolytic behavior of zirconium(IV). J. Solution Chem., 33 47-79.
08EKB/KNU	EKBERG, C., KNUTSSON, A. & BROWN, P. L. 2008. Studies of the complexation behaviour of thorium with phosphates. 3rd Annual Workshop Proceedings- 6th EC FP FUNMIG
11EKB/KNU	EKBERG, C., KNUTSSON, A., ALBINSSON, Y. & BROWN, P. L. 2011. Complexation of thorium with phosphate. Radiochimica Acta, 99, 31-35.
17EKE/BAN	EKELEY, J. B. & BANTA, C. 1917. On the salts of Phthalic Acid. Journal of the American Chemical Society, 39, 759-768.
57ELW/SAL	EL WAKKAD, S. E. S., SALEM, T. M. & EL SAYED, J. A. 1957. Oxide film formation on the surface of metals in aqueous solutions and the evaluation of their standard potentials. Part V. The tin electrode. J. Chem. Soc., - 3770-3775.
30ELD	ELDER, L. W. J. 1930. A comparison of certain hydrogen ion indicator electrodes in the presence of ferric iron. Transactions of the American Electrochemical Society, 57 383-393.
72ELD	ELDING, L. I. 1972. Palladium (II) halide complexes. I. Stabilities and spectra of palladium (II) chloro and bromo aqua complexes. Inorg. Chim. Acta, 6 647-651.
77ELH/MIT	EL-HEMALY, S. A. S., MITSUDA, T. & TAYLOR, H. F. W. 1977. Synthesis of normal and anomalous tobermorites. Cement and Concrete Research, 7, 429-438.
97ELJ/ALN	ELJERTSSON, J., ALNERVIK, M., JONSSON, S. & SVENSSON, B. H. 1997. Influence of water solubility, side-chain degradability, and side-chain structure on the degradation of phthalic acid esters under methanogenic conditions. Environmental Science and Technology, 31 2761-2764.
61ELL/AND	ELLIS, A. J. & ANDERSON, D. W. 1961. The effect of pressure on the first acid dissociation constants of sulphurous and phosphoric acids. J. Chem. Soc., 1765-1767.

63ELL	ELLIS, A. J. 1963. The ionization of acetic, propionic, n-butyric, and benzoic acid in water from conductance measurements up to 225°C. J. Chem. Soc., 2299-2310.
92ELL/NAV	ELLISON, A. J. G. & NAVROTSKY, A. 1992. Enthalpy of formation of zircon. Jour.Am.Ceramic. Soc., 75 1430-1433.
87ELR/ADR	ELRASHIDI, M. A., ADRIANO, D. C., WORKMAN, S. M. & LINDSAY, W. L. 1987. Chemical equilibria of selenium in soils: A theoretical development. Soil Science, 144 141-151.
02ELZ/REE	ELZINGA, E. J., REEDER, R. J., WITHERS, S. H., PEALE, R. E., MASON, R. A., BECK, K. M. & HESS, W. P. 2002. EXAFS study of rare-earth element coordination in calcite. Geochimica et cosmochimica acta, 66, 2875-2885.
16END/LEG	Endrizzi, F., Legget, C.J., Rao, L., 2016. Scientific basis for efficient extraction of uranium from seawater. I. Understanding the chemical speciation of uranium under seawater conditions. Ind. Eng. Chem. Res. 55, 4249-4256.
14END/RAO	Endrizzi, F., Rao, L., 2014. Chemical speciation of uranium (VI) in marine environments: complexation of calcium and magnesium ions with [(UO ₂)(CO ₃) ₃] ⁴⁻ and the effect on the extraction of uranium from seawater. Chemistry-A European Journal 20, 14499-14506.
00ENR	ENRESA 2000. Elemento combustible de referencia irradiado: inventario másico y radiactivo, potencia térmica residual, espectro fotónico e inventario radiotóxico Enresa.
93ERE/PEG	Erel, Y., Pehkonen, S.O. and Hoffmann, M.R. 1993. Redox chemistry of iron in fog and stratus clouds. J. Geophys. Res. 98 (10), 18423-18434.
92ERI/NDA	ERIKSEN, T. E., NDALAMBA, P., BRUNO, J. & CACECI, M. 1992. The solubility of TcO ₂ •nH ₂ O in neutral to alkaline solutions under constant pCO ₂ . Radiochim. Acta, 58/59 67-70.
93ERI/NDA	ERIKSEN, T. E., NDALAMBA, P., CUI, D., BRUNO, J., CACECI, M. & SPAHIU, K. 1993. Solubility of the redox-sensitive radionuclides ⁹⁹ Tc and ²³⁷ Np under reducing conditions in neutral to alkaline solutions. Effect of carbonate SKB.
77ERM/PER	ERMAKOV, V. S., PERETRUKHIN, V. F. & KROT, N. N. 1977. Redox potentials of the couples Np(VI)-Np(V) and Pu(VI)-Pu(V) in LiOH solutions. Sov. Radiochem, 19, 212-213.
63ERM/KRO	ERMOLAEV, N. P. & KROT, N. N. 1963. Complex formation between Uranium (IV) and ethylenediaminetetracetic acid. Russ. J. Inorg. Chem. , 8, 1282-1289.
94ERT/MOH	ERTEN, H. N., MOHAMMED, A. K. & CHOPPIN, G. R. 1994. Variation of stability constants of thorium and uranium oxalate complexes with ionic strength. Radiochim. Acta, 66/67 123-128.
96ESC/SAL	ESCANDAR, G. M., SALAS PEREGRIN, J. M., GONZALEZ SIERRA, M., MARTINO, D., SANTORO, M., FRUTOS, A. A., SALA, L. F. & OTHERS 1996. Interaction of divalent metal ions with gluconic acid in the solid phase and aqueous solution. Polyhedron, 15, 2251-2261.
88ESS	ESSINGTON, M. E. 1988. Estimation of the standard free energy of formation of metal arsenates, selenates and selenites. Soil Sci. Soc. Am. J., 52 1574-1579.
99EST/MAR	ESTEBAN, J. A., MARTINEZ-ESPARZA, A., DE PABLO, J., CASAS, I., DÍAZ-AROCAS, P. P., SERRANO, J., L., R. J. & QUIÑONES, J. 1999. Descripción y características químico-físicas de los combustibles nucleares irradiados Ciemat.
12EUR	EURACHEM 2012. Quantifying Uncertainty in Chemical Measurement, Eurachem.

04EVA	EVANS, B. W. 2004. The Serpentine Multisystem Revisited: Chrysotile Is Metastable. International Geology Review - INT GEOL REV, 46, 479-506.
49EVA	EVANS, M. W. 1949. The heats and entropies of plutonium (III), plutonium (IV) and plutonium (VI) in 0.5 M perchloric acid at 25°C. In: SEABORG, G. T., KATZ, J. J. & MANNING, W. M. (eds.) The Transuranium Elements Research Papers. Part I: Papers 1.1 to 6.39; National Nuclear Energy Series 14B
03EVA	EVANS, N. 2003. Studies on metal alpha-isosaccharinic acid complexes. Loughborough University
49EVA/PRY	EVANS, U. R. & PRYOR, M. J. 1949. The passivity of metals. Part IX. The solubility product of freshly precipitated ferric hydroxide. Journal of the Chemical Society, 157-160.
89EVD/EFI	Evdokimova, V. P. and Efimov, M. E. 1989. Standard enthalpies of formation of crystalline iron chlorides, Russ. J. Phys. Chem., 63, 1226-1227.
85EWA/GOR	EWART, F. T., GORE, S. J. M. & WILLIAMS, S. J. 1985. The solubility of Neptunium(IV) at high pH Atomic Research Establishment Report (AERE).
85EWA/HOW	EWART, F. T., HOWSE, R. M., THOMASON, H. P., WILLIAMS, S. J. & CROSS, J. E. 1985. The solubility of Neptunium(IV) at high pH. Mater. Res. Soc. Symp, 50 701-708.
88EXN	EXNER, O. 1988. Correlation Analysis of Chemical Data, Plenum, New York
90EYA/OLA	EYAL, Y. & OLANDER, D. R. 1990. Leaching of uranium and thorium from monazite: I. Initial leaching. Geochimica et Cosmochimica Acta, 54 1867-1877.
87FAB	FABRE, M. C. 1887. Recherches thermiques sur les sélénures. Ann.Chim. Phys., 10 472-550.
04FAB/SAX	FABRICHNAYA, O., SAXENA, S. K. & RICHET, P. 2004. Thermodynamic Data, Models, and Phase Diagrams in Multicomponent Oxide Systems: An Assessment for Materials and Planetary Scientists Based on Calorimetric, Volumetric and Phase Equilibrium Data, Springer.
94FAB/CUR	FABRYKA-MARTIN, J., CURTIS, D. B., DIXON, P., ROKOP, D., ROENSCH, F., AGUILAR, R. & ATTRE, M. 1994. Nuclear reaction product geochemistry: Natural nuclear products in the Cigar Lake deposit. In Final Report of SKB/AECL Cigar Lake Analog Study. J.J. Cramer and J.A.T. Smellie ed.: SKB.
96FAL/REA	Falck, W. E., Read, D., Thomas, J. B. 1996 Chemval 2: thermodynamic database. EUR CG-NA-16-897-EN-C.
98FAN/KIM	FANGHÄNEL, T. & KIM, J.-I. 1998. Spectroscopic evaluation of thermodynamics of trivalent actinides in brines. Journal of Alloys and Compounds, 271-273 728-737.
99FAN/AAS	FANGHÄNEL, T., AAS, W., STEINLE, E. & KIM, J. I. 1999. Thermodynamics of Cm(III) in concentrated electrolyte solutions. Fluoride complexation in 0-5 m NaCl at 25°C. Radiochim. Acta, 84 85.
94FAN/KIM	FANGHÄNEL, T., KIM, J. I., PAVIET, P., KLENZE, R. & HAUSER, W. 1994. Thermodynamics of radioactive trace elements in concentrated electrolyte solutions: Hydrolysis of Cm ³⁺ in NaCl-solutions. Radiochimica Acta, 66/67 81-87.
95FAN/KIM	FANGHÄNEL, T., KIM, J. I., R., K. & KATO, Y. 1995. Formation of Cm(III) chloride complexes in CaCl ₂ solutions. Journal of Alloys and Compounds, 225 308-311.

99FAN/KÖN	FANGHÄNEL, T., KÖNNECKE, T., WEGER, H., PAVIET-HARTMANN, P., NECK, V. & KIM, J. I. 1999. Thermodynamics of Cm(III) in concentrated salt solutions: Carbonate complexation in NaCl solution at 25°C. <i>Solution Chem.</i> , 28, 447-461.
02FAN/NEC	Fanghänel, T., Neck, V. 2002. Aquatic chemistry and solubility phenomena of actinide oxides/hydroxides, <i>Pure Appl. Chem.</i> , 74, 1895-1907.
98FAN/WEG1	FANGHÄNEL, T., WEGER, H. T., KÖNNECKE, T., NECK, V., PAVIET-HARTMANN, P., STEINLE, E. & KIM, J. I. 1998. Thermodynamics of Cm(III) in concentrated electrolyte solutions. Carbonate complexation at constant ionic strength (1 m NaCl). <i>Radiochim. Acta.</i> , 82 47-53.
98FAN/WEG	Fanghänel, T., Weger, H. T., Könncke, T., Neck, V., Paviet-Hartmann, P., Steinle, E., Kim, J. I. 1998. Thermodynamics of Cm(III) in concentrated electrolyte solutions. Carbonate complexation at constant ionic strength (1 m NaCl), <i>Radiochim. Acta</i> , 82, 47-53.
98FAN/WEG2	FANGHÄNEL, T., WEGER, H. T., SCHUBERT, G. & KIM, J. I. 1998. Bicarbonate complexes of trivalent actinides- stable or unstable? <i>Radiochim. Acta.</i> , 82 55-57.
78FAT/ROU	FATOUROS, N., ROUELLE, F. & CHEMLA, M. 1978. Influence de la formation de complexes chlorures sur la reduction électrochimique de Sn(IV) en milieu perchlorique acide. <i>Journal de Chimie Physique</i> , 75 476-483.
54FEA	FEAY, D. C. 1954. Some chemical properties of Curium. University of California, Berkeley
86FED/WES	FEDORAK, P. M., WESTLAKE, D. W., ANDERS, C., KRATOCHVIL, B., MOTKOSKY, N., ANDERSON, W. B. & HUCK, P. M. 1986. Microbial release of $^{226}\text{Ra}^{2+}$ from (Ba, Ra) SO_4 sludges from uranium mine wastes. <i>Applied and environmental microbiology</i> , 52, 262-268.
74FED/ROB	FEDOROV, V. A., ROBOV, A. M., SHMYDKO, I. I., ZDANOVSKI, V. V. & MIRONOV, V. E. 1974. No Title. <i>Zhur. Neorg. Khim.</i> , 19 1523.
02FED/BUD	FEDOSEEV, A. M., BUDANTSEVA, N. A., YUSOV, A. B., SHILOV, V. & DELEGARD, C. 2002. Selective recovery of chromium from precipitates containing d elements and actinides: I. Effect of O_2 . <i>Radiochemistry</i> , 44, 347-354.
04FEI/LEC	FEIGENBRUGEL, V., LE CALVÉ, S., MIRABEL, P. & LOUIS, F. 2004. Henry's law constant measurements for phenol, o-, m- and p-cresol as a function of temperature. <i>Atmos. Environ.</i> , 38, 5577-5588.
95FEI/YAN	FEIN, J. B., YANE, L., JYOTI, A. & HANDA, T. 1995. Experimental study of aluminium and calcium malonate complexation at 25, 35, and 80°C. <i>Geochem. Cosmochim. Acta</i> , 59, 1053-1062.
54FEI/HAR	FEITKNECHT, W. & HARTMANN, L. 1954. Die löslichkeitsprodukte von nickel-und kobalhydroxyden. <i>Chimia</i> , 8 95.
63FEI/SCH	FEITKNECHT, W. & SCHINDLER, P. 1963. Solubility constants of metal oxides, metal hydroxides and metal hydroxide salts in aqueous solution. <i>Pure Appl. Chem</i> , 6 125-206.
63FEL/KOV	FELDMAN, I. & KOVAL, L. 1963. Reaction of the uranyl ion with amino acids. Bidentate carboxylate chelation. <i>Inorg. Chem.</i> , 2 145-150.
16FEL/ALT	Fellhauer, D., Altmaier, M., Gaona, X., Lützenkirchen, J., Fanghänel, T. 2016. Np(V) solubility, speciation and solid phase formation in alkaline CaCl_2 solutions. Part II: thermodynamics and implications for source term estimations of nuclear waste disposal, <i>Radiochim. Acta</i> , 104, 381-398.
10FEL/NEC	Fellhauer, D., Neck, V., Altmaier, M., Lützenkirchen, J., Fanghänel, T. 2010. Solubility of tetravalent actinides in alkaline CaCl_2 solutions and formation of $\text{Ca}_4[\text{An}(\text{OH})_8]^{4+}$ complexes: A study of Np(IV) and Pu(IV) under reducing conditions and the systematic trend in the An(IV) series, <i>Radiochim. Acta</i> , 98, 541-548.
04FEL/QAF	FELMY, A. R. & QAFOKU, O. 2004. An aqueous thermodynamic model for the complexation of nickel with EDTA valid to high base concentration. <i>Journal of solution chemistry</i> , 33, 1161-1180.

92FEL/RAI	FELMY, A. R. & RAI, D. 1992. An aqueous thermodynamics model for a high valence 4:2 electrolyte Th ⁴⁺ -SO ₄ ²⁻ in the system Na ⁺ -K ⁺ -Li ⁺ -NH ₄ ⁺ -Th ⁴⁺ -SO ₄ ²⁻ -HSO ₄ ⁻ -H ₂ O to high concentration. <i>Journal of Solution Chemistry</i> , 21 407-423.
00FEL	FELMY, A. R. 2000. Thermodynamic Modeling of Sr/TRU Removal BNFL, Inc.
04FEL	FELMY, A. R. 2004. Chemical Speciation of americium, curium and selected tetravalent actinides in high level waste PNNL.
06FEL/CHO	FELMY, A. R., CHO, H., DIXON, D. A., XIA, Y., HESS, N. J. & WANG, Z. 2006. The aqueous complexation of thorium with citrate under neutral to basic conditions. <i>Radiochimica Acta</i> , 94, 205-212.
01FEL/CHO	FELMY, A. R., CHO, H., RUSTAD, J. R. & MASON, M. J. 2001. An aqueous thermodynamic model for polymerized silica species to high ionic strength. <i>Journal of solution chemistry</i> , 30, 509-525.
98FEL/DIX	FELMY, A. R., DIXON, D. A., RUSTAD, J. R., MASON, M. J. & ONISHI, L. M. 1998. The hydrolysis and carbonate complexation of strontium and calcium in aqueous solution. Use of molecular modeling calculations in the development of aqueous thermodynamic models. <i>The Journal of Chemical Thermodynamics</i> , 30, 1103-1120.
90FEL/RAI1	FELMY, A. R., RAI, D. & FULTON, R. W. 1990. The solubility of americium hydroxide carbonate (AmOHCO ₃ (c)) and the aqueous thermodynamics of the system Na ⁺ -Am ³⁺ -HCO ₃ ⁻ -CO ₃ ²⁻ -OH ⁻ -H ₂ O. <i>Radiochim. Acta</i> , 50, 193-204.
90FEL/RAI	FELMY, A. R., RAI, D. & MASON, M. J. 1990. Uranium(IV) Hydrolysis Constants and Solubility Product of UO ₂ .H ₂ O(am). <i>Inorg. Chem.</i> , 29 260-264.
90FEL/RAI2	FELMY, A. R., RAI, D. & MASON, M. J. 1990. Uranium(IV) Hydrolysis Constants and Solubility Product of UO ₂ .H ₂ O(am). <i>Inorg. Chem.</i> , 29 260-264.
91FEL/RAI	FELMY, A. R., RAI, D. & MASON, M. J. 1991. The solubility of hydrous thorium(IV) oxide in chloride media: Development of an ion-interaction model. <i>Radiochim. Acta</i> , 55 177-185.
93FEL/RAI	FELMY, A. R., RAI, D. & MASON, M. J. 1993. Solid phase precipitates and anionic aqueous thorium fluoride complexes in the Na-NH ₄ -Th-F-H ₂ O system to high concentration. <i>Radiochim. Acta</i> , 62 133-139.
93FEL/RAI1	FELMY, A. R., RAI, D. & MASON, M. J. 1993. Solid phase precipitates and anionic aqueous thorium fluoride complexes in the Na-NH ₄ -Th-F-H ₂ O system to high concentration. <i>Radiochim. Acta</i> , 62 133-139.
93FEL/RAI2	FELMY, A. R., RAI, D. & MOORE, D. A. 1993. The solubility of (Ba, Sr) SO ₄ precipitates: Thermodynamic equilibrium and reaction path analysis. <i>Geochimica et cosmochimica acta</i> , 57, 4345-4363.
89FEL/RAI	FELMY, A. R., RAI, D., SCHRAMKE, J. A. & RYAN, J. L. 1989. The solubility of plutonium hydroxide in dilute solution and in high ionic strength chloride brines. <i>Radiochim. Acta</i> , 48 29.
97FEL/RAI	FELMY, A. R., RAI, D., STERNER, S. R., MASON, S. J., HESS, N. J. & CONRADSON, S. D. 1997. Thermodynamic models for highly charged aqueous species: Solubility of Th(IV) hydrous oxide in concentrated NaHCO ₃ and Na ₂ CO ₃ aqueous solution. <i>J. Solution Chem</i> , 26 233-248.
01FEL/WAN	FELMY, A. R., WANG, Z., DIXON, D. A., JOLY, A. G., RUSTAD, J. R. & MASON, M. J. 2001. The aqueous complexation of Eu(III) with organic chelates at high-base concentration: molecular and thermodynamic modelling results. <i>ACS Symposium Series</i> , 778 63-80.

90FEL/RAI3	FELMY, A., RAI, D. & AMONETTE, J. E. 1990. The solubility of barite and celestite in sodium sulfate: evaluation of thermodynamic data. <i>J. Solut. Chem.</i> , 19, 175-185.
27FER	FERGUSON, J. B. 1927. The system, water-phenol. <i>J. Phys. Chem.</i> , 31, 757-763.
08FER/STU	FERNANDES, M. M., STUMPF, T., RABUNG, T., BOSBACH, D. & FANGHÄNEL, T. 2008. Incorporation of trivalent actinides into calcite: A time resolved laser fluorescence spectroscopy (TRLFS) study. <i>Geochimica et Cosmochimica Acta</i> , 72, 464-474.
87FER	FERNÁNDEZ, A. 1987. Critical evaluation of the thermodynamic properties of cobalt. <i>Int. J. Thermophys.</i> , 8, 481-510.
59FER/HEP	FERNANDEZ, L. P. & HEPLER, L. G. 1959. Heats and entropies of ionization of phenol and some substituted phenols. <i>J. Am. Chem. Soc.</i> , 81, 1783-1786.
08FER/CHA	FERNANDEZ-MARTINEZ, A., CHARLET, L., CUELLO, G. J., JOHNSON, M. R., ROMAN-ROSS, G., BARDELLI, F. & TURRILLAS, X. 2008. Arsenate incorporation in gypsum probed by neutron, X-ray scattering and DFT modeling. <i>The Journal of Physical Chemistry A</i> , 112, 5159-5166.
97FER/FIN	FEROCI, G., FINI, A., BADIELLO, R. & BRECCIA, A. 1997. Interaction between selenium derivatives and heavy metals ions: Cu ²⁺ and Pb ²⁺ . <i>Microchem. J.</i> , 57 379-388.
05FER/LAN	FERRAGE, E., LANSON, B., SAKHAROV, B. A. & DRITS, V. A. 2005. Investigation of smectite hydration properties by modeling experimental X-ray diffraction patterns. Part I. Montmorillonite hydration properties. <i>American mineralogist</i> , 90, 1358-1374.
76FER/STU	FERRANTE, M. J., STUVE, J. M. & RICHARDSON, D. W. 1976. Thermodynamic Data for Synthetic Dawsonite, Bureau of Mines, U.S. Department of the Interior.
83FER/GRE	FERRI, D., GRENTHE, I., HIETANEN, S. & SALVATORE, F. 1983. Studies on metal carbonate equilibria. 5. The cerium(III) carbonate complexes in aqueous perchlorate media. <i>Acta Chem. Scand.</i> , A 37 359-365.
66FER	FERRIER, A. 1966. Influence de l'état de division de la goethite et de l'oxyde ferrique sur leurs chaleurs de reaction. <i>Revue de Chimie minérale</i> , 3 587-615.
89FER/PIA	FERRO, D., PIACENTE, V. & SCARDALA, P. 1989. Decomposition enthalpies of iron sulfides. <i>Journal of Chemical Thermodynamics</i> , 21 483-494.
05FEU/CES	FEUILLOLEY, P., CESAR, G., BENGUIGUI, L., GROHENS, Y., PILLIN, I., BEWA, H., LEFAUX, S. & JAMAL, M. 2005. Degradation of polyethylene designed for agricultural purposes. <i>Journal of Polymers and the Environment</i> , 13, 349-355.
96FEU/MAJ	FEUTELAIS, Y., MAJID, M., LEGENDRE, B. & FRIES, S. G. 1996. Phase diagram investigation and proposition of a thermodynamic evaluation of the tin-selenium system. <i>J. Phase Equilib.</i> , 17 40-49.
03FIA/MAJ	FIALIPS, C.-I., MAJZLAN, J., BEAUFORT, D. & NAVROTSKY, A. 2003. New thermochemical evidence on the stability of dickite vs. kaolinite. <i>American Mineralogist</i> , 88, 837-845.
01FIA/NAV	FIALIPS, C.-I., NAVROTSKY, A. & PETIT, S. 2001. Crystal properties and energetics of synthetic kaolinite. <i>American Mineralogist</i> , 86, 304-311.
59FIC/FIS	FICKLING, M. M., FISCHER, A., MANN, B. R., PACKER, J. & VAUGHAN, J. 1959. Hammett substituent constants for electron-withdrawing substituents: dissociation of phenols, anilinium ions and dimethylanilinium ions. <i>J. Am. Chem. Soc.</i> , 81, 4226-4230.
02FIL/BEL	FILELLA, M., BELZILE, N. & CHEN, Y.-W. 2002. Antimony in the environment. A review focused on natural waters II. Relevant solution chemistry. <i>Earth-Science Reviews</i> , 59 265-285.

60FIN	FINHOLT, J. E. 1960. Chemistry of some hydrolyzed Cr(III) polymers Lawrence Radiation Laboratory.
72FIS/BAR	FISHER, J. R. & BARNES, H. L. 1972. The ion-product of water to 350°C. J. Phys. Chem., 76 90-99.
33FLE	Fleharty, V. B. 1933. A determination of the heat of reaction of $2\text{Fe}(\text{ClO}_4)_3 + 2\text{Hg} = 2\text{Fe}(\text{ClO}_4)_2 + \text{Hg}_2(\text{ClO}_4)_2$ from equilibrium data, J. Am. Chem. Soc., 55, 2646-2649.
89FLE/SPO	FLETCHER, P. & SPOSITO, G. 1989. Chemical modeling of clay/electrolyte interactions of montmorillonite. Clay Minerals, 24, 375-391.
34FLI/WEL	FLINT, E. P. & WELLS, L. S. 1934. Study of the system CaO-SiO ₂ -H ₂ O at 30°C and of the reaction of water on anhydrous calcium silicates. Journal of Research of the National Bureau of Standards, 12, 751-783.
76FLO/OSB	FLOTOW, H. E., OSBORNE, D. W., FRIED, S. M. & J.G., M. 1976. Heat capacity of ²⁴² PuO ₂ from 12 to 350K and of ²⁴⁴ PuO ₂ from 4 to 25K entropy, enthalpy and Gibbs free energy of formation of PuO ₂ at 298.15 K. Journal of Chemical Physics, 65 1124-1129.
58FOM/VOR	FOMIN, V. V., VOROBEV, S. P. & ANDREEVA, M. A. 1958. Polarographic investigation of complex plutonium oxalates. Sov. At. Energy, 4 63-70.
47FON	Fontana, B. J. 1947. U.S. AEC Rept., MDDC-1452.
97FOR	FORSYTH, R. 1997. Analysis of radioactive corrosion test specimens by means of ICP-MS. Comparison with earlier methods.: SKB.
97FOR1	FORSYTH, R. 1997. Analysis of radioactive corrosion test specimens by means of ICP-MS. Comparison with earlier methods.: SKB.
97FOR2	FORSYTH, R. 1997. The SKB spent fuel corrosion programme. An evaluation of results from the experimental programme performed in the Studvisk Hot Cell Laboratory, Stockholm, Sweden: Swedish Nuclear Fuel Waste Management Co. . SKB.
97FOT/GIA	FOTI, C., GIANGUZZA, A. & SAMMARTANO, S. 1997. A comparison of equations for fitting protonation constants of carboxylic acids in aqueous tetramethylammonium chloride at various ionic strengths. J. Soln. Chem., 26, 631.
01FOU/ESN	FOUCAULT, F., ESNOUF, S. & LE MOËL, A. 2001. Irradiation/temperature synergy effects on degradation and ageing of chlorosulphonated polyethylene. Nuclear Instruments and Methods in Physics Research Section B: Beam Interactions with Materials and Atoms, 185, 311-317.
84FOU/CRI	FOUILLAC, C. & CRIAUD, A. 1984. Carbonate and bicarbonate trace metal complexes: critical reevaluation of stability constants. Geochem. J., 18.
04FOU/PER	FOUREST, B., PERRONE, J., TARAPCIK, P. & GIFFAUT, E. 2004. The Hydrolysis of Protactinium(V) Studied by Capillary Diffusion. J. Sol. Chem., 33 953-973.
88FOX	FOX, L. E. 1988. The solubility of ferric hydroxide and its relevance to iron concentrations in river water. Geochimica et Cosmochimica Acta, 52 771-777.
87FRA	FRANCOIS, R. 1987. The influence of humic substances on the geochemistry of iodine in nearshore and hemipelagic marine sediments. Geochimica et Cosmochimica Acta, 51, 2417-2427.
32FRE/LIE	FREDENHAGEN, K. & LIEBSTER, H. 1932. The partial pressure and distribution numbers of acetic acid over its aqueous solution at 25°C. Z. Physik. Chem, A162, 449-453.
05FRE/VID	FREITAS, A. R., VIDOTTI, G. J., RUBIRA, A. F. & MUNIZ, E. C. 2005. Polychloroprene degradation by a Photo-Fenton process. Polymer degradation and stability, 87, 425-432.

37FRI/ZER	Fricke, R. von and Zerrweck, W. 1937. Über Struktur und Wärmeinhalt verschieden dargestellter γ -Eisen- (III)oxyde sowie Über die Bildungswärme des Lepidokrokit (γ -FeOOH). Zeit. Elektrochem., 40, 52-65.
01FRI/NEU	FRIDRIKSSON, T., NEUHOFF, P. S., ARNÓRSSON, S. & BIRD, D. K. 2001. Geological constraints on the thermodynamic properties of the stilbite—stellerite solid solution in low-grade metabasalts. Geochimica et Cosmochimica Acta, 65, 3993-4008.
04FRI/NEU	FRIDRIKSSON, T., NEUHOFF, P. S., VIANI, B. E. & BIRD, D. K. 2004. Experimental determination of thermodynamic properties of ion-exchange in heulandite: Binary ion-exchange experiments at 55 and 85 °C involving Ca^{2+} , Sr^{2+} , Na^+ , and K^+ . American journal of science, 304, 287-332.
76FRI/HIN	FRIED, S. & HINDMAN, J. C. 1976. The +4 Oxidation state of Protoactinium in aqueous solution. J. Am. Soc., 76 4863-4864.
09FRI/CLÉ	FRITZ, B., CLÉMENT, A., AMAL, Y. & NOGUERA, C. 2009. Simulation of the nucleation and growth of simple clay minerals in weathering processes: The NANOKIN code. Geochimica et Cosmochimica Acta, 73, 1340-1358.
80FRI	Fritz, J. J. (1980). Chloride complexes of copper (I) chloride in aqueous solution. The Journal of Physical Chemistry, 84(18), 2241-2246.
85FRI	FRITZ, J. J. 1985. Thermodynamic properties of chloro-complexes of silver chloride in aqueous solution. J. Solut. Chem., 14, 865-879.
81FRI	Fritz, J.J. (1981) Representation of the solubility of CuCl in solutions of various aqueous chlorides. J. Phys. Chem., 85, 890-894.
82FRI	Fritz, J.J. (1982) Solubility of cuprous chloride in various soluble aqueous chlorides. J. Chem. Eng. Data, 27, 188-193.
84FRI	Fritz, J.J. (1984) Heats of solution of cuprous chloride in aqueous HCl-HClO ₄ mixtures. J. Solut. Chem., 13, 369-382.
52FRO	FRONAU, S. 1952. The equilibria between nickel and acetate ions. An ion exchange and potentiometric investigation. Acta Chem. Scand., 6 1200-1211.
90FU/ZHA	FU, M. H., ZHANG, Z. Z. & LOW, P. F. 1990. Changes in the properties of a montmorillonite-water system during the adsorption and desorption of water; hysteresis. Clays and Clay Minerals, 38, 485-492.
76FUG/OET	FUGER, J. & OETTING, F. L. 1976. The chemical thermodynamics of actinide elements and compounds: Part 2. The actinide aqueous ions. . International Atomic Energy Agency.
92FUG/KHO	FUGER, J., KHODAKOVSKY, I. L., SERGEYEVA, E. I., MEDVEDEV, V. A. & NAVRATIL, J. D. 1992. The chemical thermodynamics of actinide elements and compounds, Part 12. The actinide aqueous inorganic complexes, International Atomic Energy Agency
83FUG/PAR	FUGER, J., PARKER, V. B., HUBBARD, W. N. & OETTING, F. L. 1983. The chemical thermodynamics of actinide elements and compounds: Part 8 – The actinide halides, Vienna, International Atomic Agency.
81FUJ/KON	FUJII, K. & KONDO, W. 1981. Heterogeneous equilibrium of calcium silicate hydrate in water at 30 °C. Journal of the Chemical Society, Dalton Transactions, 645-651.
08FUJ/KOH	Fujiwara, K., Kohara, Y. 2008. Hydrolysis constants of tetravalent neptunium by using solvent extraction method, Radiochim. Acta, 96, 613-616.
01FUJ/YAM	FUJIWARA, K., YAMANA, H., FUJII, T. & MORIYAMA, H. 2001. Solubility product of plutonium hydrous oxide. J. Nucl. Fuel Cycle Environ. (Jpn), 7 17-23.
02FUJ/YAM	FUJIWARA, K., YAMANA, H., FUJII, T. & MORIYAMA, H. 2002. Solubility product of uranium(IV) hydrous oxide. J. Nucl. Sci. Technol. Suppl., 3 290.

03FUJ/YAM	FUJIWARA, K., YAMANA, H., FUJII, T. & MORIYAMA, H. 2003. Determination of uranium(IV) hydrolysis constants and solubility product of $UO_2 \cdot xH_2O$. <i>Radiochim. Acta</i> , 91 345-350.
05FUJ/YAM	FUJIWARA, K., YAMANA, H., FUJII, T., KAWAMOTO, K., SASAKI, T. & MORIYAMA, H. 2005. Solubility of uranium(IV) hydrous oxide in high pH solution under reducing conditions. <i>Radiochim. Acta</i> , 93 347-350.
05FUJ/YAM1	Fujiwara, K., Yamana, H., Fujii, T., Kawamoto, K., Sasaki, T., Moriyama, H. 2005, Solubility product of hexavalent uranium hydrous oxide, <i>J. Nucl. Sci. Technol.</i> , 42, 289-294.
05FUJ/YAM2	Fujiwara, K., Yamana, H., Fujii, T., Kawamoto, K., Sasaki, T., Moriyama, H. 2005. Solubility of U(IV) hydrous oxide in high pH solution under reducing condition, <i>Radiochim. Acta</i> , 93, 347-350.
02FUJ/YAM	Fujiwara, K., Yamana, H., Fujii, T., Moriyama, H. 2002. Solubility product of plutonium hydrous oxide and its ionic strength dependence, <i>Radiochim. Acta</i> , 90, 857-861.
03FUJ/YAM1	Fujiwara, K., Yamana, H., Fujii, T., Moriyama, H. 2003. Determination of uranium(IV) hydrolysis constants and solubility product of $UO_2 \cdot xH_2O$, <i>Radiochim. Acta</i> , 91, 345-350.
03FUJ/YAM2	Fujiwara, K., Yamana, H., Fujii, T., Moriyama, H. 2003. Solubility product of Pu(VI) hydrous oxide, <i>Radiochim. Acta</i> , 91, 81-85.
98FUK/TAK	FUKADA, H. & TAKAHASHI, K. 1998. Enthalpy and heat capacity changes for the proton dissociation of various buffer components in 0.1 M potassium chloride. <i>Proteins</i> , 33, 159-166.
82FUK/KAW	FUKUSAWA, T., KAWASUJI, I., MITSUGASHIRA A., T. A. S. & SUZUKI, S. 1982. Investigation on the complexes formation of some lanthanides (III) and actinides (III) with chloride and bromide. <i>Bull. Chem. Soc. Japan</i> , 55 726-729.
69FUN/TAN	FUNAHASHI, S. & TANAKA, M. 1969. Kinetics of the reaction of some monoacidopenta-aqua-nickel(II) complexes with 4-(2-Pyridylazo)resorcinol. <i>Inorg. Chem.</i> , 8 2159-2165.
58FUO	FUOSS, R. M. 1958. Ionic association. III. The equilibrium between ion pairs and free ions. <i>Journal of the American Chemical Society</i> , 80 5059-5061.
04FUR/POR	FURIA, E. & PORTO, R. 2004. The hydrogen salicylate ion as ligand. Complex formation equilibria with dioxouranium (VI), neodymium (III) and lead (II). <i>Annali di chimica</i> , 94, 795-804.
99FUR/SHI	FURUKAWA, M., SHIIBA, T. & MURATA, S. 1999. Mechanical properties and hydrolytic stability of polyesterurethane elastomers with alkyl side groups. <i>Polymer</i> , 40, 1791-1798.
10GAB/GAI	GABOREAU, S. & GAILHANOU, H. 2010. Thermochimie Résultats des équilibres par voie aqueuse. Chlorite et saponite. Rapport Final.: BRGM.
12GAB	GABOREAU, S. 2012. Thermochimie 2 : Solubilité des argiles par voie aqueuse. Résultats expérimentaux : Rapport final. BRGM.
09GAB/GAI	GABOREAU, S., GAILHANOU, H. & BLANC, P. 2009. Thermochimie : Résultats des mises à l'équilibre par voie aqueuse : Illite, I/S, smectite. Rapport final. BRGM.
10GAG/CAS	GAGLIARDI, L. G., CASTELLS, C. B., ROSÉS, M., RÀFOLS, C. & BOSCH, E. 2010. Acid-base dissociation constants of o-Phthalic Acid in acetonitrile/water mixtures over the (15 to 50)°C temperature range and related thermodynamic quantities. <i>Journal of Chemical and Engineering Data</i> , 55, 85-91.

06GAI/BLA1	GAILHANOU, H. & BLANC, P. 2006. Détermination expérimentale des propriétés thermodynamiques de minéraux argileux BRGM.
06GAI/BLA2	GAILHANOU, H. & BLANC, P. 2006. ThermoChimie –Estimation des entropies, capacités calorifiques et volumes molaires des phyllosilicates 2 :1 déshydratés BRGM.
05GAI	GAILHANOU, H. 2005. Détermination expérimentale des propriétés thermodynamiques et étude des nanostructures de minéraux argileux. Aix-Marseille 3.
09GAI	GAILHANOU, H. 2009. ThermoChimie: Acquisition des propriétés thermodynamiques d'une nontronite et d'une beidellite et révision des données de la saponite Sap-Ca-1.: BRGM.
10GAI	GAILHANOU, H. 2010. Projet ThermoChimie. Acquisition des propriétés thermodynamiques des minéraux argileux Vermiculite, Beidellite, Nontronite et Smectite MX-80.: BRGM.
10GAI/BLA	GAILHANOU, H., BLANC, P. & GABOREAU, S. 2010. ThermoChimie Acquisition des propriétés thermodynamiques des minéraux argileux vermiculite, beidellite, nontronite et smectite MX-80. Rapport final. BRGM.
06GAI/BLA3	GAILHANOU, H., BLANC, P. & VIEILLARD, P. 2006. ThermoChimie. Estimation des entropies, capacités calorifiques et volumes molaires des phyllosilicates 2 : 1 déshydratés. Rapport final. BRGM.
06GAI/BLA2	GAILHANOU, H., BLANC, P., CROUZET, C., TOUZELET, S., GAUTIER, A., ROGEZ, J., VAN MILTENBURG, J. C., VAN GANDEREN, A. & GRENÈCHE, J. M. 2006. Détermination expérimentale des propriétés thermodynamiques de minéraux argileux. Rapport final.: BRGM.
06GAI/BLA4	GAILHANOU, H., BLANC, P., CROUZET, C., TOUZELET, S., GAUTIER, A., ROGEZ, J., VAN MILTENBURG, J. C., VAN GANDEREN, A. & GRENÈCHE, J. M. 2006. Détermination expérimentale des propriétés thermodynamiques de minéraux argileux. Rapport final.: BRGM.
09GAI/BLA	GAILHANOU, H., BLANC, P., GABOREAU, S., ROGEZ, J., KAWAJI, H., DENOYEL, R., GRENÈCHE, J. M., BRENDLÉ, J., CROUZET, C., GAUTIER, A. & TOUZELET, S. 2009. ThermoChimie : Acquisition des propriétés thermodynamiques d'une nontronite et d'une beidellite et révision des données de la saponite Sap-Ca-1. Rapport final. BRGM.
07GAI/BLA	GAILHANOU, H., BLANC, P., ROGEZ, J., GRENÈCHE, J. M., CROUZET, C., GAUTIER, A., TOUZELET, S. & BRENDLÉ, J. 2007. ThermoChimie : Acquisition des propriétés thermodynamiques d'une saponite et révision des données sur les minéraux argileux. Rapport final. BRGM.
13GAI/BLA	GAILHANOU, H., BLANC, P., ROGEZ, J., MIKAELIAN, G., HORIUCHI, K., YAMAMURA, Y., SAITO, K., KAWAJI, H., WARMONT, F., GRENÈCHE, J.-M., VIEILLARD, P., FIALIPS, C. I., GIFFAUT, E. & GAUCHER, E. C. 2013. Thermodynamic properties of saponite, nontronite, and vermiculite derived from calorimetric measurements. American Mineralogist, 98, 1834-1847.
12GAI/BLA	GAILHANOU, H., BLANC, P., ROGEZ, J., MIKAELIAN, G., KAWAJI, H., OLIVES, J., AMOURIC, M., DENOYEL, R., BOURRELLY, S., MONTOUILLOUT, V., VIEILLARD, P., FIALIPS, C. I., MICHAU, N. & GAUCHER, E. C. 2012. Thermodynamic properties of illite, smectite and beidellite by calorimetric methods: Enthalpies of formation, heat capacities, entropies and Gibbs free energies of formation. Geochimica et Cosmochimica Acta, 89, 279-301.
08GAI/BLA	GAILHANOU, H., BLANC, P., TOUZELET, S., CROUZET, C., GAUTIER, A., ROGEZ, J., GRENÈCHE, J. M., SAITO, A. & BRENDLÉ, J. 2008. ThermoChimie : Acquisition des propriétés thermodynamiques d'une berthiérine et révision des données sur les minéraux argileux. Rapport final. BRGM.

09GAI/ROG	GAILHANOU, H., ROGEZ, J., MILTENBURG, J. C. V., GENDEREN, A. C. G. V., GREÑÈCHE, J. M., GILLES, C., JALABERT, D., MICHAU, N., GAUCHER, E. C. & BLANC, P. 2009. Thermodynamic properties of chlorite CCa-2. Heat capacities, heat contents and entropies. <i>Geochimica et Cosmochimica Acta</i> , 73, 4738-4749.
07GAI/VAN	GAILHANOU, H., VAN MILTENBURG, J. C., ROGEZ, J., OLIVES, J., AMOURIC, M., GAUCHER, E. C. & BLANC, P. 2007. Thermodynamic properties of anhydrous smectite MX-80, illite IMt-2 and mixed-layer illite-smectite ISCz-1 as determined by calorimetric methods. Part I: Heat capacities, heat contents and entropies. <i>Geochimica et Cosmochimica Acta</i> , 71, 5463-5473.
53GAI/THO	GAINES, G. L. & THOMAS, H. C. 1953. Adsorption Studies on Clay Minerals. II. A Formulation of the Thermodynamics of Exchange Adsorption. <i>The Journal of Chemical Physics</i> , 21, 714-718.
98GAJ/GYU	GAJDA, T., GYURCSIK, B., JAKUSCH, T., BURGER, K., HENRY, B. & DELPUECH, J.-J. 1998. Coordination chemistry of polyhydroxy acids: role of the hydroxy groups. <i>Inorganica chimica acta</i> , 275 130-140.
09GAJ/SIP	GAJDA, T., SIPOS, P. & GAMSJÄGER, H. 2009. The standard electrode potential of the Sn ⁴⁺ /Sn ²⁺ couple revisited. <i>Monatsh. Chem.</i> , 140 1293-1303.
68GAL/GED	GAL'CHENKO, G. I., GEDAKYAN, D. A. & TIMOFEEV, B. I. 1968. Determination of the heats of formation of ZrCl ₄ , HfCl ₄ , and TaCl ₅ . <i>Russ. J. Inorg. Chem</i> , 13 159.
01GAL/AYO	GALI, S., AYORA, C., ALFONSO, P., TAULER, E. & LABRADOR, M. 2001. Kinetics of dolomite--portlandite reaction: application to portland cement concrete. <i>Cement and concrete research</i> , 31, 933-939.
06GAL/MOL	GALÍNDEZ, J. M., MOLINERO, J., SAMPER, J. & YANG, C. B. 2006. Simulating concrete degradation processes by reactive transport models. <i>Journal de Physique IV</i>
89GAL/DAN	GALINIER, C., DANDURAND, J.-L., SOUISSI, F. & SCHOTT, J. 1989. Sur le caractère non-ideal des solutions solides (Ba, Sr) SO ₄ : mise en évidence et détermination des paramètres thermodynamiques par des essais de dissolution à 25 °C. <i>Comptes rendus de l'Académie des sciences. Série 2, Mécanique, Physique, Chimie, Sciences de l'univers, Sciences de la Terre</i> , 308, 1363-1368.
61GAL/STE	GALKIN, N. P. & STEPANOV, M. A. 1961. Solubility of uranium(IV) hydroxide in sodium hydroxide. <i>At. Energ.</i> , 8 231-233.
85GAL	GALUS, Z. 1985. Carbon, silicon, germanium, tin and lead. In: BARD, A. J. & JORDAN, J. (eds.) <i>Standard potentials in aqueous solutions</i> Marcel Dekker (New York)
53GAM/JOR	Gamlen, G. A. and Jordan, D. O. 1953. A spectrophotometric study of the iron(III) chloro-complexes. <i>J. Chem. Soc.</i> , 1435-1443.
89GAM/BAR	GAMMONS, C. H. & BARNES, H. L. 1989. The solubility of Ag ₂ S in near-neutral aqueous sulfide solutions at 25 to 300°C. <i>Geochim. et Cosmochim. Acta</i> , 53 279-290.
05GAM/BUG	GAMSJÄGER, H., BUGAJSKI, J., GAJDA, T., LEMIRE, R. & PREIS, W. 2005. <i>Chemical Thermodynamics Vol. 6: Chemical thermodynamics of nickel</i> , NEA North Holland Elsevier Science Publishers B. V., Amsterdam, The Netherlands
12GAM/GAJ	GAMSJÄGER, H., GAJDA, T., SANGSTER, J., SAXENA, S. K. & VOIGT, W. 2012. <i>Chemical Thermodynamics 12: Chemical thermodynamics of tin</i> , NEA North Holland Elsevier Science Publishers B. V., Amsterdam, The Netherlands
00GAM/KÖN	GAMSJÄGER, H., KÖNIGSBERGER, E. & PREIS, W. 2000. Lippmann diagrams: theory and application to carbonate systems. <i>Aquatic Geochemistry</i> , 6, 119-132.

82GAM/REI	GAMSJAGER, H., REITERER, F. & HEINDL, R. 1982. Solubility constants and free enthalpies of metal sulphides and carbonates. Berichte der Bunsen-Gesellschaft, 86, 1046-1049.
02GAM/WAL	GAMSJÄGER, H., WALLNER, H. & PREIS, W. 2002. Solid-solute phase equilibria in aqueous solutions XVII [I]. Solubility and thermodynamic data of nickel (II) hydroxide. Monatshefte für Chemie/Chemical Monthly, 133, 225-229.
31GAN/ING	GANE, R. & INGOLD, C. K. 1931. Electrometric titration curves of dibasic acids. Part IV. Corrections for interionic effects and for solvent electrostriction. First and second dissociation constants of some n-paraffin α -dicarboxylic acids, alkyl- and dialkylmalonic acids, s-di- and tetra-alkylsuccinic acids, β -alkyl- and $\beta\beta$ -dialkyl-glutaric acids, and cyclic 1: 1-di-acetic acids. Remarks on the configurations and molecular dimensions of these acids in dilute aqueous solution. J. Chem. Soc.
91GAN/COT	GANTEAUME, M., COTEN, M. & DECREASESAC, M. 1991. Un nouveau calorimetre de solution le calsol. Thermochemica acta, 178, 81-98.
13GAO/FEL	GAONA, X., FELLHAUER, D. & ALTMAIER, M. 2013. Thermodynamic description of Np (VI) solubility, hydrolysis and redox behaviour in dilute to concentrated alkaline NaCl Solutions. Pure Appl. Chem, 85, 2027.
11GAO/FEL	GAONA, X., FELLHAUER, D., DARDENNE, K., ROTHE, J. & ALTMAIER, M. Redox chemistry of Np(V/VI) under hyperalkaline conditions: aqueous speciation, solubility and chemical analogies with Pu. 2nd International workshop on Actinides Brine Chemistry in a Salt-Based Repository, 2011.
06GAO/GRI1	GAONA, X., GRIVÉ, M. & DURO, L. 2006. Effect of organic compounds on radionuclides mobilisation: an approach to repository conditions. Environ.
06GAO/GRI2	GAONA, X., GRIVÉ, M. & DURO, L. 2006. Review of thermodynamic data on the complexation of radionuclides by citrate, oxalate, EDTA and NTA. Environ.
06GAO/GRI3	GAONA, X., GRIVÉ, M. & DURO, L. 2006. Review of thermodynamic data on the complexation of radionuclides by gluconate and ISA: input to Thermochemie. Environ.
06GAO/GRI2	GAONA, X., GRIVÉ, M. & DURO, L. 2006. Review of thermodynamic data on the complexation of radionuclides by gluconate and ISA: input to ThermoChimie. Environ.
04GAO/GRI	GAONA, X., GRIVÉ, M., DURO, L. & BRUNO, J. 2004. Effect of organic compounds on radionuclides mobilisation: an approach to repository conditions Environ.
12GAO/KUL	GAONA, X., KULIK, D., MACE, N. & WIELAND, E. 2012. Aqueous-solid solution thermodynamic model of U(VI) uptake in C-S-H phases. Appl. Geochem., 27, 91-95.
06GAO/MON	GAONA, X., MONTOYA, V., COLÀS, E. & DURO, L. 2006. Review of thermodynamic data on the complexation of radionuclides by gluconate and ISA: input to Thermochemie Amphos 21.
08GAO/MON	GAONA, X., MONTOYA, V., COLÀS, E., GRIVÉ, M. & DURO, L. 2008. Review of the complexation of tetravalent actinides by ISA and gluconate under alkaline to hyperalkaline conditions. Journal of Contaminant Hydrology, 102, 217-227.
07GAO/TAM	GAONA, X., TAMAYO, A., GRIVÉ, M. & DURO, L. 2007. Contribution to the NOM effect on the mobilization of radionuclides: Review and selection of thermodynamic data of the basic organic components Amphos 21.

08GAO/TAM	GAONA, X., TAMAYO, A., GRIVÉ, M. & DURO, L. 2008. Review and assessment of enthalpy data: Procedures for data estimation and final data selection for aqueous species. Project ANDRA-TDB6-Task 2 2 nd Progress Report vs.01 Amphos 21.
12GAO/TIT	GAONA, X., TITS, J., DARDENNE, K., LIU, X., ROTHE, J., DENECKE, M. A., WIELAND, E. & ALTMAIER, M. 2012. Spectroscopic investigations of Np(V/VI) redox speciation in hyperalkaline TMA-(OH,Cl) solutions. Radiochim. Acta., 100, 759-770.
11GAO/TIT	GAONA, X., TITS, J., R, D., DARDENNE, K., WIELAND, E. & ALTMAIER, M. Redox chemistry of Np(V/VI) under hyperalkaline conditions: aqueous speciation, solid phase formation and sorption on cementitious materials. 13th International Conference on the Chemistry and Migration Behaviour of Actinides and Fission Products in the Geosphere. MIGRATION'11, 2011 Beijing (China).
12GAO/WIE	GAONA, X., WIELAND, E., TITS, J., SCHEINOST, A. C. & DAEHN, R. 2012. Np(V/VI) redox chemistry in cementitious systems: XAFS investigations on the speciation under anoxic and oxidizing conditions. Appl. Geochem., 28, 109-118.
13GAO/WIE	GAONA, X., WIELAND, E., TITS, J., SCHEINOST, A. C. & DAEHN, R. 2013. Np(V/VI) redox chemistry in cementitious systems: XAFS investigations on the speciation under anoxic and oxidizing conditions. Appl. Geochem., 28, 109-118.
18GAR	García, D., 2018. The role of superplasticizers and their degradation products on radionuclide mobility (PhD Thesis). Universitat Politècnica de Catalunya, Barcelona.
13GAR/CAM	GARCÍA, D., CAMPOS, I. & GRIVÉ, M. 2013. Organics. Project ANDRA-TDB8-Task 1, 1st Report. Amphos 21.
13GAR/CAM1	GARCÍA, D., CAMPOS, I. & GRIVÉ, M. 2013. Organics. Project ANDRA-TDB8-Task 1, 1 st Report. Amphos 21.
13GAR/CAM2	GARCÍA, D., CAMPOS, I. & GRIVÉ, M. 2013. Solubility calculations with temperature. Project ANDRA-TDB8-Task 1, 1 st PR. Amphos 21.
41GAR/HEI	GARRETT, A. B. & HEIKS, R. E. 1941. Equilibria in the stannous oxide-sodium hydroxide and in the stannous oxide-hydrochloric acid systems at 25°C. Analysis of dilute solutions of stannous tin. Journal of the American Chemical Society, 63, 562-567.
87GAR/PAR	GARVIN, D., PARKER, V. B., WHITE, H. J., CODATA & TASK GROUP ON CHEMICAL THERMODYNAMIC, T. 1987. CODATA thermodynamic tables: selections for some compounds of calcium and related mixtures : a prototype set of tables, Washington, Hemisphere Pub. Corp.
06GAU/BLA	GAUCHER, E. & BLANC, P. 2006. Cement/clay interactions-- a review: experiments, natural analogues, and modeling. Waste management (New York, N.Y.), 26, 776-88.
04GAU/BLA	GAUCHER, E. C., BLANC, P., MATRAY, J.-M. & MICHAU, N. 2004. Modeling diffusion of an alkaline plume in a clay barrier. Applied Geochemistry, 19, 1505-1515.
09GAU/TOU	GAUCHER, E. C., TOURNASSAT, C., PEARSON, F. J., BLANC, P., CROUZET, C., LEROUGE, C. & ALTMANN, S. 2009. A robust model for pore-water chemistry of clayrock. Geochim. Cosmochim. Acta., 73, 6470-6487.
07GAU/LER	GAUCHER, E., LEROUGE, C. P., B. & TOURNASSAT, C. 2007. Caractérisation géochimique des forages PAC et nouvelles modélisations THERMOAR. . Andra.
81GAU/SHU	GAUR, U., SHU, H. C., MEHTA, A. & WUNDERLICH, B. 1981. Heat capacity and other thermodynamic properties of linear macromolecules. I, Selenium. J. Phys. Chem. Ref. Data, 10 89-117.
12GAV/RJU	GAVRICHEV, K. S., RYUMIN, M. A., TYURIN, A. V., GUREVICH, V. M., KHOROSHILOV, A. V. & KOMISSAROVA, L. N. 2012. Thermodynamic functions of erbium orthophosphate ErPO ₄ in the temperature range of 0-1600K. Thermochimica Acta, 535 1-7.

52GAW/DUG	GAWRON, O., DUGGAN, M. & GRELECKI, C. J. 1952. Manometric determination of dissociation constants of phenols. Anal. Chem., 24, 969-970.
53GAY/GAR	GAYER, K. H. & GARRET, A. B. 1953. The equilibria of antimonous oxide (rhombic) in dilute solutions of hydrochloric acid and sodium hydroxide at 25°C. J. Am. Chem. Soc., 74 2353.
49GAY/GAR	GAYER, K. H. & GARRETT, A. B. 1949. The equilibria of nickel hydroxide, Ni(OH) ₂ , in solutions of hydrochloric acid and sodium hydroxide at 25°C. J. Am. Chem. Soc., 71 2973-2975.
50GAY/GAR	GAYER, K. H. & GARRETT, A. B. 1950. The Solubility of Cobalt Hydroxide, Co(OH) ₂ , in Solutions of Hydrochloric Acid and Sodium Hydroxide at 25°C. Journal of the American Chemical Society, 72, 3921–3923.
57GAY/LEI	GAYER, K. H. & LEIDER, H. 1957. The solubility of uranium(IV) hydroxide in solution of sodium hydroxide and perchloric acid at 25°C. Can. J. Chem, 35 5-7.
56GAY/WOO	Gayer, K.H and Woontner, L. 1956. The solubility of ferrous hydroxide and ferric hydroxide in acidic and basic media at 25°C. J. Phys.Chem. 60, 1569-1571.
49GAY/GAR	Gayer, K.H., Garrett, A.B., 1949. The equilibria of nickel hydroxide, Ni(OH) ₂ , in solutions of hydrochloric acid and sodium hydroxide at 25. Journal of the American Chemical Society 71, 2973-2975.
02GÉH/RUB	GÉHIN, A., RUBY, C., ABDELMOULA, M., BENALI, O., GHANBAJA, J., REFAIT, P. & GÉNIN, J. M. R. 2002. Synthesis of Fe(II-III) hydroxysulphate green rust by coprecipitation. Solid State Science, 4 61-66.
08GEI/AMA	Geipel, G., Amayri, S., Bernhard, G., 2008. Mixed complexes of alkaline earth uranyl carbonates: a laser-induced time-resolved fluorescence spectroscopic study. Spectrochimica Acta 71, 53-58.
96GEI/BRA	GEIPEL, G., BRACHMANN, A., BRENDLER, V., BERNHARD, G. & NITSCHKE, H. 1996. Uranium(VI) sulfate complexation studied by time-resolved laser-induced fluorescence spectroscopy (TRFLS). Radiochim. Acta, 75 199-204.
58GEL/SAL	GELLES, E. & SALAMA, A. 1958. The interaction of transition-metals ions with oxaloacetic acid. Part II. Thermodynamics of chelation. J. chem. Soc.
58GEL/DRA	GELMAN, A. D. & DRABKINA, L. E. 1958. Formation and study of the properties of certain oxalate compounds with hexavalent plutonium. Russ. J. Inorg. Chem., 3 57-62.
58GEL/DRA1	GELMAN, A. D. & DRABKINA, L. E. 1958. Formation and study of the properties of certain oxalate compounds with hexavalent plutonium. Russ. J. Inorg. Chem., 3 57-62.
58GEL/MOS	GELMAN, A. D. & MOSKVIN, A. I. 1958. Investigation of oxalate and carbonate complexes of plutonium(IV) in aqueous solutions by the solubility method. Proc. Acad. Sci. USSR Chem. Sect. (Doklady Chemistry), 118 61-64.
58GEL/DRA2	GELMAN, A. D., DRABKINA, L. E. & MOSKVIN, A. I. 1958. Determination of the composition and instability constant of the oxalate complex ions of plutonium(VI). Russ. J. Inorg. Chem, 3 96-101.
57GEL/MAT	GELMAN, A. D., MATORINA, N. N. & MOSKVIN, A. I. 1957. Determination of the composition and instability constants of complex Pu ³⁺ oxalate ions. Sov. At. Energy, 3 1115-1120.

67GEL/MOS	GELMAN, A. D., MOSKVIN, A. I., ZAITSEV, L. M. & MEFODEVA, M. P. 1967. Complex compounds of transuranides, Israel Program for Scientific Translations Ltd., Jerusalem
04GEN/RUB	Génin, J. M. R., & Ruby, C. 2004. Anion and cation distributions in Fe (II-III) hydroxysalt green rusts from XRD and Mössbauer analysis (carbonate, chloride, sulphate,...); the "fougerite" mineral. <i>Solid state sciences</i> , 6(7), 705-718.
96GEN/OLO	GÉNIN, J. M. R., OLOWE, A. A., REFAIT, P. & SIMON, L. 1996. On the stoichiometry and Pourbaix diagram of Fe(II)-Fe(III) hydroxy-sulphate or sulphate containing Green Rust 2: An electrochemical and Mössbauer Spectroscopy study. <i>Corrosion Science</i> , 38 1751-1762.
98GEN/BOU	Génin, J.-M. R., Bourrié, G., Trolard, F., Abdelmoula, M., Jaffrezic, A., Refait, P., Maitre, V., Humbert B., Herbillon, A. 1998. Thermodynamic equilibria in aqueous suspensions of synthetic and natural Fe(II)-Fe(III) green rusts: occurrences of the mineral in hydromorphic soils, <i>Environ. Sci. Technol.</i> , 32, 1058-1068.
67GER	GERDING, P. 1967. Thermochemical studies on metal complexes. IV. Free energy, enthalpy, and entropy changes of proton acetate complexes in aqueous solution. <i>Acta Chem. Scand.</i> , 21, 2007-2014.
98GHO/KIS1	GHORAB, H. Y., KISHAR, E. A. & ABOU ELFETOUH, S. H. 1998. Studies on the Stability of the Calcium Sulfoaluminate Hydrates, Part III: The Monophases. <i>Cement and Concrete Research</i> , 28, 763-771.
98GHO/KIS	GHORAB, H. Y., KISHAR, E. A. & ABOU ELFETOUH, S. H. 1998. Studies on the Stability of the Calcium Sulfoaluminate Hydrates. Part II: Effect of Alite, Lime, and Monocarboaluminate Hydrate. <i>Cement and Concrete Research</i> , 28, 53-61.
98GHO/KIS2	GHORAB, H. Y., KISHAR, E. A. & ABOU ELFETOUH, S. H. 1998. Studies on the Stability of the Calcium Sulfoaluminate Hydrates. Part II: Effect of Alite, Lime, and Monocarboaluminate Hydrate. <i>Cement and Concrete Research</i> , 28, 53-61.
70GHO/NAI1	GHOSH, R. & NAIR, V. S. K. 1970. Studies on metal complexes in aqueous solution II: Malonates and phthalates of copper and calcium. <i>Journal of Inorganic and Nuclear Chemistry</i> , 32, 3033-3039.
70GHO/NAI	GHOSH, R. & NAIR, V. S. K. 1970. Studies on metal complexes in aqueous solution: III. The biselenite ion and transition metal selenates. <i>Journal of Inorganic and Nuclear Chemistry</i> , 32 3041-3051.
70GHO/NAI2	GHOSH, R. & NAIR, V. S. K. 1970. Studies on metal complexes in aqueous solution: III. The biselenite ion and transition metal selenates. <i>Journal of Inorganic and Nuclear Chemistry</i> , 32 3041-3051.
04GIA/HER	GIAMMAR, D. E. & HERING, J. G. 2004. Influence of dissolved sodium and cesium on uranyl oxide hydrate solubility. <i>Environ. Sci. Technol.</i> , 38 171-179.
07GIA/TRU	GIANDOMENICO, M. V., TRUBERT, D. & LE NAOUR, C. 2007. Sulphate complexation of protactinium(V) at 25°C. <i>Radiochim. Acta</i> , 95 617-623.
04GIA/MIL	Gianguzza, A., Milea, D., Millero, F. J., Sammartano, S. 2004. Hydrolysis and chemical speciation of dioxouranium(VI) ion in aqueous media simulating the major ion composition of seawater, <i>Mar. Chem.</i> , 85, 103-124.
98GIF/PLA	GIFFAUT, E. & PLAS, F. 1998. The french backfill concepts for french LLW and HLW. International backfill workshop, Carlsbad, New Mexico, May 4-7, 1998
93GIF/VIT	GIFFAUT, E. & VITORGE, P. 1993. Evidence of radiolytic oxidation of ²⁴¹ Am in Na ⁺ /Cl ⁻ /HCO ₃ ⁻ /CO ₃ ²⁻ media. <i>Basis Nuclear Waste Management XVI</i> , 294 747-751.

93GIF/VIT1	GIFFAUT, E. & VITORGE, P. 1993. Evidence of radiolytic oxidation of ^{241}Am in $\text{Na}^+/\text{Cl}^-/\text{HCO}_3^-/\text{CO}_3^{2-}$ media. Basis Nuclear Waste Management XVI, 294 747-751.
94GIF	GIFFAUT, E. 1994. Influence des ions chlorure sur la chimie des actinides. UNIVERSITE DE PARIS-SUD U.F.R. SCIENTIFIQUE D'ORSAY
98GIF	GIFFAUT, E. 1998. Paramètres géochimiques associés au transfert des radionucléides dans les barrières ouvragées. Comparaison betons/argiles Andra.
00GIF/BOU	GIFFAUT, E., BOURBON, X., MICHAU, N. & SCHUMACHER, S. 2000. Barrières Ouvragées argileuses et cimentaires. Représentations phénoménologiques associées au comportement des radioéléments. Fournitures des données de base en vue des calculs de sûreté. . Andra.
14GIF/GRI	GIFFAUT, E., GRIVÉ, M., BLANC, P., VIEILLARD, P., COLÀS, E., GAILHANOU, H., GABOREAU, S., MARTY, N., MADÉ, B. & DURO, L. 2014. Andra thermodynamic database for performance assessment: ThermoChimie. Applied Geochemistry. 49, 225-236.
93GIF/VIT2	GIFFAUT, E., VITORGE, P. & CAPDEVILA, H. 1993. Temperature corrections for activity coefficients calculated by using the SIT. CEA.
56GIL/GAR	GILBERT, R. A. & GARRETT, A. B. 1956. The equilibria of the metastable crystalline form of beryllium hydroxide. $\text{Be}(\text{OH})_2$ in hydrochloric acid, perchloric acid and sodium hydroxide solutions at 25. Journal of the American Chemical Society, 78.
75GIL/NIC	GILL, S. J., NICHOLS, N. F. & WADSÖ, I. 1975. Calorimetric determination of enthalpies of solution of slightly soluble liquids. I. Application to benzene in water. J. Chem. Thermodyn, 7, 175-183.
76GIL/NIC	GILL, S. J., NICHOLS, N. F. & WADSÖ, I. 1976. Calorimetric determination of enthalpies of solution of slightly soluble liquids. II. Enthalpy of solution of some hydrocarbons in water and their use in establishing the temperature dependence of their solubilities. J. Chem. Thermodyn, 8, 445-452.
90GIL	GILLET, H. 1990. Thermodynamics of the solvation of protonic acids and their conjugate bases in concentrated aqueous hydroorganic solutions at 25°C. Can. J. Chem., 68, 655-665.
96GIM	GIMÉNEZ, J. 1996. Establecimiento de los parámetros cinéticos y termodinámicos que rigen la disolución del dióxido de uranio en medios de elevada fuerza iónica. Extrapolación al comportamiento del combustible nuclear gastado en un repositorio salino., Universitat Politècnica de Barcelona
99GIM/PEÑ	GIMENO, M. J. & PEÑA, J. 1999. Geochemical modelling of groundwater evolution in the Palmottu natural system. The Palmottu Analogue project SKB.
92GIR/VER	GIRET, A., VERDIER, O. & NATIVEL, P. The zeolitization model of Kerguelen islands, Southern Indian Ocean. Tokyo, 1992. Yoshida et al., 457-463.
00GIR/RUB	GIROUX, S., RUBINI, P., HENRY, B. & AURY, S. 2000. Complexes of praseodymium (III) with D-gluconic acid. Polyhedron, 19, 1567-1574.
00GIU/ZAH	GIURGINCA, M. & ZAHARESCU, T. 2000. Thermal and radiation behaviour of HNBR and CSPE blends. Polymer, 41, 7583-7587.
93GLA/MAJ	GLAB, S., MAJ-ZURAWSKA, M., LUKOMSKI, P., HULANICKI, A. & LEWENSTAM, A. 1993. Ion-selective electrode control based on coulometrically determined stability constants of biologically important calcium and magnesium complexes. Anal. Chim. Acta, 273 493-497.

87GLA/LAC	GLASSER, F. P., LACHOWSKI, E. E. & MACPHEE, D. E. 1987. Compositional Model for Calcium Silicate Hydrate (C-S-H) Gels, Their Solubilities, and Free Energies of Formation. <i>Journal of the American Ceramic Society</i> , 70, 481-485.
98GLA/TYR	GLASSER, F. P., TYRER, M., QUILIN, R. D., PEDERSEN, J., GOLDTHORPE, K., BENNETT, D. & ATKINS, M. 1998. The chemistry of blended cements and backfills intended for use in radioactive waste disposal. UK Environment Agency.
04GLA/VAN1	GLAUS, M. & VAN LOON, L. R. 2004. A generic procedure for the assessment of the effect of concrete admixtures on the retention behaviour of cement for radionuclides: concept and case studies PSI.
04GLA/VAN2	GLAUS, M. A. & VAN LOON, L. R. 2004. Cellulose degradation at alkaline conditions: Long-term experiments at elevated temperatures. . PSI.
08GLA/VAN	GLAUS, M. A. & VAN LOON, L. R. 2008. Degradation of cellulose under alkaline conditions: New insights from a 12 years degradation study. <i>Environ. Sci. Technol.</i> , 42 2906-2911-2906-2911.
06GLA/LAU	GLAUS, M. A., LAUBE, A. & VAN LOON, L. R. 2006. Solid-liquid distribution of selected concrete admixtures in hardened cement pastes. <i>Waste management</i> , 26, 741-751.
99GLA/VAN	GLAUS, M. A., VAN LOON, L. R., ACHATZ, S., CHODURA, A. & FISCHER, K. 1999. Degradation of cellulosic materials under the alkaline conditions of a cementitious repository for low and intermediate level radioactive waste: Part I: Identification of degradation products. <i>Analytica chimica acta</i> , 398, 111-122.
97GLA/HUM	GLAUS, M., HUMMEL, W. & VAN LOON, L. R. 1997. Experimental determination and modelling of trace metal-humate interactions: A pragmatic approach for applications in groundwater PSI.
55GLE/PEU	GLEMSE, O. & PEUSCHEL, G. 1955. Beitrag zur kenntnis des systems PdO/H ₂ O. <i>Z. Anorg. Allg. Chemie</i> , 281 44-53.
07GLO/MOL	GLORIUS, M., MOLL, H. & BERNHARD, G. 2007. Complexation of uranium (VI) with aromatic acids in aqueous solution-a comparison of hydroxamic acids and benzoic acid. <i>Radiochimica Acta</i> , 95, 151-157.
08GLO/MOL	GLORIUS, M., MOLL, H., GEIPEL, G. & BERNHARD, G. 2008. Complexation of uranium (VI) with aromatic acids such as hydroxamic and benzoic acid investigated by TRLFS. <i>Journal of Radioanalytical and Nuclear Chemistry</i> , 277, 371-377.
00GLY	GLYNN, P. 2000. Solid-solution solubilities and thermodynamics: sulfates, carbonates and halides. <i>Reviews in Mineralogy and Geochemistry</i> , 40, 481-511.
90GLY	GLYNN, P. D. 1990. Modeling solid-solution reactions in low-temperature aqueous systems. <i>Modeling in Aqueous Systems II</i> , Amer Chem. Soc. Symposium Series
76GOB	GOBOM, S. 1976. The hydrolysis of tin(II) ion. <i>Acta Chemica Scandinavica A</i> , 30 745-750.
99GOL/JOH	Goldbach, A., Johnson, J., Meisel, D., Curtiss, L. A., & Saboungi, M. L. (1999). On the constituents of aqueous polyselenide electrolytes: a combined theoretical and Raman spectroscopic study. <i>Journal of the American Chemical Society</i> , 121(18), 4461-4467.
85GOL/PAR	GOLDBERG, R. N. & PARKER, V. B. 1985. Thermodynamics of solution of SO ₂ (g) in water and of aqueous sulfur dioxide solutions, National Bureau of Standards.
02GOL/KIS	GOLDBERG, R. N., KISHORE, N. & LENNEN, R. M. 2002. Thermodynamic quantities for the ionization reactions of buffers. <i>J. Phys. Chem. Ref. Data</i> , 31, 231-370.

96GOL/FOR	GOLDBERG, S., FORSTER, H. S. & GODFREY, C. L. 1996. Molybdenum adsorption on oxides, clay minerals, and soils. <i>Soil Sci. Soc. Am. J.</i> , 60, 425-432.
06GOL/BAU	GOLUBEV, S. V., BAUER, A. & POKROVSKY, O. S. 2006. Effect of pH and organic ligands on the kinetics of smectite dissolution at 25°C. <i>Geochimica et Cosmochimica Acta</i> , 70, 4436-4451.
96GÓM/TUR	GÓMEZ, P., TURRERO, M. J., MARTÍNEZ, B., MELÓN, A., GIMENO, M. J., PEÑA, J., MINGARRO, M., RODRÍGUEZ, V., GORDIENKO, F., HERNÁNDEZ, A., CRESPO, M. T., IVANOVICH, M., REYES, E., CABALLERO, E., PLATA, A. & FERNÁNDEZ, J. M. 1996. Hydrochemical and isotopic characterization of the groundwater from the El Berrocal site, Spain. Topical report 4. In El Berrocal project. Characterization and validation natural radionuclide migration processes under real conditions on the fissured granitic environment Enresa.
87GON/MOT	GONCALVES, M. L. & MOTA, A. M. 1987. Complexes of vanadyl and uranyl ions with the chelating groups of humic matter. <i>Talanta</i> , 34, 839-847.
18GON/GAO	González-Siso, M.R., Gaona, X., Duro, L., Altmaier, M., Bruno, J., 2018. Thermodynamic model of Ni (II) solubility, hydrolysis and complex formation with ISA. <i>Radiochimica Acta</i> 106, 31-45.
02GÖR/DEW	GÖRGÉNYI, M., DEWULF, J. & VAN LANGENHOVE, H. 2002. Temperature dependence of Henry's law constant in an extended temperature range. <i>Chemosphere</i> , 48, 757-762.
08GOR/BUR	GORMAN-LEWIS, D., BURNS, P. C. & FEIN, J. B. 2008. Review of uranyl mineral solubility measurements. <i>J. Chem. Thermodynamics</i> , 40 335-352.
08GOR/FEI	GORMAN-LEWIS, D., FEIN, J. B., BURNS, P. C., SZYMANOWSKI, J. E. S. & CONVERSE, J. 2008. Solubility measurements of the uranyl oxide hydrate phases metaschoepite, compreignacite, Na-compreignacite, becquerelite and clarkeite. <i>J. Chem. Thermodynamics</i> , 40 980-990.
07GOR/MAZ	GORMAN-LEWIS, D., MAZEINA, L., FEIN, J. B., SZYMANOWSKI, E. S., BURNS, P. C. & NAVROTSKY, A. 2007. Thermodynamic properties of soddyte from solubility and calorimetry measurements. <i>J. Chem. Thermodynamics</i> , 39 568-575.
09GOR/SHV	Gorman-Lewis, D., Shvareva, T., Kubatko, K.-A., Burns, P. C., Wellman, D. M., McNamara, B., Szymanowski, J. E. S., Navrotsky, A., Fein, J. B. 2009. Thermodynamic properties of autunite, uranyl hydrogen phosphate, and uranyl orthophosphate from solubility and calorimetric measurements, <i>Environ. Sci. Technol.</i> , 43, 7416-7422.
97GOU/POK	GOUT, R., POKROVSKI, G., SCHOTT, J. & ZWICK, A. 1997. Raman spectroscopic study of arsenic speciation in aqueous solutions up to 275°C. <i>Journal of Raman Spectroscopy</i> , 28, 725-730.
96GRA/LOI	GRAMBOW, B., LOIDA, A., DRESSLER, P., GECKEIS, H., GAGO, J., CASAS, I., DE PABLO, J., GIMÉNEZ, J. & TORRERO, M. E. 1996. Long term safety of radioactive waste disposal: chemical reaction of fabricated and high burnup spent UO ₂ fuel with salines brines FZK.
52GRA	GRAN, G. 1952. Determination of the equivalence point in potentiometric titrations. Part II. <i>The Analyst</i> , 77 661-671.
15GRA/GRI	GRANDIA, F., GRIVÉ, M., COLÀS, E., OLMEDA, J. & PEKALA, M. 2015. Implementation of the reactive transport model of RRA waste disposal. Task 3b-Reference case. <i>Amphos 21</i> .
08GRA/MER	GRANDIA, F., MERINO, J. & BRUNO, J. 2008. Assessment of the radium-barium co-precipitation and its potential influence on the solubility of Ra in the near-field SKB.

07GRA/MER	GRANDIA, F., MERINO, J., GRIVÉ, M. & BRUNO, J. 2007. Assessment of the radium-barium co-precipitation and its potential influence on the behaviour of Ra under an evolving near-field EnviroS.
99GRA1	GRANDSTAFF, D. E. 1999. Changes in surface area and morphology and the mechanism of forsterite dissolution. <i>Geochimica et Cosmochimica Acta</i> , 42, 1899-1901.
99GRA/BER	Grauer R. and Berner U. (1999) Solubility products of M(II) - carbonates, PSI Bericht Nr. 99-04, Paul Scherrer Institut, CH-5232 Villigen PSI, Switzerland. NAGRA-TR-95-08.
94GRA	GRAUER, R. 1994. Bereinigte Löslichkeitsprodukte von M(II) schwermetallkarbonaten PSI.
99GRA2	GRAUER, R. 1999. Solubility products of M(II)-carbonates.
65GRE/ALE	Green, R., Alexander, P., 1965. Schiff base equilibria. II. Beryllium complexes of N-n-butylsalicylideneimine and the hydrolysis of the Be ²⁺ ion. <i>Aust. J. Chem.</i> 18, 651-658.
79GRE/FRA	GREEN, W. J. & FRANK, H. S. 1979. The state of dissolved benzene in aqueous solution. <i>J. Sol. Chem.</i> , 8, 187-196.
61GRE/SET	GREENBERG, E., SETTLE, J. L., FEDER, H. M. & HUBBARD, W. N. 1961. Fluorine bomb calorimetry. I. The heat of formation of zirconium tetrafluoride. <i>J. Phys. Chem.</i> , 65 1168-1172.
92GRE/TOM	GREENBERG, J. & TOMSON, M. 1992. Precipitation and dissolution kinetics and equilibria of aqueous ferrous carbonate vs temperature. <i>Applied Geochemistry</i> , 7 185-190.
65GRE/CHA	GREENBERG, S. A. & CHANG, T. N. 1965. The Hydration of Tricalcium Silicate. <i>The Journal of Physical Chemistry</i> , 69, 553-561.
57GRE/PRI	GREENBERG, S. A. & PRICE, E. W. 1957. The solubility of silica in solutions of electrolytes. <i>The Journal of Physical Chemistry</i> , 61, 1539-1541.
95GRE/HOL	GREENFIELD, B. F., HOLTOM, G. J., HURDUS, M. H., O'KELLY, N., PILKINGTON, N. J., ROSEVEAR, A., SPINDLER, M. W. & WILLIAMS, S. J. 1995. The identification and degradation of isosaccharinic acid, a cellulose degradation product. <i>Materials Research Society Symposium Proceedings</i>
97GRE/HUR	GREENFIELD, B. F., HURDUS, M. H., SPINDLER, M. W. & THOMASON, H. P. 1997. The effect of the products from the anaerobic degradation of cellulose on the solubility and sorption of radioelements in the near field. . Nirex.
94GRE/LIN	GREENFIELD, B. F., LINKLATER, C. M., MORETON, A. D., SPINDLER, M. W. & WILLIAMS, S. J. 1994. The effects of organic degradation products on actinide disposal. In: MISHRA, B. & AVERILL, W. A. (eds.) <i>Actinide Processing: Methods and Materials</i>
62GRE	GRENTHE, I. 1962. On the stability of the acetate, glycolate and thioglycolate complexes of trivalent europium and americium. <i>Acta Chemica Scandinavica</i> , 16 1695-1712.
63GRE	GRENTHE, I. 1963. On the stability of the acetate and glycolate complexes of trivalent Curium. <i>Acta Chemica Scandinavica</i> , 17 1814-1815.
92GRE/FUG	GRENTHE, I., FUGER, J., KONINGS, R. J. M., LEMIRE, R. J., MULLER, A. B., NGUYEN-TRUNG, C. & WANNER, H. 1992. <i>Chemical thermodynamics Vol. 1: Chemical thermodynamics of uranium</i> , NEA North Holland Elsevier Science Publishers B. V., Amsterdam, The Netherlands
20GRE/GAO	Grenthe, I., Gaona, X., Plyasunov, A. V., Rao, L., Runde, W. H., Grambow, B., Konings, R. J. M., Smith, A. L., Moore, E. E. 2020. Second update on the chemical thermodynamics of Uranium, Neptunium, Plutonium, Americium and Technetium. <i>NEA-OECD Chemical thermodynamics 14</i> .

20GRE/GAO1	Grenthe, I., Gaona, X., Plyasunov, A. V., Rao, L., Runde, W. H., Grambow, B., Konings, R. J. M., Smith, A. L., Moore, E. E. 2020. Second update on the chemical thermodynamics of Uranium, Neptunium, Plutonium, Americium and Technetium. NEA-OECD Chemical thermodynamics 14.
20GRE/GAO2	Grenthe, I., Gaona, X., Plyasunov, A., Rao, L., Runde, W., Grambow, B., Konings, R., Smith, A., Moore, E., 2020. Chemical thermodynamics Vol. 14: Second Update on the Chemical Thermodynamics of U, Np, Pu, Am and Tc.
69GRE/GAR	GRENTHE, I., GARDHAMMAR, G. & RUNDCRANTZ, E. 1969. Thermodynamic properties of rare earth complexes. Acta Chemica Scandinavica, 23 93-108.
13GRE/MON	GRENTHE, I., MONPEAN, F., SPAHIU, K. & WANNER, H. 2013. TDB-2: Guidelines for the extrapolation to zero ionic strength, Paris (France), OECD Nuclear Energy Agency.
97GRE/PLY	GRENTHE, I., PLYASUNOV, A. V. & SPAHIU, K. 1997. Estimations of medium effects on thermodynamic data. Modelling in aquatic chemistry, 325
94GRE/PLY	Grenthe, I., Plyasunov, A. V. 1994. On the use of the specific interaction theory for the modelling of thermodynamic quantities in aqueous electrolyte systems as a function of p, T and ionic strength, (1994), This manuscript was later published as Grenthe, I., Plyasunov, A. 1997. On the use of semiempirical electrolyte theories for the modeling of solution chemical data, Pure Appl. Chem., 69, 5, 951-958.
97GRE/PUI	GRENTHE, I., PUIGDOMÈNECH, I. & ALLARD, B. 1997. Modelling in aquatic chemistry, Nuclear Energy Agency
00GRE/WAN	GRENTHE, I., WANNER, H. & OSTHOLS, E. 2000. TDB-2: Guidelines for the extrapolation to zero ionic strength OECD Nuclear Energy Agency.
83GRI	GRIMVALL, G. 1983. Standard entropies of compounds: theoretical aspects of Latimer's rule. International Journal of Thermophysics, 4 363-367.
67GRI/GEL	GRINBERG, A. A., GEL'FMAN, M. I. & KISELEVA, N. V. 1967. Instability constants of halogeno-complexes of palladium. Zhur neorg khim, 12 1171.
56GRI/PTI	GRINBERG, A. A., PTITSTYN, B. V. & TEKSTER, E. N. 1956. Physico-chemical properties of aqueous solutions of complex uranium oxalates. Trudy Radievogo Inst. im. V.G. Khlopina, Khim. i Geokhim., 7 74-86.
05GRI	Grivé i Solé, M. 2005. The linkage between uranium, iron and carbon cycling. Processes at interfaces: evidences from combined solution chemical and spectroscopic studies, Ph. D. Thesis, Universitat Politècnica de Catalunya, Barcelona, Spain.
03GRI/DUR	GRIVÉ, M. & DURO, L. 2003. Preliminary assessment of radionuclide solubility limits in the Callovo-Oxfordian groundwaters Enviros.
05GRI	GRIVÉ, M. 2005. The linkage between uranium, iron and carbon cycling, processes at interfaces: evidences from combined solution chemical and spectroscopic studies. Universitat Politècnica de Catalunya
15GRI/CAM1	GRIVÉ, M., CAMPOS, I. & COLÀS, E. 2015. ThermoChimie database. Track-changes and track-error document. From version 8 to version 9. Amphos 21.
15GRI/CAM2	GRIVÉ, M., CAMPOS, I. & COLÀS, E. 2015. ThermoChimie database. Track-changes document. From version 9 to verison 9.b.0. Amphos 21.
15GRI/CAM3	GRIVÉ, M., CAMPOS, I., COLÀS, E. & PERRONE, J. 2015. ThermoChimie guidelines. 4. Data traceability. Project ANDRA TC1. Amphos 21.
15GRI/CAM4	GRIVÉ, M., CAMPOS, I., COLÀS, E. & PERRONE, J. 2015. ThermoChimie guidelines. 5. Bibliographic references recording process. Project ANDRA TC1.: Amphos 21.

15GRI/CAM3	GRIVÉ, M., CAMPOS, I., COLÀS, E. & PERRONE, J. 2015. ThermoChimie guidelines. 6. Data quality. Project ANDRA TC1. Amphos 21.
15GRI/CAM5	GRIVÉ, M., CAMPOS, I., COLÀS, E. & PERRONE, J. 2015. ThermoChimie guidelines. 6. Data quality. Project ANDRA TC1. Amphos 21.
13GRI/CAM	GRIVÉ, M., CAMPOS, I., OLMEDA, J. & COLÀS, E. 2013. Task 3: Organics. Project Andra-TDB8-Task3. Final Report. Amphos 21.
16GRI/CAM	GRIVÉ, M., CAMPOS, I., PÉREZ, D. & COLÀS, E. 2016. ThermoChimie database Track changes and Track-error document: From version 9.b.0 to version 9.b.1. Amphos 21.
12GRI/COL1	GRIVÉ, M., COLÀS, E. & DOMÈNECH, C. 2012. ThermoChimie: Scientific Administration. Project ANDRA-Thermobridge-Task 3, 1 st PR. Amphos 21.
11GRI/COL1	GRIVÉ, M., COLÀS, E. & DURO, L. 2011. A reappraisal on nickel complexes with hydroxycarboxylic ligands under alkaline conditions. Migration'11 Conference
11GRI/COL2	GRIVÉ, M., COLÀS, E. & DURO, L. 2011. Ionic strength corrections in ThermoChimie: weak complexes and SIT coefficients. Task 1: Update. Auxiliary data and review focused on C5 cell. December 2011 Amphos 21.
11GRI/COL3	GRIVÉ, M., COLÀS, E. & DURO, L. 2011. Task 3 – Organics. 3 rd progress report. Project Andra-TDB7, Task 3. December 2011 Amphos 21.
13GRI/COL1	GRIVÉ, M., COLÁS, E., CAMPOS, I. & GARCÍA, D. 2013. Solubility calculations with temperature. Project ANDRA-TDB8-Task 1, Final Report. Amphos 21.
15GRI/COL1	GRIVÉ, M., COLÀS, E., CAMPOS, I. & PERRONE, J. 2015. Introduction to ThermoChimie guidelines. Project ANDRA TC1. Amphos 21.
15GRI/COL2	GRIVÉ, M., COLÀS, E., CAMPOS, I. & PERRONE, J. 2015. ThermoChimie guidelines. 1. Data selection and uncertainties. Project ANDRA TC1. Amphos 21.
15GRI/COL3	GRIVÉ, M., COLÀS, E., CAMPOS, I. & PERRONE, J. 2015. ThermoChimie guidelines. 2. Data integration and consistency. Project ANDRA TC1. Amphos 21.
15GRI/COL2	GRIVÉ, M., COLÀS, E., CAMPOS, I. & PERRONE, J. 2015. ThermoChimie guidelines. 3. Validation and verification. Project ANDRA TC1. Amphos 21.
15GRI/COL4	GRIVÉ, M., COLÀS, E., CAMPOS, I. & PERRONE, J. 2015. ThermoChimie guidelines. 3. Validation and verification. Project ANDRA TC1. Amphos 21.
12GRI/COL1	GRIVÉ, M., COLÁS, E., DOMÈNECH, C. & DURO, L. 2012. Thermobridge. ThermoChimie Guidelines, Part I: General introduction and selection process. Project ANDRA-Thermobridge-Task 3, Final report, Document 1 of 5. Amphos 21.
12GRI/COL2	GRIVÉ, M., COLÁS, E., DOMÈNECH, C. & DURO, L. 2012. Thermobridge. ThermoChimie Guidelines, Part I: General introduction and selection process. Project ANDRA-Thermobridge-Task 3, Final report, Document 1 of 5. Amphos 21.
12GRI/COL3	GRIVÉ, M., COLÁS, E., DOMÈNECH, C. & DURO, L. 2012. Thermobridge. ThermoChimie Guidelines, Part II: Estimations. Project ANDRA-Thermobridge-Task 3, Final report, Document 2 of 5. Amphos 21.
12GRI/COL2	GRIVÉ, M., COLÁS, E., DOMÈNECH, C. & DURO, L. 2012. Thermobridge. ThermoChimie Guidelines, Part III: Uncertainty assignment and data handling. Project ANDRA-Thermobridge-Task 3, Final report, Document 3 of 5. Amphos 21.
12GRI/COL4	GRIVÉ, M., COLÁS, E., DOMÈNECH, C. & DURO, L. 2012. Thermobridge. ThermoChimie Guidelines, Part III: Uncertainty assignment and data handling. Project ANDRA-Thermobridge-Task 3, Final report, Document 3 of 5. Amphos 21.

12GRI/COL5	GRIVÉ, M., COLÁS, E., DOMÈNECH, C. & DURO, L. 2012. Thermobridge. ThermoChimie Guidelines, Part IV: Consistency. Project ANDRA-Thermobridge-Task 3, Final report, Document 4 of 5. Amphos 21.
12GRI/COL3	GRIVÉ, M., COLÁS, E., DOMÈNECH, C. & DURO, L. 2012. Thermobridge. ThermoChimie Guidelines, Part V: Data Integration. Project ANDRA-Thermobridge-Task 3, Final report, Document 5 of 5. Amphos 21.
12GRI/COL6	GRIVÉ, M., COLÁS, E., DOMÈNECH, C. & DURO, L. 2012. Thermobridge. ThermoChimie Guidelines, Part V: Data Integration. Project ANDRA-Thermobridge-Task 3, Final report, Document 5 of 5. Amphos 21.
12GRI/COL7	GRIVÉ, M., COLÁS, E., DOMÈNECH, C. & DURO, L. 2012. ThermoChimie. Contribution to ANDRA reports. Project ANDRA-TDB7-Task 6. Amphos 21.
10GRI/COL	GRIVÉ, M., COLÀS, E., DOMÈNECH, C., GARCÍA, D., RIBA, O. & DURO, L. 2010. Update of ThermoChimie. Thermodynamic data of the toxic elements As, Cr and of nitrate and sulphate complexes. 1st Progress Report Project Andra-TDB7 - Task 1. . Amphos 21.
11GRI/COL4	GRIVÉ, M., COLÀS, E., DOMÈNECH, C., GARCÍA, D., RIBA, O. & DURO, L. 2011. Update of ThermoChimie. Update on Cr and As thermodynamic data. 3 rd Progress report Andra-TDB7, Task 1, December 2011 Amphos 21.
14GRI/COL	GRIVÉ, M., COLÁS, E., GARCÍA, D. & CAMPOS, I. 2014. Release of a new ThermoChimie Access version database-Version 9. Project ANDRA-TDB8-Task 5. Amphos 21.
12GRI/COL4	GRIVÉ, M., COLÀS, E., GARCÍA, D. & DURO, L. 2012. Ionic strength corrections in ThermoChimie. Auxiliary data and review focused on C5 and Ra-bearing wastes. July 2012 Amphos 21.
12GRI/COL8	GRIVÉ, M., COLÀS, E., GARCÍA, D. & DURO, L. 2012. Ionic strength corrections in ThermoChimie. Auxiliary data and review focused on C5 and Ra-bearing wastes. July 2012 Amphos 21.
12GRI/COL9	GRIVÉ, M., COLÀS, E., IDIART, A., MAIA, F. & DOMÈNECH, C. 2012. Verification of ThermoChimie database after extraction: test cases definition. Project ANDRA-Thermobridge-Task 1, 1 st PR. Amphos 21.
13GRI/COL2	GRIVÉ, M., COLÀS, E., IDIART, A., MAIA, F. & GARCÍA, D. 2013. Validation of the extracted databases using test cases. Project ANDRA-Thermobridge-Task 1, Final report. Amphos 21.
12GRI/COL10	GRIVÉ, M., COLÀS, E., IDIART, A., MAIA, F., VRIES, L. M. & DOMÈNECH, C. 2012. Validation of the extracted databases using test cases. Project ANDRA-Thermobridge-Task 1, 3 rd PR. Amphos 21.
11GRI/COL3	GRIVÉ, M., COLÀS, E., MONTTOYA, V. & DURO, L. 2011. Update of ThermoChimie. Thermodynamic data of phosphate species. 2nd Progress Report Project Andra-TDB7 - Task 1. June 2011 Amphos 21.
11GRI/COL5	GRIVÉ, M., COLÀS, E., MONTTOYA, V. & DURO, L. 2011. Update of ThermoChimie. Thermodynamic data of phosphate species. 2 nd Progress Report Project Andra-TDB7 - Task 1. June 2011 Amphos 21.
12GRI/COL11	GRIVÉ, M., COLÀS, E., VALLS, A. & DURO, L. 2012. Update of ThermoChimie thermodynamic data of phosphate species. Progress report. Project Andra-TDB7 - Task 1. July 2012 Amphos 21.
12GRI/COL5	GRIVÉ, M., COLÀS, E., VRIES, L. M., IDIART, A., MAIA, F., PASCUAL, H. & DOMÈNECH, C. 2012. Development of the extraction tool for Phreeqc and validation of the extracted databases using test cases. Project ANDRA-Thermobridge-Task 1 and 2, 2nd PR. Amphos 21.

12GRI/COL12	GRIVÉ, M., COLÀS, E., VRIES, L. M., IDIART, A., MAIA, F., PASCUAL, H. & DOMÈNECH, C. 2012. Development of the extraction tool for PhreeqC and validation of the extracted databases using test cases. Project ANDRA-Thermobridge-Task 1 and 2, 2 nd PR. Amphos 21.
12GRI/DOM	GRIVÉ, M., DOMÈNECH, C. & COLÀS, E. 2012. ThermoChimie Update: Ca-U(VI)-CO ₃ aqueous species. Project Andra-TDB7 - Task 1 – Technical Note. October 2012.: Amphos 21.
08GRI/DOM	GRIVÉ, M., DOMÈNECH, C. & DURO, L. 2008. Major geochemistry data validation in front of available information. Collaboration with BRGM and Hydrasa. 2nd comparison exercise: Modelling the degradation of an Ordinary Portland Cement. Project ANDRA-TDB6-Task 8, 2nd PR Amphos 21.
09GRI/DOM1	GRIVÉ, M., DOMÈNECH, C. & DURO, L. 2009. Major geochemistry data validation in front of available information. Collaboration with BRGM and Hydrasa. 3 rd comparison exercise. Project ANDRA-TDB6-Task 8, 3 rd PR Amphos 21.
09GRI/DOM	GRIVÉ, M., DOMÈNECH, C., MONTOYA, V. & DURO, L. 2009. Assessment on the use of solid solution/co-precipitation approaches. Project ANDRA-TDB6-Task 4, 2nd PR Amphos 21.
09GRI/DOM2	GRIVÉ, M., DOMÈNECH, C., MONTOYA, V. & DURO, L. 2009. Assessment on the use of solid solution/co-precipitation approaches. Project ANDRA-TDB6-Task 4, 2 nd PR Amphos 21.
10GRI/DOM	GRIVÉ, M., DOMÈNECH, C., MONTOYA, V., GARCIA, D. & DURO, L. 2010. Determination and assessment of the concentration limits to be used in SR-Can.: SKB.
15GRI/DUR	GRIVÉ, M., DURO, L., COLÀS, E. & GIFFAUT, E. 2015. Thermodynamic data selection applied to radionuclides and chemotoxic elements: An overview of the ThermoChimieTDB. Applied Geochemistry. 55, 85-94.
11GRI/DUR	GRIVÉ, M., DURO, L., DOMÈNECH, C. & SALAS, J. 2011. Redox Evolution of a cementitious geological disposal facility. International High-Level Radioactive Waste Management Conference. Albuquerque, New Mexico (USA).
06GRI/GAO	GRIVÉ, M., GAONA, X. & DURO, L. 2006. The effect of organics contained in the MELOX wastes Enviros.
08GRI/GAO	GRIVÉ, M., GAONA, X., MONTOYA, V. & DURO, L. 2008. The effect of organics contained in the MELOX wastes Amphos 21.
13GRI/GAR1	GRIVÉ, M., GARCÍA, D., CAMPOS, I. & ÁLVAREZ, J. A. 2013. ThermoChimie bibliographic reference database. Project ANDRA-TDB8-Task 5, 1 st PR. Amphos 21.
13GRI/GAR2	GRIVÉ, M., GARCÍA, D., CAMPOS, I. & COLÁS, E. 2013. Managing bibliographic references in ThermoChimie. Project ANDRA-TDB7-Task 6. Amphos 21.
13GRI/GAR3	GRIVÉ, M., GARCÍA, D., CAMPOS, I. & COLÀS, E. 2013. ThermoChimie database: Track changes document. Progress report Andra-TDB8, Task 5, December 2013.: Amphos 21.
13GRI/GAR4	GRIVÉ, M., GARCÍA, D., CAMPOS, I. & COLÁS, E. 2013. ThermoChimie database: Track changes documents. Project ANDRA-TDB8-Task 5. Amphos 21.
13GRI/GAR5	GRIVÉ, M., GARCÍA, D., COLÀS, E. & CAMPOS, I. 2013. Update of ThermoChimie. SiO ₂ (am) solubility and Si thermodynamic data. Progress report Andra-TDB7, Task 1, April 2013 Amphos 21.

12GRI/GAR	GRIVÉ, M., GARCÍA, D., COLÀS, E. & DURO, L. 2012. Task 1 – Update of ThermoChimie Thermodynamic data of sulphate and nitrate complexes. 5th progress report. Project Andra-TDB7 Task 1-Update. December 2012 Amphos 21.
12GRI/GAR1	GRIVÉ, M., GARCÍA, D., COLÀS, E. & DURO, L. 2012. Task 1 – Update of ThermoChimie Thermodynamic data of sulphate and nitrate complexes. 5 th progress report. Project Andra-TDB7 Task 1-Update. December 2012 Amphos 21.
12GRI/GAR2	GRIVÉ, M., GARCÍA, D., COLÀS, E. & DURO, L. 2012. Task 3 – Organics. 4 th progress report. Project Andra-TDB7, Task 3. December 2012 Amphos 21.
07GRI/MON	GRIVÉ, M., MONTOYA, V. & DURO, L. 2007. Assessment of the concentrations limits for radionuclides for Posiva. . POSIVA.
08GRI/MON1	GRIVÉ, M., MONTOYA, V. & DURO, L. 2008. Assessment of the concentration limits for radionuclides for Posiva. . POSIVA.
09GRI/MON	GRIVÉ, M., MONTOYA, V., COLÀS, E., PASCUAL, H., GARCÍA, D. & DURO, L. 2009. Development of ThermoChimie regarding the data extraction tool to a PHREEQC file format.: Amphos 21.
10GRI/MON	GRIVÉ, M., MONTOYA, V., GARCÍA, D. & DURO, L. 2010. Assessment of solubility limits for radionuclides and toxics under clay and cementitious conditions: Recommended solubility limits calculated with ThermoChimie v.8. Project ANDRA-TDB6-Task 3, Final Report Amphos 21.
08GRI/MON2	GRIVÉ, M., MONTOYA, V., TAMAYO, A. & DURO, L. 2008. Assessment of solubility limits for radionuclides and toxics under clay and cementitious conditions: Recommended solubility limits calculated with ThermoChimie v.6. Project ANDRA-TDB6-Task 3, 2nd PR. . Amphos 21.
12GRI/MON	GRIVÉ, M., MONTOYA, V., VALLS, A., DOMÈNECH, C., COLÀS, E. & DURO, L. 2012. Assessment of solubility limits for radionuclides and toxics under clay cementitious conditions. Recommended solubility limits calculated with ThermoChimie v.8.0. . Amphos 21.
10GRI/RIB	GRIVÉ, M., RIBA, O., MONTOYA, V. & DURO, L. 2010. Update of a thermochemie database: Reporting of new data selection 2010. Project ANDRA-TDB6-Task 1, 1st PR Amphos 21.
09GRI/RIB	GRIVÉ, M., RIBA, O., MONTOYA, V., TAMAYO, A. & DURO, L. 2009. Update of the thermodynamic database. Reporting of new data selection 2009. Amphos 21.
08GRI/RIB	GRIVÉ, M., RIBA, O., MONTOYA, V., TAMAYO, A. & L., D. 2008. Update of the thermodynamic database. Reporting of new data selection 2008. Project ANDRA-TDB6-Task 1, 1st PR Amphos 21.
11GRI/RIC	GRIVÉ, M., RICHARD, L., COLÀS, E. & DURO, L. 2011. Application of ThermoChimie over the 0-90°C temperature range. Amphos 21.
13GRI/VRI	GRIVÉ, M., VRIES, L. M., PASCUAL, H. & NEGRO, D. 2013. ThermoBridge application updates. Project ANDRA-Thermobridge-Task 2, Final report. Amphos 21.
75GRO/SAM	GRONVOLD, F. & SAMUELSEN, E. J. 1975. Heat capacity and thermodynamic properties of alpha-Fe ₂ O ₃ in the region 300-1050 K. Antiferromagnetic transition. Journal of Physics and Chemistry of Solids, 36 249-256.
62GRO/WES	GRONVOLD, F. & WESTRUM JR, E. F. 1962. Heat capacities and thermodynamic functions of iron disulfide (pyrite), iron diselenide, and nickel diselenide from 5 to 350 K. The estimation of standard entropies of transition metal chalcogenides. Inorganic Chemistry (US), 1 36-48.

59GRO/WES	GRONVOLD, F. & WESTRUM, E. F. 1959. Alpha-Ferric Oxide: Low Temperature Heat Capacity and Thermodynamic functions. Journal of the American Chemical Society, 81 1780-1783.
76GRO/WES	GRONVOLD, F. & WESTRUM, E. F. 1976. Heat capacities of iron disulfides. Thermodynamics of marcasite from 5 to 7000K, pyrite from 300 to 780K, and the transformation of marcasite to pyrite. Journal of Chemical Thermodynamics, 8 1039-1048.
92GRO/STO	Gronvold, F., Stolen, S. 1992. Thermodynamics of iron sulfides II. Heat capacity and thermodynamic properties of FeS and of Fe _{0.875} S at temperatures from 298.15 K to 1000 K, of Fe _{0.98} S from 298.15 K to 800 K, and of Fe _{0.89} S from 298.15 K to about 650 K. Thermodynamics of formation. J. Chem. Thermodyn., 24, 913-936.
59GRO/WES2	GRONVOLD, F., WESTRUM, E. F. & CHOU, C. 1959. Heat capacities and thermodynamic properties of the pyrrhotites Fe _{1.000} S and Fe _{0.877} S from 5 to 350K. The Journal of Chemical Physics, 30(2) 528-531.
78GRO/ZAK	GRONVOLD, F., ZAKI, M. R., WESTRUM, E. F., SOMMERS, J. J. A. & DOWNIE, D. B. 1978. Actinoid pnictides: II. Heat capacities of UAs ₂ and USb ₂ from 5 to 750K and antiferromagnetic transitions. Journal of Inorganic and Nuclear Chemistry, 40, 635-645.
31GRO/SAY	GROSS, P. M. & SAYLOR, J. H. 1931. The solubilities of certain slightly soluble organic compounds in water. J. Am. Chem. Soc., 53, 1744-1751.
57GRO/HAY	GROSS, P., HAYMAN, C. & LEVI, F. L. 1957. The heats of formation of metal halides. Zirconium tetrachloride. Transactions of the Faraday Society, 53 1285-1288.
23GRU/SCH	GRUBE, G. & SCHWEIGARDT, F. 1923. Über das elektrochemische verhalten von Wismut und Antimon in alkalischer Lösung. Z. elektrochem. Angew. Phys. Chemie, 29 257-265.
06GRU/CAP	GRUNDL, T. & CAPE, M. 2006. Geochemical factors controlling radium activity in a sandstone aquifer. Ground water, 44, 518-527.
89GRU/BEN	GRUTZECK, M., BENESI, A. & FANNING, B. 1989. Silicon-29 Magic Angle Spinning Nuclear Magnetic Resonance Study of Calcium Silicate Hydrates. Journal of the American Ceramic Society, 72, 665-668.
03GU/BRO	GU, B., BROOKS, S. C., ROH, Y. & JARDINE, P. M. 2003. Geochemical reactions and dynamics during titration of a contaminated groundwater with high uranium, aluminum, and calcium. Geochimica et cosmochimica acta, 67, 2749-2761.
70GUB/HEB	GUBELI, A. O., HEBERT, J., TAILLON, R. & COTE, P. A. 1970. L'action de l'ammoniac sur l'hydroxyde de cobalt(II) et la stabilité des complexes en milieu aqueux. Helv. Chim. , 53, 1229-1235.
41GUE	GUERIN, H. 1941. Sur les arseniates alcalino-terreux; etude du systeme As ₂ O ₅ - Ca(OH) ₂ . Annales de Chimie, Paris, 16 101-153.
37GUG	GUGGENHEIM, E. A. 1937. The theoretical basis of Raoult's law. Transactions of the Faraday Society, 33 151-156.
52GUG	GUGGENHEIM, E. A. 1952. Mixtures: the theory of the equilibrium properties of some simple classes of mixtures, solutions and alloys, Clarendon Press
66GUI	GUILLAMOUNT, R. 1966. Contribution à l'étude des espèces ioniques du protactinium eb solution aqueuse. Université de Paris
65GUI	GUILLAUMONT, R. 1965. Protactinium ions in aqueous solution. III. Calculation of hydrolysis constants of Pa(V) and of the formation constants for its complexes with thenoyl-2-fluoroacetone. Bull. Soc. Chim. France, 1 135-139.
65GUI1	GUILLAUMONT, R. 1965. Protactinium ions in aqueous solution. III. Calculation of hydrolysis constants of Pa(V) and of the formation constants for its complexes with thenoyl-2-fluoroacetone. Bull. Soc. Chim. France, 1 135-139.

65GUI2	GUILLAUMONT, R. 1965. Protractimum ions in aqueous solution. IV. Hydrolysis and polymerization of quinquivalent protactinium. Bull. Soc. Chim. France, 7 2106-2112.
68GUI/BOU	GUILLAUMONT, R., BOUISSIÉRES, G. & MUXART, R. 1968. Protactinium chemistry. I. Aqueous solutions of penta- and tetravalent protactinium. Actinides Rev., 1, 135-163.
03GUI/FAN	GUILLAUMONT, R., FANGHÄNEL, T., FUGER, J., GRENTHE, I., NECK, V., PALMER, D. & RAND, M. 2003. Chemical thermodynamics Vol. 5: Update on the chemical thermodynamics of uranium, neptunium, plutonium, americium and technetium, NEA North Holland Elsevier Science Publishers B. V., Amsterdam, The Netherlands
03GUI/FAN1	Guillaumont, R., Fanghanel, T., Fuger, J., Grenthe, I., Neck, V., Palmer, D. A., Rand, M. H. 2003. Update on the Chemical Thermodynamics of Uranium, Neptunium, Plutonium, Americium and Technetium. NEA-OECD Chemical thermodynamics 5.
03GUI/FAN2	Guillaumont, R., Fanghanel, T., Fuger, J., Grenthe, I., Neck, V., Palmer, D., Rand, M., 2003. Chemical thermodynamics Vol. 5: Update on the chemical thermodynamics of uranium, neptunium, plutonium, americium and technetium. NEA OECD.
87GUI	GUILLERMET, A. F. 1987. Critical evaluation of the thermodynamic properties of cobalt. International Journal of Thermophysics, 8, 481-510.
84GUL/LEE	Gulens, J., Leeson, P.K. and S6guin, L. (1984). Kinetic influences on studies of copper 2+ hydrolysis by copper ion-selective electrode. Anal. Chim. Acta, 156, 19-31.
99GUL/MIR	GULIEV, T. M., MIRZAI, D. I. & ISIRIKYAN, A. A. 1999. Influence of exchangeable cations on the character of dehydration of phillipsite. Russian Chemical Bulletin, 48, 1178-1180.
73GUL/SCH	Gulko, A., Schmuckler, G. 1973. Accurate determination of the fourth stability constant of palladium(II)-halide complexes. J. Inorg. Nucl. Chem. 35, 603-607.
00GUN/ARN	GUNNARSSON, I. & ARNÓRSSON, S. 2000. Amorphous silica solubility and the thermodynamic properties of H4SiO4 in the range of 0° to 350°C at Psat. Geochimica et Cosmochimica Acta, 64, 2295-2307.
06GUN/PTA	GUNSINGER, M. R., PTACEK, C. J., BLOWES, D. W., JAMBOR, J. L. & MONCUR, M. C. 2006. Mechanisms controlling acid neutralization and metal mobility within a Ni-rich tailings impoundment. Applied geochemistry, 21, 1301-1321.
07GÜN/GEI	GÜNTHER, A., GEIPEL, G. & BERNHARD, G. 2007. Complex formation of uranium (VI) with the amino acids l-glycine and l-cysteine: A fluorescence emission and UV-Vis absorption study. Polyhedron, 26, 59-65.
07GUO/BRI	GUO, X. X. & BRIMBLECOMBE, P. 2007. Henry's law constants of phenol and mononitrophenols in water and aqueous sulfuric acid. Chemosphere, 68, 436-444.
15GUO/SZE	GUO, X., SZENKNECT, S., MESBAH, A., CLAVIER, N., POINSSOT, C., USAHKOV, S. V., CURTIUS, H., BOSBACH, D., EWING, R. C., BURNS, P. C., DACHEUX, N. & NAVROTSKY, A. 2015. Thermodynamics of formation of coffinite, USiO4. Proceedings of the National Academy of Sciences of the United States of America 112(21), 6551-6555.
89GUP/ATK	GUPPY, R. M., ATKINSON, A. & VALENTINE, T. M. 1989. Studies of the solubility of technetium under a range of redox conditions. . Harwell Laboratories.

65GUR/DED	GUREEV, E. S., DEDOV, V. B., KARPACHEVA, S. M., LEBEDEV, I. A., RIZHIV, M. N., TRUKHLYAEV, P. S., SHEVETSOV, I. K. & YAKOVLEV, G. N. 1965. Method of extraction and some chemical properties of transplutonium elements. Third International Conference on the Peaceful Uses of Atomic Energy, Geneva, 1964
04GUR/GAV	GUREVICH, V. M., GAVRICH, K. S., GORBUNOV, V. E., POLYAKOV, B. B., MINEEV, S. D. & GOLUSHINA, L. N. 2004. Thermodynamic properties of cassiterite SnO ₂ (cr) at 0-1500 K. <i>Geochem. Int.</i> , 10 962-970.
09GUR/KUS	GUREVICH, V. M., KUSKOV, O. L., SMIRNOVA, N. N., GAVRICHEV, K. S. & MARKIN, A. V. 2009. Thermodynamic functions of eskolaite Cr ₂ O ₃ (c) at 0-1800K. <i>Geochemistry International</i> , 47, 1170-1179.
91GUR/VEY	GURVICH, L. V., VEYTS, I. V. & ALCOCK, C. B. 1991. Thermodynamic properties of individual substances, Hemisphere, New York
05HAD/GER	HADAD, D., GERESH, S. & SIVAN, A. 2005. Biodegradation of polyethylene by the thermophilic bacterium <i>Brevibacillus borstelensis</i> . <i>Journal of Applied Microbiology</i> , 98, 1093-1100.
74HAG	HAGEN, A. 1974. Studies of fluorapatite: II. The solubility behavior. <i>Dent. Res.</i> , 54, 384-393.
69HAG/BRU	HAGYMASSY JR, J., BRUNAUER, S. & MIKHAIL, R. S. 1969. Pore structure analysis by water vapor adsorption: I. t-Curves for water vapor. <i>Journal of Colloid and Interface Science</i> , 29, 485-491.
36HAH	HAHN, O. 1936. Applied radiochemistry, Cornell University Press Ithaca, NY
68HAI/JOH	HAIGHT, G. P. & JOHANSSON, L. 1968. The complex formation of tin(II) with iodide in aqueous solution. <i>Acta Chemica Scandinavica</i> , 22 961-971.
68HAI/JOH1	HAIGHT, G. P. & JOHANSSON, L. 1968. The complex formation of tin(II) with iodide in aqueous solution. <i>Acta Chemica Scandinavica</i> , 22 961-971.
68HAI/JOH2	HAIGHT, G. P. & JOHANSSON, L. 1968. The determination of the stability constants of the fluoride complexes of tin (II) using the fluoride electrode. <i>Acta Chem. Scand</i> , 21, 2663-2667.
74HAI	HAIGHT, G. P. J. 1974. Polarography of tripositive antimony and arsenic. Cathodic reduction of antimonous in strong hydrochloric acid and anodic oxidation of arsenite and stibnite in strong sodium hydroxide. <i>J. Am. Chem. Soc.</i> , 75 3848.
62HAI/ZOL	HAIGHT, G. P., ZOLTEWICZ, J. & EVANS, W. 1962. Solubility studies on substituted ammonium salts of halide complexes. <i>Acta Chem. Scand</i> , 16 311-322.
06HAK/ERV	HAKANEN, M. & ERVANNE, H. 2006. The influence of organic cement additives on Radionuclide Mobility. A Literature Survey. . Posiva.
67HÁL/POH	HÁLA, J. & POHANKOVÁ, D. 1967. Solvent extraction of hafnium(IV)-V. Stability of hafnium(IV) halogenocomplexes at 3.0 M ionic strength. <i>J. Inorg. Nucl. Chem.</i> , 29 2983-2995.
69HÁL/SMO	HÁLA, J. & SMOLA, J. 1969. Solvent extraction of hafnium(IV)-IX stability of hafnium(IV) nitrate complexes at ionic strength of 4.0 M. <i>J. Inorg. Nucl. Chem.</i> , 31 1133.
89HAL/AST	HALL, P. L. & ASTILL, D. M. 1989. Adsorption of water by homoionic exchange forms of Wyoming montmorillonite (SWy-1). <i>Clays and Clay Minerals</i> , 37, 355-363.
89HAL/WAD	HALLEN, D. & WADSÖ, I. 1989. A new microcalorimetric vessel for dissolution of slightly soluble gases. Enthalpies of solution in water of carbon tetrafluoride and sulphur hexafluoride at 288.15, 298.15, and 308.15 K. <i>J. Chem. Thermod.</i> , 21, 519-528.

83HAL/OLI	HALPERIN, J. & OLIVER, J. H. 1983. Sulphate complexation of Np(V) in aqueous solution. <i>Radiochimica Acta</i> , 33 29-33.
01HAM/OKA	HAMA, Y., OKA, T., UCHIYAMA, J., KANBE, H., NABETA, K. & YATAGAI, F. 2001. Long-term oxidative degradation in polyethylene irradiated with ion beams. <i>Radiation Physics and Chemistry</i> , 62, 133-139.
65HAM/ISH	HAMADA, S., ISHIKAWA, Y. & SHIRAI, T. 1965. No Title. <i>J. Chem. Soc. Japan</i> , 86 1042.
55HAM/STR	HAMANN, S. D. & STRAUSS, W. 1955. The chemical effects of pressure. Part 3. – Ionization constants at pressures up to 12000 atm. <i>Trans. Farad. Soc.</i> , 51 1684-1690.
45HAM/ACR	HAMER, W. J. & ACREE, S. F. 1945. Second dissociation constant of o-phthalic acid and related pH values of phthalate buffers from 0 to 60°C. <i>J. Res. Natl. Bur. Standards</i> , 35 381-416.
45HAM/PIN	HAMER, W. J., PINCHING, G. D. & ACREE, S. F. 1945. First dissociation constant of o-phthalic acid and related pH values of phthalate buffers from 0 to 60°C. <i>J. Res. Natl. Bur. Standards</i> , 35 539-564.
02HAM/POS	HAMILTON-TAYLOR, J., POSTILL, A. S., TIPPING, E. & HARPER, M. P. 2002. Laboratory measurements and modelling of metal-humic interactions under estuarine conditions. <i>Geochimica et Cosmochimica Acta</i> , 66 403-415.
03HAM/KAD	HAMLAT, M. S., KADI, H. & FELLAG, H. 2003. Precipitate containing norm in the oil industry: modelling and laboratory experiments. <i>Applied radiation and isotopes</i> , 59, 95-99.
54HAM/SHU	Hamm, R. E., Shull Jr, C. M., & Grant, D. M. 1954. Citrate complexes with iron (II) and iron (III). <i>Journal of the American Chemical Society</i> , 76(8), 2111-2114.
26HAM	Hampton, W. H. 1926. The potential of the iron electrode, <i>J. Phys. Chem.</i> 30, 980-991.
68HAN	HANOR, J. S. 1968. Frequency distribution of compositions in the barite-celestite series. <i>American Mineralogist</i> , 53 1215-1222.
00HAN	HANOR, J. S. 2000. Barite--celestine geochemistry and environments of formation. <i>Reviews in Mineralogy and Geochemistry</i> , 40, 193-275.
94HAN/BOR	HANSEN, H. C. B., BORGGAARD, O. K. & SORENSEN, J. 1994. Evaluation of the free energy of formation of Fe(II)-Fe(III) hydroxide-sulphate (green rust) and its reduction of nitrite. <i>Geochimica et Cosmochimica Acta</i> , 58 2599-2608.
71HAN/LEW	HANSEN, L. D. & LEWIS, E. A. 1971. Analysis of binary mixtures by thermometric titration calorimetry. <i>Anal. Chem.</i> , 43, 1393-1397.
49HAN/FU	HANSEN, R. S., FU, Y. & BARTELL, F. E. 1949. Multimolecular adsorption from binary liquid solutions. <i>J. Phys. Coll. Chem.</i> , 53, 769-785.
73HAR/TAN	HARADA, S., TANABE, H. & YASUNAGA, T. 1973. Kinetic studies of the nickel phthalate complex formation in solution by the pressure-jump method. <i>Bulletin of the Chemical Society of Japan</i> , 46, 2450-2453.
06HAR/WIE	HARFOUCHE, M., WIELAND, E., DÄHN, R., FUJITA, T., TITS, J., KUNZ, D. & TSUKAMOTO, M. 2006. EXAFS study of U(VI) uptake by calcium silicate hydrates. <i>Journal of colloid and interface science</i> , 303 195-204.
38HAR/WHI	HARING, M. M. & WHITE, J. C. 1938. Amalgam activities and standard electrode potentials. <i>Trans. Am. Electrochem. Soc.</i> , 73 211-221.
33HAR/EHL	HARNED, H. S. & EHLERS, R. W. 1933. The dissociation constant of acetic acid from 0 to 60° C. <i>J. Amer. Chem. Soc.</i> , 55 652-656.
37HAR/GEA	HARNED, H. S. & GEARY, C. G. 1937. The Ionic Activity Coefficient Product and Ionization of Water in Barium Chloride Solutions from 0 to 50°C. <i>Journal of the American Chemical Society</i> , 59, 2032-2035.
02HAR/CAP	HARRISON, M. A., CAPE, J. N. & HEAL, M. R. 2002. Experimentally determined Henry's law coefficients of phenol, 2-methylphenol and 2-nitrophenol in the temperature range 281-302K. <i>Atmos. Environ.</i> , 36, 1843-1851.

92HAR/THY	HARRISON, W. J. & THYNE, G. D. 1992. Predictions of diagenetic reactions in the presence of organic acids. <i>Geochim. Cosmochim. Acta</i> , 56 565-586.
73HAR/KAR	HARTKOPF, A. & KARGER, B. L. 1973. Study of the interfacial properties of water by gas chromatography. <i>Acc. Chem. Res.</i> , 6, 209-216.
06HAR/SCH	HARVEY, M. C., SCHREIBER, M. E., RIMSTIDT, J. D. & GRIFFITH, M. M. 2006. Scorodite dissolution kinetics: Implications for arsenic release. <i>Environmental Science and Technology</i> , 40, 6709-6714.
80HAR/WEA	HARVIE, C. E. & WEARE, J. H. 1980. The prediction of mineral solubilities in natural waters: the Na K Mg Ca Cl SO ₄ H ₂ O system from zero to high concentration at 25°C. <i>Geochimica et Cosmochimica Acta</i> , 44, 981-997.
84HAR/MØL	HARVIE, C. E., MØLLER, N. & WEARE, J. H. 1984. The prediction of mineral solubilities in natural waters: The Na-K-Mg-Ca-H-Cl-SO ₄ -OH-HCO ₃ -CO ₃ -CO ₂ -H ₂ O system to high ionic strengths at 25°C. <i>Geochimica et Cosmochimica Acta</i> , 48, 723-751.
95HAS/CYG	HASELTON JR, H. T. & CYGAN, G. L. 1995. Experimental study of muscovite stability in pure H ₂ O and 1 molal KCl-HCl solutions. <i>Geochimica et Cosmochimica Acta</i> , 59, 429-442.
00HAT	HATCHES 2000. The Harwell/Nirex Thermodynamic database for chemical equilibrium studies, version NEA13
02HAV/SOT	HAVEL, J., SOTO-GUERRERO, J. & LUBAL, P. 2002. Spectrophotometric study of uranyl-oxalate complexation in solution. <i>Polyhedron</i> , 21 1411-1420.
06HAV/LAC	HAVLOVA, V., LACIOK, A., VOPALKA, D. & ANDRLIK, M. 2006. Geochemical study of uranium mobility in tertiary argillaceous system at Ruprechtov site, Czech Republic. <i>Czechoslovak Journal of Physics</i> , 56, D81-D86.
56HAY/SAS	HAYASHI, M. & SASAKI, T. 1956. Measurement of solubilities of sparingly soluble liquids in water and aqueous detergent solution using nonionic surfactant. <i>Bull. Chem. Soc. Jpn.</i> , 29, 857-859.
85HAZ	HAZEN, R. M. 1985. Comparative crystal chemistry and the polyhedral approach. In: ED, K. S. W. (ed.) <i>Microscopic and Macroscopic; Atomic environments to mineral thermodynamics. Review in Mineralogy.</i>
88HAZ	HAZEN, R. M. 1988. A useful fiction: polyhedral modeling of mineral properties. <i>American Journal of Science</i> , 288A, 242-269.
98HEA/PIL	HEATH, T. G., PILKINGTON, N. J., TWEED, C. J. & WILLIAMS, S. J. 1998. Radionuclide solubility at high pH Nirex.
07HEB/DEN	HEBERLING, F., DENECKE, M. A. & BOSBACH, D. 2007. Neptunium (V) coprecipitation with calcite. <i>Environmental science & technology</i> , 42, 471-476.
92HED/HAT	HEDGES, J. I., HATCHER, P. G., ERTEL, J. R. & MEYERS-SCHULTE, K. J. 1992. A comparison of dissolved humic substances from seawater with Amazon River counterparts by ¹³ C-NMR spectrometry. <i>Geochimica et Cosmochimica Acta</i> , 56 1753-1757.
53HED	Hedström, B. O. A. 1953. Studies on the hydrolysis of metal ions. VI. The hydrolysis of the iron(II) ion, Fe ²⁺ . <i>Ark. Kemi</i> , 5, 457-468.
53HED2	Hedström, B. O. A. 1953b. Studies on the hydrolysis of metal ions. VII. The hydrolysis of the iron(III) ion, Fe ³⁺ . <i>Ark. Kemi</i> , 6, 1-16.
74HEG/KIR	HEGELSON, H. C. & KIRKHAM, D. H. 1974. Theoretical prediction of the thermodynamic behavior of aqueous electrolytes at high pressures and temperatures, II. Debye-Hückel parameters for activity coefficients and relative partial molal properties. <i>American Journal of Science</i> , 274, 1199-1261.
90HEI/SEW	Heinrich, C. A. and Seward, T. M. 1990. A spectrophotometric study of aqueous iron(II) chloride complexing from 25 to 200°C, <i>Geochim. Cosmochim. Acta</i> , 54, 2207-2221.

69HEL	HELGESON, H. C. 1969. Thermodynamics of hydrothermal systems at elevated temperatures and pressures. American Journal of Science, 267, 729-804.
78HEL	HELGESON, H. C. 1978. Summary and critique of the thermodynamic properties of rock-forming minerals, New Haven, Kline Geology Laboratory, Yale University.
85HEL	HELGESON, H. C. 1985. Errata II. Thermodynamics of minerals, reactions, and aqueous solutions at high pressures and temperatures. Amer. Jour. Sci., 285, 845-855.
78HEL/DEL	HELGESON, H. C., DELANY, J. M., NESBITT, H. W. & BIRD, D. K. 1978. Summary and critique of the thermodynamic properties of rock-forming minerals. American Journal of Sciences, 278A 1-220.
81HEL/KIR	HELGESON, H. C., KIRKHAM, D. H. & FLOWERS, G. C. 1981. Theoretical prediction of the thermodynamic behavior of aqueous electrolytes by high pressures and temperatures; IV, Calculation of activity coefficients, osmotic coefficients, and apparent molal and standard and relative partial molal properties to 600 degrees C and 5kb. American Journal of Science, 281, 1249-1516.
84HEL/MUR	HELGESON, H. C., MURPHY, W. M. & AAGAARD, P. 1984. Thermodynamic and kinetic constraints on reaction rates among minerals and aqueous solutions. II. Rate constants, effective surface area, and the hydrolysis of feldspar. Geochimica et Cosmochimica Acta, 48, 2405-2432.
98HEL/OWE	HELGESON, H. C., OWENS, C. E., KNOX, A. M. & RICHARD, L. 1998. Calculation of the standard molal thermodynamic properties of crystalline, liquid, and gas organic molecules at high temperatures and pressures. Geochimica et cosmochimica acta, 62, 985-1081.
78HEL/DEL	Helgeson, H.C., Delany, J.M, Nesbitt, H.W., and Bird, D.K. (1978). Summary and Critique of the Thermodynamic Properties of Rock Forming Minerals: Amer. J. Sci., 278A, 229 pp.
13HEL/PHA	HELLEVANG, H., PHAM, V. T. H. & AAGAARD, P. 2013. Kinetic modelling of CO ₂ -water-rock interactions. International Journal of Greenhouse Gas Control, 15, 3-15.
72HEM/ROB	HEMINGWAY, B. S. & ROBIE, R. A. 1972. The heat capacities at low temperatures and entropies at 298.15 K of huntite, CaMg ₃ (CO ₃) ₄ , and artinite, Mg ₂ (OH) ₂ CO ₃ x 3H ₂ O. American Mineralogist, 57, 1754-1767.
73HEM/ROB	HEMINGWAY, B. S. & ROBIE, R. A. 1973. A calorimetric determination of the standard enthalpies of formation of huntite, CaMg ₃ (CO ₃) ₄ , and artinite, Mg ₂ (OH) ₂ CO ₃ x 3 H ₂ O, and their standard Gibbs free energies of formation. J. Res. U.S. Geol. Survey, 1, 535-541.
90HEM	HEMINGWAY, B. S. 1990. Thermodynamic properties for bunsenite, NiO, magnetite, Fe ₃ O ₄ , and hematite, Fe ₂ O ₃ with comments on selected oxygen buffer reactions. American Mineralogist, 75 781-790.
82HEM/HAS	HEMINGWAY, B. S., HASS JR, J. L. & ROBINSON G.R., J. 1982. Thermodynamic properties of selected minerals in the system Al ₂ O ₃ -CaO-SiO ₂ -H ₂ O at 298.15K and 1 bar (105 pascals) pressure and at higher temperatures U.S. Geological Survey.
78HEM/ROB	HEMINGWAY, B. S., ROBIE, R. A. & KITTRICK, J. A. 1978. Revised values for the Gibbs free energy of formation of [Al(OH) ₄ aq-], diaspore, boehmite and bayerite at 298.15 K and 1 bar, the thermodynamic properties of kaolinite to 800 K and 1 bar, and the heats of solution of several gibbsite samples. United States Geological Survey.
92HEM/ROB	HEMINGWAY, B. S., ROBIE, R. A. & KRUPKA, K. M. 1992. Thermodynamic Properties for Berlinite, AlPO ₄ . US Department of the Interior, Geological Survey.

77HEM/ROB	HEMINGWAY, B. S., ROBIE, R. A., FISHER, J. R. & WILSON, W. H. 1977. The heat capacity of gibbsite, $\text{Al}(\text{OH})_3$, between 13 and 480K and magnesite, MgCO_3 , between 13 and 380K and their standard entropies at 298.15K, and the heat capacities of calorimetry conference benzoic acid between 12 and 316K. U.S. Geol. Survey Jour. Research, 5 797-806.
80HEM/MON	HEMLEY, J. J., MONTOYA, J. W., MARINENKO, J. W. & LUCE, R. W. 1980. Equilibria in the system Al_2O_3 - SiO_2 - H_2O and some general implications for alteration/mineralization processes. Economic Geology, 75, 210-228.
88HEN/CRE	HENNET, R. J. C., CRERAR, D. A. & SCHWARTZ, J. 1988. Organic complexes in hydrothermal systems. Economic Geology, 83, 742-764.
53HEP/JOL	HEPLER, L. G., JOLLY, W. L. & LATIMER, W. M. 1953. J. Amer. Chem. Soc, 75.
96HER/WES	HERBELIN, A. L. & WESTALL, J. C. 1996. FITEQL: A computer program for determination of chemical equilibrium constants from experimental data, version 3.2. . Departament of Chemistry, Oregon State University.
57HER/KYN	HERINGTON, E. F. G. & KYNASTON, W. 1957. The ultraviolet absorption spectra and dissociation constants of certain phenols in aqueous solution. Trans. Faraday Soc., 53, 138-142.
04HES/XIA	Hess, N. J., Xia, Y., Rai, D., Conradson, S. D. 2004. Thermodynamic model for the solubility of $\text{TcO}_2 \cdot x\text{H}_2\text{O}(\text{am})$ in the aqueous $\text{Tc}(\text{IV})$ - Na^+ - Cl^- - H^+ - OH^- - H_2O system, J. Solution Chem., 33,199-226.
03HES/XIA	HESS, N. J., XIA, Y., RAI, D., KRUPKA, K., MCKINLEY, J., WILDUNG, R. & CONRADSON, S. 2003. Technetium attenuation in the vadose zone: role of mineral interaction U. S. Department of Energy.
66HES	HESS, P. C. 1966. Phase equilibria of some minerals in the K_2O - Na_2O - Al_2O_3 - SiO_2 - H_2O system at 25 °C and 1 atmosphere. American Journal of Science, 264, 289-309.
82HEU	Heusler, K. E. 1982. Iron, Encyclopaedia of electrochemistry of the elements. Bard, A. J., Lund, H., Eds., vol. 9 Part, 229-381.
25HEV/KIM	HEVESY, G. & KIMURA, K. 1925. The solubility of the phosphates of zirconium and hafnium. J. Am. Chem. Soc., 47 2540-2544.
99HID/EDW	Hidmi, L., and Edwards, M. (1999). Role of temperature and pH in $\text{Cu}(\text{OH})_2$ solubility. Environmental science and technology, 33(15), 2607-2610.
85HIE/JAA	HIETANEN, R., JAAKKOLA, T. & MIETTINEN, J. K. 1985. Sorption of Cs, Sr, I and C in concrete and sand. Mat. Res. Soc. Symp. Proc., 44, 891-898.
73HIE/SIL	HIETANEN, S., SILLÉN, L. G. & HÖGFELD, E. 1973. On Some Phosphate Equilibria. Chimica Scripta, 3 65-72.
59HIG	HIGASHI, S. 1959. Determination of the solubility of thorium hydroxide. Bull. Inst. Phys. Chem. Res. (Tokyo), 37 200-206.
73HIK/ISH	Hikita, H., Ishikawa, H. and Esaka, N. (1973) Solubility and equilibrium of copper(1) chloride in hydrochloric acid solutions. Nippon Kagaku Kaishi, 1 (1973): 13-18 (in Japanese).
26HIL/MAL	HILL, A. E. & MALISOFF, W. M. 1926. The mutual solubility of liquids III. The mutual solubility of phenol and water IV. The mutual solubility of normal butyl alcohol and water. J. Am. Chem. Soc., 48, 918-927.
49HIL	HILL, T. L. 1949. Statistical mechanics of adsorption V. Thermodynamics and heat of adsorption. The Journal of Chemical Physics, 17, 520-535.
50HIL	HILL, T. L. 1950. Statistical Mechanics of Adsorption. IX. Adsorption Thermodynamics and Solution Thermodynamics. The Journal of Chemical Physics, 18, 246-256.

85HIS/BEN	HISHAM, M. W. M. & BENSON, S. W. 1985. Empirical relations between the heats of formation of the different valence states of solid, polyvalent metal oxides. <i>Journal of Physical Chemistry</i> , 89 1905-1909.
87HIS/BEN1	HISHAM, M. W. M. & BENSON, S. W. 1987. Thermochemistry of inorganic solids. 5. Empirical relations among enthalpies of formation of oxides, carbonates, sulfates, hydroxides, and nitrates. <i>Journal of Chemical Engineering Data</i> , 32 243-247.
87HIS/BEN	HISHAM, M. W. M. & BENSON, S. W. 1987. Thermochemistry of inorganic solids. 6. The enthalpies of formation of crystalline hydrates, ammoniates, and alcoholates, and some observations on heats of dilution. <i>Journal of Physical Chemistry</i> , 91 5998-6002.
87HIS/BEN2	HISHAM, M. W. M. & BENSON, S. W. 1987. Thermochemistry of inorganic solids. 6. The enthalpies of formation of crystalline hydrates, ammoniates, and alcoholates, and some observations on heats of dilution. <i>Journal of Physical Chemistry</i> , 91 5998-6002.
81HLA/SLA	Hladky G. and Slansky E. (1981) Stability of alunite minerals in aqueous solution at normal temperature and pressure. <i>Bull. Mineral.</i> 104,468-477.
85HO	HO, P. C. 1985. Solubilities of toluene and n-octane in aqueous protosurfactant and surfactant solutions. <i>J. Chem. Eng. Data.</i> , 30, 88-90.
95HOC/BAN	HOCELLA, M. F. & BANFIELD, J. F. 1995. Chemical weathering of silicates in nature; a microscopic perspective with theoretical considerations. <i>Reviews in Mineralogy and Geochemistry</i> , 31, 353-406.
93HOF/MAC	HOFF, J. T., MACKAY, D., CILLHAM, R. & SHIU, W. Y. 1993. Measuring vapor-liquid equilibrium for aqueous-organic systems: Review and a new technique. <i>AIChE J.</i> , 42, 1772-1788.
01HOF/STI	HOFFMANN, U. & STIPP, S. L. S. 2001. The behaviour of Ni ²⁺ on calcite surfaces. <i>Geochimica et Cosmochimica Acta</i> , 65, 4131-4139.
82HOG	HOGFELDT, E. 1982. Stability constants of metal-ion complexes: part A: inorganic ligands (Vol. 21), Pergamon Press Wheaton & Amp
75HOI	HOILAND, H. 1975. Volumes of ionication of dicarboxylic acids in aqueous solution from density measurements at 25°C. <i>Journal of the chemical society, Faraday Transactions, I</i> , 797-802.
90HOL/POW	HOLLAND, T. J. B. & POWELL, R. 1990. An enlarged and updated internally consistent thermodynamic dataset with uncertainties and correlations: the system K ₂ O–Na ₂ O–CaO–MgO–MnO–FeO–Fe ₂ O ₃ –Al ₂ O ₃ –TiO ₂ –SiO ₂ –C–H ₂ –O ₂ . <i>Journal of Metamorphic Geology</i> , 8, 89-124.
98HOL/POW	HOLLAND, T. J. B. & POWELL, R. 1998. An internally consistent thermodynamic data set for phases of petrological interest. <i>Journal of Metamorphic Geology</i> , 16, 309-343.
89HOL	HOLLAND, T. J. B. 1989. Dependence of entropy on volume for silicate and oxide minerals; a review and predictive model. <i>American Mineralogist</i> , 74, 5-13.
96HOL/GAU	HOLLIGER, P. & GAUTHIER-LAFAYE, F. 1996. Oklo, analogue naturel de stockage de déchets radioactifs (phase 1) : (Volume 2, Réacteurs de fission et systèmes géochimiques anciens) Commission européenne, Direction générale science, recherche et développement.
52HOL	HOLLOWAY, F. A. 1952. Spectrophotometric study of chromate-phosphate complexes in solution. <i>J. Am. Chem. Soc.</i> , 74 224.
12HOL/WOL	HOLMBOE, M., WOLD, S. & JONSSON, M. 2012. Porosity investigation of compacted bentonite using XRD profile modeling. <i>Journal of Contaminant Hydrology</i> , 128, 19-32.
00HOL/CRU	HOLMES, P. R. & CRUNDWELL, F. K. 2000. The kinetics of the oxidation of pyrite by ferric ions and dissolved oxygen: an electrochemical study. <i>Geochimica et Cosmochimica Acta</i> , 64, 263-274.

86HOL/ONE	HOLMES, R. D., O'NEILL, H. S. C. & ARCULUS, R. J. 1986. Standard Gibbs free energy of formation for Cu ₂ O, NiO, CoO, and Fe _x O: High resolution electrochemical measurements using zirconia solid electrolytes from 900–1400 K. <i>Geochimica et Cosmochimica Acta</i> , 50, 2439-2452.
04HON/GLA	HONG, S. Y. & GLASSER, F. P. 2004. Phase relations in the CaO–SiO ₂ –H ₂ O system to 200 °C at saturated steam pressure. <i>Cement and Concrete Research</i> , 34, 1529-1534.
09HON/PAS	HONRADO, M. L. L., PASCUA, C. S., VARGAS, E., ARCILLA, C. A., ALEXANDER, W. R., NAMIKI, K., FUJII, N., YAMAKAWA, M., SATO, T. & MCKINELY, I. G. 2009. Smectite and zeolite formation from the pyroclastic deposits of the Aksitero Formation, Philippines. <i>Goldschmidt Conference Abstracts</i>
76HOU/STE	HOUTEPEN, C. J. M. & STEIN, H. N. 1976. The enthalpies of formation and of dehydration of some AFm phases with singly charged anions. <i>Cement and Concrete Research</i> , 6, 651-658.
88HOV	HOVEY, J. K. 1988. Thermodynamics of aqueous solutions. University of Alberta, Edmonton, AB, Canada.
00HOV/DOH	HOVORKA, S., DOHNAL, V., CARRILLO-NAVA, E. & COSTAS, M. 2000. Infinite dilution activity coefficients for benzene and toluene in water and in aqueous solutions of the protein denaturants urea and guanidine hydrochloride. <i>J. Chem. Thermodynamics</i> , 32, 1683-1705.
02HOW	HOWARD, G. T. 2002. Biodegradation of polyurethane: a review. <i>International Biodeterioration & Biodegradation</i> , 49, 245-252.
90HOW/JOH	HOWELL, D. A., JOHNSON, G. K., TASKER, I. R., O'HARE, P. A. G. & WISE, W. S. 1990. Thermodynamic properties of the zeolite stilbite. <i>Zeolites</i> , 10, 525-531.
66HOW/MOW	HOWER, J. & MOWATT, T. C. 1966. The mineralogy of illites and mixed-layer illite/ montmorillonites. <i>American Mineralogist</i> , 51.
99HRN/IRL	HRNECEK, E. & IRLWECK, K. 1999. Formation of uranium (VI) complexes with monomeric and polymeric species of silicic acid. <i>Radiochim. Acta</i> , 87 29-35.
85HSU/MAR	HSU, P. H. & MARION, G. 1985. The solubility product of goethite. <i>Soil Science</i> , 140, 344-351.
95HU/NIK	HU, H. L., NIKOLAIDIS, N. & GRASSO, D. 1995. Inhibition of nickel precipitation by organic ligands. <i>Proceedings of the 50th Industrial Waste Conference</i>
98HU/NIK	HU, H.-L., NIKOLAIDIS, N. P. & GRASSO, D. 1998. Inhibition of nickel precipitation by gluconate. I: Kinetic studies and spectroscopic analyses. <i>Journal of environmental engineering</i> , 124, 677-684.
98HU/NIK1	HU, H.-L., NIKOLAIDIS, N. P. & GRASSO, D. 1998. Inhibition of nickel precipitation by gluconate. I: Kinetic studies and spectroscopic analyses. <i>Journal of environmental engineering</i> , 124, 677-684.
98HU/NIK2	HU, H.-L., NIKOLAIDIS, N. P. & GRASSO, D. 1998. Inhibition of nickel precipitation by gluconate. II: Kinetic modeling. <i>Journal of environmental engineering</i> , 124, 685-689.
91HU/YEN	HU, R., YEN, W., LIN, R. & YU, Q. 1991. Heats of ionization of acetic acid and halogen-acetic acids in water-ethanol and water-dimethyl formamide mixtures. <i>Thermochim. Acta</i> , 183, 65-71.
73HUA/KEL	HUANG, W. H. & KELLER, W. D. 1973. Gibbs free energy of formation calculated from dissolution data using specific mineral analyses. <i>American Mineralogist</i> , 58, 1023-1028.

93HUA	HUANG, W.-L. 1993. Stability and kinetics of kaolinite to boehmite conversion under hydrothermal conditions. <i>Chemical Geology</i> , 105, 197-214.
00HUB	HUBERT, S. 2000. Chimie du protactinium en solution aqueuse Andra-IPNO.
00HUB/LIN	HUBERT, S., LINDECKER, C., FOUREST, B., TARAPCIK, P., LE NAOUR, C., TRUBERT, D. & JAUSSAUD, C. 2000. Chimie du protactinium en solution aqueuse (SH/NT/00038) IPN Rapport Annuel.
89HUC/MCC	HUCK, P. M., MCCLYMONT, G. L., SCHWARTZ, F. W., NESBITT, B. E., ANDERSON, W. B. & KRATOCHVIL, B. 1989. Modelling of radium-226 leaching from barium-radium sulfate sludges. <i>Waste management</i> , 9, 157-163.
92HUE/MOR	HUERTA-DIAZ, M. A. & MORSE, J. W. 1992. Pyritization of trace metals in anoxic marine sediments. <i>Geochimica et Cosmochimica Acta</i> , 56, 2681-2702.
01HUE/CAB	HUERTAS, F. J., CABALLERO, E., JIMÉNEZ DE CISNEROS, C., HUERTAS, F. & LINARES, J. 2001. Kinetics of montmorillonite dissolution in granitic solutions. <i>Applied Geochemistry</i> , 16, 397-407.
34HUE/TAR	HUEY, C. S. & TARTAR, H. V. 1934. The stannous-stannic oxidation-reduction potential. <i>Journal of the American Chemical Society</i> , 56 2585-2588.
51HUF/IDD	HUFFMAN, E. H., IDDINGS, G. M. & LILLY, R. C. 1951. Anion exchange of zirconium, hafnium, niobium and tantalum in hydrochloric acid solutions. <i>J. Am. Chem. Soc.</i> , 73 4474-4475.
73HUL/TUR	HULL, H. & TURNBULL, A. G. 1973. A thermochemical study of monohydrocalcite. <i>Geochimica et Cosmochimica Acta</i> , 37, 685-694.
73HUL/DES	HULTGREN, R., DESAI, P. D., HAWKINS, D. T., GLEISER, M., KELLEY, K. K. & WAGMAN, D. D. 1973. Selected Values of the thermodynamic properties of the elements., American society for metals, Metals Park
41HUM/STO	HUME, D. N. & STONE, H. W. 1941. The Apparent Solubility Product of Chromous Hydroxide. The Significance of the Solubility Products of the Hydroxides of the Metals which Form Basic Salts ¹ . <i>Journal of the American Chemical Society</i> , 63, 1197-1199.
03HUM/CUR	HUMMEL, W. & CURTI, E. 2003. Nickel aqueous speciation and solubility at ambient conditions: A thermodynamic elegy. <i>Monatsh. Chem.</i> , 134 941-976.
17HUM	Hummel, W. (2017). Chemistry of selected dose-relevant radionuclides (No. NTB--17-05). Paul Scherrer Institute (PSI).
92HUM	HUMMEL, W. 1992. Thermodynamic Data Base for Organic Ligands PSI.
93HUM	HUMMEL, W. 1993. Organic complexation of Radionuclides in Cement Pore Water: A case study. . Paul Scherrer Institut (PSI).
97HUM	HUMMEL, W. 1997. Binding Models for Humic Substances. In: GRENTHE, I. & PUIGDOMÈNECH, I. (eds.) <i>Modelling in Aquatic Chemistry</i> . . OECD Nuclear Energy Agency
05HUM/AND	HUMMEL, W., ANDEREGG, G., RAO, L., PUIGDOMÈNECH, I. & TOCHIYAMA, O. 2005. Chemical thermodynamics Series Vol. 9: Chemical thermodynamics of compounds and complexes of U, Np, Pu, Am, Tc, Se, Ni And Zr with selected organic ligands, NEA North Holland Elsevier Science Publishers B. V., Amsterdam, The Netherlands
05HUM/BER	HUMMEL, W., BERNER, U., CURTI, E., KULIK, D., THOENEN, T., AIMOZ, L. & ROZOV, K. 2005. Laboratory for Waste Management. PSI.
02HUM/BER	HUMMEL, W., BERNER, U., CURTI, E., PEARSON, F. J. & THOENEN, T. 2002. Nagra/Psi Chemical Thermodynamic Data Base 01/01, Universal Publ.

00HUR/PIL	HURDUS, M. H. & PILKINGTON, N. J. 2000. The analysis by HPLC of short chain (C1 to C5) acid products from the alkaline, anaerobic degradation of cellulose AEA Technology.
60HUR	HURLEN, T. 1960. Electrochemical Behaviour of Iron. Acta Chemica Scandinavica, 14, 1533-1554.
73HUT/HIG	HUTCHINSON, M. H. & HIGGINSON, W. C. E. 1973. Stability constants for association between bivalent cations and some univalent anions. J. Chem. Soc. Dalton Trans., 1247-1253.
97IAE	IAEA 1997. Pilot study on the management of ageing of instrumentation and control cables. Results of a co-ordinated research programme 1993-1995 IAEA.
99IAE	IAEA 1999. Use of natural analogues to support radionuclide transport models for deep geological repositories for long lived radioactive wastes. IAEA.
00IAE	IAEA 2000. Assessment and management of ageing of major nuclear power plant components important to safety: In-contaminated instrumentation and control cables IAEA.
10IID/YAM	Iida, Y., Yamaguchi, T., Tanaka, T., & Nakayama, S. (2010). Solubility of selenium at high ionic strength under anoxic conditions. Journal of nuclear science and technology, 47(5), 431-438.
07IID/YAM	IIDA, Y., YAMAGUCHI, T., TANAKA, T., KITAMURA, A. & NAKAYAMA, S. 2007. Determination of the solubility limiting solid of Se in the presence of Fe under anoxic conditions. Abstracts of Mobile Fission and Activation Products in Nuclear Waste Disposal International Workshop
15IID/AKE	Ijdo, D. J. W., Akerboom, S., Bontenbal, A., 2015. Crystal structure of β - and γ -Na ₂ U ₂ O ₇ : from Rietveld refinement using powder neutron diffraction data, J. Solid State Chem., 221, 1-4.
79ILE	ILER, R. K. 1979. The chemistry of silica: solubility, polymerization, colloid and surface properties, and biochemistry, Wiley New York
02ILE/TWE	ILETT, D. J. & TWEED, C. J. 2002. HATCHES the Harwell/Nirex thermodynamic database for chemical equilibrium studies. Version NEA 15. . NDA.
06ILT/LIU	ILTON, E. S., LIU, C., YANTASSE, W., WANG, Z., MOORE, D. A., FELMY, A. R. & ZACHARA, M. 2006. The dissolution of synthetic Na-boltwoodite in sodium carbonate solutions. Geochim. Cosmochim. Acta., 70 4836-4849.
85INO/TOC	INOUE, Y. & TOCHIYAMA, O. 1985. Studies of the complexes of Np(V) with inorganic ligands by means of solvent extraction with 2-themoyltrifluoroacetone and 1-10-phenanthroline. II. Fluoro, sulfato, and phosphato complexes. Bull. Chem. Soc. Jpn., 58 2228-2233.
62ISH/NAK	ISHIMORI, T. & NAKAMURA, E. 1962. Some complex compounds of Np(IV) and related ions. Radiochim. Acta, 1 6-11.
07IUL/CIA	Iuliano, M., Ciavatta, L., De Tommaso, G. 2007. On the solubility constant of strengite, Soil Sci. Soc. Am. J., 71, 1137-1140.
79IVA/VOR	IVAKIN, A., VOROBÉVA, S. & GERTMAN, E. 1979. Determination of the second and third dissociation constants of arsenious acid. Russian Journal of Inorganic Chemistry, 24, 19-22.
61IVA/NIS	IVANOV-EMIN, B. N., NISELSON, L. A. & IVOLGINA, A. T. 1961. Solubility of yttrium hydroxide in solutions of sodium hydroxide. Russ. J. Inorg. Chem., 6 759.
66IVA/SIF	IVANOV-EMIN, B. N., SIFOROVA, E. N., FISHER, M. M. & KAMPOS, W. M. 1966. Solubility of some lanthanide hydroxides in sodium hydroxide solutions. Russ. J. Inorg. Chem, 11 258.

66IVA/SIF1	IVANOV-EMIN, B. N., SIFOROVA, E. N., FISHER, M. M. & KAMPOS, W. M. 1966. Solubility of some lanthanide hydroxides in sodium hydroxide solutions. <i>Russ. J. Inorg. Chem</i> , 11 258.
66IVA/SIF2	IVANOV-EMIN, B. N., SIFOROVA, E. N., KAMPOS, W. M. & LAFERT, E. B. 1966. Solubility of lanthanide hydroxides in sodium hydroxides solutions. <i>Russ. J. Inorg. Chem</i> , 11 1054.
31IVE/RIL	IVES, D. J. G. & RILEY, H. L. 1931. CCLXX.—The electrolytic dissociation of transitional-metal salts. Part I. Copper, zinc, and nickel malonates. <i>Journal of the Chemical Society (Resumed)</i> , 1998-2012.
00IWA/NAG	IWAIDA, T., NAGASAKI, S. & TANAKA, S. 2000. Sorption study of strontium onto hydrated cement phases using a sequential desorption method. <i>Radiochimica Acta</i> , 88, 483.
67IZA/EAT	IZATT, R. M., EATOUGH, D. & CHRISTENSE, J. J. 1967. A study of Pd ²⁺ (aq) hydrolysis. Hydrolysis constants and the standard potential for the Pd/Pd ²⁺ couple. <i>Journal of the Chemical Society A Inorganic Physical Gheopetical</i> , 1301-1304.
69IZA/EAT	IZATT, R. M., EATOUGH, D., CHRISTENSEN, J. J. & BARTHOLOMEW, C. H. 1969. Calorimetrically determined log K, H ^o and S ^o values for the interaction of sulphate ions with several bi- and ter-valent metal ions. <i>J. Chem. Soc.</i> , 47-53.
71JAC/PAN	JACKSON, E. & PANTONY, D. A. 1971. Investigations in platinum metal group electrochemistry: II The Pd (II)-Pd ^o reduction. <i>Journal of Applied Electrochemistry</i> , 1 283-291.
85JAC/HEL1	JACKSON, K. J. & HELGESON, H. C. 1985. Chemical and thermodynamic constraints on the hydrothermal transport and deposition of tin. I. Calculation of the solubility of cassiterite at high pressures and temperatures. <i>Geochimica et Cosmochimica Acta</i> , 49 1-22.
85JAC/HEL	JACKSON, K. J. & HELGESON, H. C. 1985. Chemical and Thermodynamic constraints on the hydrothermal transport and deposition of tin: II. Interpretation of phase relations in the southeast asian tin belt. <i>Econ. Geol.</i> , 80 1365-1378.
85JAC/HEL2	JACKSON, K. J. & HELGESON, H. C. 1985. Chemical and Thermodynamic constraints on the hydrothermal transport and deposition of tin: II. Interpretation of phase relations in the southeast asian tin belt. <i>Econ. Geol.</i> , 80 1365-1378.
09JAI/YAD	JAIN, A., YADAV, K., MOHAPATRA, M., GODBOLE, S. V. & TOMAR, B. S. 2009. Spectroscopic investigation on europium complexation with humic acid and its model compounds. <i>Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy</i> , 72 1122-1425.
94JAM	JAMBOR, J. L. 1994. Chapter 9: Mineralogy of sulphide rich tailings and their oxidation products. In: JAMBOR, J. L. & BLOWES, D. W. (eds.) <i>Short Course handbook on environmental geochemistry of sulphide mine-wastes</i> . Mineralogical association of Canada, Waterloo, Canada
00JAM/NOR	JAMBOR, J. L., NORDSTROM, D. K. & ALPERS, C. N. 2000. Chapter 6: Metal-sulfate salts from sulphide mineral oxidation. In: ALPERS, C. N., JAMBOR, J. L. & NORDSTROM, D. K. (eds.) <i>Sulfate Minerals, Crystallography, geochemistry and environmental significance Mineralogy and Geochemistry</i>
00JAN/DOK	JANECKI, D., DOKTOR, K. & MICHALOWSKI, T. 2000. Determination of stability constants of complexes of MiKjHkL type in concentrated solutions of mixed salts. <i>Talanta</i> , 48, 1191.
84JAN/PFE	JANJIC, T. J., PFENDT, L. B. & PASULJ, M. B. 1984. Study on heterogeneous equilibria in saturated solutions of sparingly soluble diprotic acids. <i>Monat. Chemie</i> , 115, 125.
00JAN/COW	JANNEY, D. E., COWLEY, J. M. & BUSEK, P. R. 2000. Structure of synthetic 2-line ferrihydrite by electron nanodiffraction. <i>Am. Mineral.</i> , 85 1180-1187.

08JAR/PAV	JARDIN, R., PAVEL, C. C., RAISON, P. E., BOUËXIÈRE, D., SANTA-CRUZ, H., KONINGS, R. J. M. & POPA, K. 2008. The high-temperature behaviour of PuPO ₄ monazite and some other related compounds. <i>Journal of Nuclear Materials</i> , 378 167-171.
35JEF/VOG	JEFFERY, G. H. & VOGEL, A. I. 1935. The dissociation constants of organic acids. Part XI. The thermodynamic primary dissociation constants of some normal dibasic acids. <i>J. Chem Soc.</i> , 21.
28JEL/RUD	Jellinek, K., Rudat, A. 1928. Über die Fluortensionen von Metallfluoriden und die chemischen Konstanten von Fluor und Fluorwasserstoff, <i>Z. Anorg. Allg. Chem.</i> , 175, 281-320.
95JEM/CHE	JEMAL, M., CHERIFA, A. B., KHATTECH, I. & NTAHOMVUKIYE, I. 1995. Standard enthalpies of formation and mixing of hydroxy- and fluorapatites. <i>Thermochimica Acta</i> , 259, 13-21.
02JEN/GLA	JENKINS, H. D. B. & GLASSER, L. 2002. Ionic hydrates, M _p X _q •nH ₂ O: Lattice energy and standard enthalpy of formation estimation. <i>Inorganic Chemistry</i> , 41 4378-4388.
98JEN	JENNE, E. 1998. Adsorption of metals by geomedia: variables, mechanisms, and model applications, Access Online via Elsevier
86JEN	JENNINGS, H. M. 1986. Aqueous Solubility Relationships for Two Types of Calcium Silicate Hydrate. <i>Journal of the American Ceramic Society</i> , 69, 614-618.
96JEN/CHO1	JENSEN, M. P. & CHOPPIN, G. R. 1996. Complexation of europium(III) by aqueous orthosilicic acid. <i>Radiochim. Acta</i> , 72 143-150.
96JEN/CHO	JENSEN, M. P. & CHOPPIN, G. R. 1996. Complexation of uranyl(VI) by aqueous orthosilicic acid. <i>Radiochim. Acta</i> , 82 83-88.
96JEN/CHO2	JENSEN, M. P. & CHOPPIN, G. R. 1996. Complexation of uranyl(VI) by aqueous orthosilicic acid. <i>Radiochim. Acta</i> , 82 83-88.
02JIA/RAO	JIANG, J., RAO, L., DI BERNARDO, P., ZANONATO, P. L. & BISMONDO, A. 2002. Complexation of uranium(VI) with acetate at variable temperatures. <i>J. Chem. Soc. Dalton Trans.</i> , 1832-1838.
02JIM/SOL	JIMÉNEZ-REYES, M., SOLACHE-RÍOS, M. & ROJAS-HERNÁNDEZ, A. 2002. Stability constant of the EuCl ²⁺ complex in several ionic strength media. <i>J. Sol. Chem.</i> , 31 131-138.
06JIM/SOL	JIMÉNEZ-REYES, M., SOLACHE-RIOS, M. & ROJAS-HERNÁNDEZ, A. 2006. Application of the specific ion interaction theory to the solubility product and first hydrolysis constant of europium. <i>J. Solution. Chem.</i> , 35 201-214.
19JO/KIR	Jo, Y., Kirishima, A., Kimuro, S., Kim, H.-K., Yun, J.-I., 2019. Formation of CaUO ₂ (CO ₃) ₃ ²⁻ and Ca ₂ UO ₂ (CO ₃) ₃ (aq) complexes at variable temperatures (10-70° C). <i>Dalton Transactions</i> 48, 6942-6950.
87JOA/BIG	JOAO, A., BIGOT, S. & FROMAGE, F. 1987. Étude des carbonates complexes des éléments IVB. II-Détermination des constantes d'équilibre de formation des tétracarbonatozirconate(IV) et hafnate(IV). <i>Bull. Soc. Chim. Fr.</i> , 6 943-947.
00JOH/HEN	JOHANNESSON, K. H. & HENDRY, M. J. 2000. Rare earth element geochemistry of groundwaters from a thick till and clay-rich aquitard sequence, Saskatchewan, Canada. <i>Geochim. Cosmochim. Acta</i> , 64 1493-1509.
96JOH/BET	JOHNSON, B. J., BETTERTON, E., A. & CRAIG, D. 1996. Henry's law coefficient of formic and acetic acids. <i>J. Atmos. Chem.</i> , 24, 113-119.
03JOH/GLA	JOHNSON, C. A. & GLASSER, F. P. 2003. Hydrotalcite-like minerals (M ₂ Al(OH) ₆ (CO ₃) _{0.5} ·xH ₂ O, where M= Mg, Zn, Co, Ni) in the environment: Synthesis, characterization and thermodynamic stability. <i>Clays and clay minerals</i> , 51, 1-8.
00JOH/RUD	JOHNSON, E. A., RUDIN, M. J., STEINBERG, M. & JOHNSON, H. 2000. The sorption of selenite on various cement formulation. <i>Waste management</i> , 20 509-516.

78JOH/BAU	Johnson, G. K. and Bauman, J. E. Jr. 1978. Equilibrium constants for the aquated iron (II) cation, <i>Inorg. Chem.</i> 17, 2774-2779.
82JOH/FLO	JOHNSON, G. K., FLOTOW, H. E. & O'HARE, P. A. G. 1982. Thermodynamic studies of zeolites; analcime and dehydrated analcime. <i>American Mineralogist</i> , 67, 736-748.
83JOH/FLO	JOHNSON, G. K., FLOTOW, H. E., O'HARE, P. A. G. & WISE, W. S. 1983. Thermodynamic studies of zeolites; natrolite, mesolite and scolecite. <i>American Mineralogist</i> , 68, 1134-1145.
85JOH/FLO	JOHNSON, G. K., FLOTOW, H. E., O'HARE, P. A. G. & WISE, W. S. 1985. Thermodynamic studies of zeolites; heulandite. <i>American Mineralogist</i> , 70, 1065-1071.
92JOH/TAS	JOHNSON, G. K., TASKER, I. R., FLOTOW, H. E., O'HARE, P. A. G. & WISE, W. S. 1992. Thermodynamic studies of mordenite, dehydrated mordenite, and gibbsite. <i>American Mineralogist</i> , 77, 85-93.
91JOH/TAS	JOHNSON, G. K., TASKER, I. R., JURGENS, R. & O'HARE, P. A. G. 1991. Thermodynamic studies of zeolites: clinoptilolite. <i>The Journal of Chemical Thermodynamics</i> , 23, 475-484.
56JOH/KRA	JOHNSON, J. S. & KRAUS, K. A. 1956. Hydrolytic behaviour of metal ions. VI. Ultracentrifugation of zirconium (IV) and hafnium (IV); Effect of acidity on the degree of polymerization. <i>J. Am. Chem. Soc.</i> , 78 3937-3943.
56JOH/KRA1	JOHNSON, J. S. & KRAUS, K. A. 1956. Hydrolytic behaviour of metal ions. VI. Ultracentrifugation of zirconium (IV) and hafnium (IV); Effect of acidity on the degree of polymerization. <i>J. Am. Chem. Soc.</i> , 78 3937-3943.
56JOH/KRA2	JOHNSON, J. S., KRAUS, K. A. & HOLMBERG, R. W. 1956. Hydrolytic behaviour of metal ions. V. Ultracentrifugation of hafnium (IV). <i>J. Am. Chem. Soc.</i> , 78 26-33.
92JOH/OEL	JOHNSON, J. W., OELKERS, E. H. & HELGESON, H. C. 1992. SUPCRT92: A software package for calculating the standard molal thermodynamic properties of minerals, gases, aqueous species, and reactions from 1 to 5000 bar and 0 to 1000°C. <i>Computers & Geosciences</i> , 18, 899-947.
97JOH/TAI	JOHNSON, L. H. & TAIT, J. C. 1997. Release of segregated nuclides from spent fuel SKB.
94JOH/LEN	JOHNSON, L. H., LENEVEU, D. M., CHOESMITH, D. W., OSCARSON, D. W., GRAY, M. N., LEMIRE, R. J. & GARISTO, N. C. 1994. The disposal of Canada's nuclear fuel waste: The vault model for postclosure assessment Whiteshell Laboratories.
96JON/WAL	JONES, A. P., WALL, F. & WILLIAMS, C. T. 1996. <i>Rare earth minerals: chemistry, origin and ore deposits</i> , Springer
52JON/PAR	JONES, A. V. & PARTON, H. N. 1952. The thermodynamic dissociation constant of benzoic acid and the entropy of the benzoate ion. <i>Trans. Faraday Soc.</i> , 48, 8-11.
62JON/STO	JONES, R. H. & STOCK, D. I. 1962. The dissociation constants in water of some bivalent metal alkanedicarboxylates. <i>Journal of the Chemical Society (Resumed)</i> , 306-311.
03JON/EJL	JONSSON, S., EJLERTSSON, J. & SVENSSON, B. H. 2003. Behaviour of mono-and diesters of o-phthalic acid in leachates released during digestion of municipal solid waste under landfill conditions. <i>Advances in Environmental Research</i> , 7, 429-440.
46JOS	JOSEPH, N. R. 1946. The dissociation constants of organic calcium complexes. <i>Journal of Biological Chemistry</i> , 164, 529-541.

07JOV/WOL	JOVE-COLON, C., WOLERY, T., RARD, J., WIJESINGHE, A., JARECK, R. & HELEAN, K. 2007. Appendix I. Pitzer database development: Description of the Pitzer geochemical thermodynamic database data0.ypf.R2. In-Drift Precipitates/Salts Model Sandia National Laboratories
65JOY/PIC	JOYCE, L. G. & PICKERING, W. F. 1965. An investigation of the nickel gluconate system. Australian Journal of Chemistry, 18, 783-794.
49JUD/KIL	JUDSON, C. M. & KILPATRICK, M. 1949. Effects of substituents on the dissociation constants of substituted phenols. I. Experimental measurements in aqueous solutions. J. Am. Chem. Soc., 71, 3110-3115.
51JUR/HIL	JURA, G. & HILL, T. L. 1951. Thermodynamics functions of adsorbed molecules from heat of immersion. Journal of the American Chemical Society, 74, 1598.
80KAB/RUN	KABACK, D. S. & RUNNELLS, D. 1980. Geochemistry of molybdenum in some stream sediments and waters. Geochim et Cosmochim. Acta, 44 447-456.
86KAG/TRA	KAGANYUK, D. S. & TRACHEVSKY, V. V. 1986. Calculation of the heats of formation of some crystalline compounds of molybdenum and tungsten. Ukrainskii Khimicheskii Zhurnal, 52 1135.
78KAG	KAGANYUK, D. S. 1978. Calculation of some energy characteristics of crystalline substances. Russian Journal of Inorganic Chemistry (Zhurnal Neorganicheskoi Khimii), 23 2003-2008.
01KAH/MAR	KAHL, W.-A. & MARESCH, W. V. 2001. Enthalpies of formation of tremolite and talc by high-temperature solution calorimetry—a consistent picture. American Mineralogist, 86, 1345-1357.
56KAK/SIL	KAKIHANA, H. & SILLEN, L. G. 1956. Studies on the hydrolysis of metal ions. The hydrolysis of the beryllium ion, Be ²⁺ . Acta Chemical Scandinavica, 10, 985-1005.
70KAK/AMA	Kakihana, H., Amaya, T. and Maeda, M. (1970). The hydrolysis of the copper 2+ ion in heavy water, Bull. Chem. Soc. Jpn., 43, 3155-3158.
70KAK/MAE	Kakihana, H., Maeda, H., 1970. Studies on the hydrolysis of metal ions. The hydrolysis of the beryllium ion, Be ²⁺ . Bulletin of the Chemical Society of Japan 43, 109-113.
87KAK/NAG	KAKIHANA, M., NAGUMO, T., OKAMOTO, M. & KAKIHANA, H. 1987. Coordination structures for uranyl carboxylate complexes in aqueous solution studied by IR and carbon-13 NMR spectra. Journal of Physical Chemistry, 91, 6128-6136.
07KAL/SCH	KALINOWSKI, B. E. & SCHWEDA, P. 2007. Rates and nonstoichiometry of vermiculite dissolution at 22°C. Geoderma, 142, 197-209.
02KÄL	KÄLLVENIUS, G. 2002. Modelling of high pH chemistry in environmental systems and the solubility of zirconium hydroxide. Chalmers Univ. of Technology, Göteborg, Sweden
00KAL/CHO	KALMYKOV, S. N. & CHOPPIN, G. R. 2000. Mixed Ca ²⁺ /UO ₂ ²⁺ /CO ₃ ²⁻ complex formation at different ionic strengths. Radiochim. Acta, 88 603-606.
04KAM/GOI	Kamysny Jr, A., Goifman, A., Gun, J., Rizkov, D., Lev, O. 2004. Equilibrium distribution of polysulfide ions in aqueous solution at 25°C: A new approach for the study of polysulfides equilibria. Environ. Sci. Technol., 38, 6633-6644.
76KAN/GRA	Kanert, G. A., Gray, G. W., Baldwin, W. G. 1976. The solubility of magnetite in basic solutions at elevated temperatures, AECL, Report AECL-5528.

70KAR/KAR	KARAPETIANTS, M. K. & KARAPETIANTS, M. L. 1970. Thermodynamic constants of inorganic and organic compounds, Humphrey Science Publishers
82KAR/CHU	KARLYSHEVA, K. F., CHUMAKOVA, L. S., MALINKO, L. A. & SHEKA, I. A. 1982. Reaction of zirconium and hafnium oxide chlorides with sodium carbonate in solution. Russ. J. Inorg. Chem, 27 1582-1585.
68KAR/KAS	KARPOV, I. K. & KASHIK, S. A. 1968. Computer calculation of standard isobaric-isothermal potentials of silicates by multiple regression from a crystallochemical classification. Geochem. Internat., 5, 706-713.
61KAR	Karpov, V. I. 1961. The solubility of triuranyl phosphate, Russ. J. Inorg. Chem., 6, 271-272.
98KAR/CHE	KARYAKIN, N. V., CHERNORUKOV, N. G., A.K., K. & CHERNORUKOV, G. N. 1998. Enthalpy of formation of amorphous hafnium (IV) oxide. Russian Journal of Inorganic Chemistry, 42 1711.
97KAR/CHE	KARYAKIN, N. V., CHERNORUKOV, N. G., KORYTTSEVA, A. K. & CHERNORUKOV, G. N. 1997. No Title. Russ. J. Inorg. Chem., 42 798.
00KAR/CHE	Karyakin, N. V., Chernorukov, N. G., Suleimanov, E. V., Ermonin, S. A., Golubev, A. V. 2000. Heat capacity and thermodynamic functions of uranophosphates and uranoarsenate of series AlBVUO ₆ ·nH ₂ O (Al - H, Li, Na, K, Rb, Cs; BV - P, As), Vestn. Mosk. Univ. Ser. 2: Khim., 1, 113-126, in Russian.
49KAS	KASHA, M. 1949. Reaction between plutonium ions in perchloric acid solutions: rates, mechanism and equilibria, McGraw-Hill
41KAS	KASPER, J. 1941. The ionization constants of hydrated-ion acids. Johns Hopkins University, Baltimore, MD
73KAT	KATAYAMA, S. 1973. Conductometric determination of ion association constants for magnesium and nickel sulphate in aqueous solutions at various temperatures between 0 and 45°C. Bull. chem. Soc. Japan, 46 106-109.
98KAT/KIM	Kato, Y., Kimura, T., Yoshida, Z. 1998. Nitani, N., Carbonate complexation of neptunyl(VI) ion, Radiochim. Acta, 82, 63-68.
96KAT/KIM	Kato, Y., Kimura, T., Yoshida, Z., Nitani, N. 1996. Solid-liquid phase equilibria of Np(VI) and of U(VI) under controlled CO ₂ partial pressures, Radiochim. Acta, 74, 21-25.
94KAV/PIN	KAVIRATNA, H. & PINNAVAIA, T. J. 1994. Acid hydrolysis of octahedral Mg ²⁺ sites in 2:1 layered silicates; an assessment of edge attack and gallery access mechanisms. Clays and Clay Minerals, 42, 717-723.
84KAZ/KYS	KAZIN, I. V., KYSKIN, V. I., PETROVA, S. M. & KAGANYUK, D. S. 1984. Calculation of the heat of formation of crystalline substances. Journal of Physical Chemistry, 58 37.
07KED/BOU	KEDZIOREK, M. A. M., BOURG, A. C. M. & GIFFAUT, E. 2007. Hydrogeochemistry of Sn(IV) in the context of radioactive waste disposal: Solubility and adsorption on MX-80 bentonite and Callovo-Oxfordian argillite. Phys. Chem. Earth, 32, 568-572.
86KEE/HOF	KEELEY, D. F., HOFFPAUIR, M. A. & MERIWETHER, J. R. 1986. Sorption of benzene and toluene by poly(tetrafluoroethylene) during headspace analysis. Anal. Chem., 58, 1259-1261.
88KEE/HOF	KEELEY, D. F., HOFFPAUIR, M. A. & MERIWETHER, J. R. 1988. Solubility of aromatic hydrocarbons in water and sodium chloride solutions of different ionic strengths: Benzene and toluene. J. Chem. Eng. Data., 33, 87-89.
86KEE/GAL	KEENE, W. C. & GALLOWAY, J. N. 1986. Considerations regarding sources for formic and acetic acids in the troposphere. J. Geophys. Research, 91, 14466-14474.

84KEE/MOR	KEENEY-KENNICUTT, W. L. & MORSE, J. W. 1984. The interaction of Np(V)O_2^+ with common mineral surfaces in dilute aqueous solutions and seawater. <i>Marine Chemistry</i> , 15 133.
61KEL/KIN	KELLEY, K. K. & KING, E. G. 1961. <i>Entropies of the Elements and Inorganic Compounds</i> , U.S. Government Printing Office.
44KEL	KELLEY, K. K. 1944. Specific heat of zirconium dioxide at low temperatures. <i>Industrial & Engineering Chemistry</i> , 36, 377.
60KEL	KELLEY, K. K. 1960. Contributions to the data of theoretical metallurgy, v. XIII U.S. Bureau of Mines.
43KEL/MOO	Kelley, K. K. and Moore, G. E. 1943. The specific heats at low temperatures of anhydrous chlorides of calcium, iron, magnesium and manganese. <i>J. Am. Chem. Soc.</i> , 65, 1264-1267.
35KEL/AND	KELLY, K. K. & ANDERSON, C. T. 1935. Contribution to the data on theoretical metallurgy. IV. Metal carbonates--correlations and applications of thermodynamic properties. Bureau of Mines, 384 1-73.
07KEL/KEM	KELLY, S. D., KEMMER, K. M. & BROOKS, S. C. 2007. X-ray absorption spectroscopy identifies calcium-uranyl-carbonate complexes at environmental concentrations. <i>Geo. Cosmo. Acta</i> , 71 821-834.
03KEL/NEW	KELLY, S. D., NEWVILLE, M. G., CHENG, L., KEMNER, K. M., SUTTON, S. R., FENTER, P., STURCHIO, N. C. & SPÖTL, C. 2003. Uranyl incorporation in natural calcite. <i>Environmental science & technology</i> , 37, 1284-1287.
06KEL/RAS	KELLY, S. D., RASBURY, E. T., CHATTOPADHYAY, S., KROPP, A. J. & KEMNER, K. M. 2006. Evidence of a stable uranyl site in ancient organic-rich calcite. <i>Environmental science & technology</i> , 40, 2262-2268.
05KEL/KEM	KELLY, S., KEMNER, K., BROOKS, S. C., FREDRICKSON, J. K., CARROLL, S., KENNEDY, D. W., ZACHARA, J. M., PLYMALE, A. E. & FENDORF, S. 2005. Ca-UO ₂ -CO ₃ complexation—implications for bioremediation of U (VI). <i>Phys. Scr</i> , 915.
76KER/MOK	KEREICHUK, A. S. & MOKHNATOVA, N. V. 1976. <i>Russian J. Inorg. Chem</i> , 21, 651.
75KER/SHA	KEREN, R. & SHAINBERG, I. 1975. Water vapor isotherms and heat of immersion of Na/Ca-montmorillonite systems; I, Homoionic clay. <i>Clays and Clay Minerals</i> , 23, 193-200.
80KER/SHA	KEREN, R. & SHAINBERG, I. 1980. Water vapor isotherms and heat of immersion of Na- and Ca-montmorillonite systems; III, Thermodynamics. <i>Clays and Clay Minerals</i> , 28, 204-210.
10KER/PAN	Kerencak, A., Panak, P. J., Neck, V., Trumm, M., Schimmelpfennig, B., Lindqvist-Reis, P., Klenze, R., Fanghänel, Th. 2010. Complexation of Cm(III) with fluoride in aqueous solution in the temperature range from 20 to 90 °C. A joint TRLFS and quantum chemical study, <i>J. Phys. Chem. B</i> , 114, 15626-15634.
96KER	KERSTEN, M. 1996. Aqueous solubility diagrams for cementitious waste stabilization systems. 1. The C-S-H solid-solution system. <i>Environmental science & technology</i> , 30, 2286-2293.
90KHA/MHA	KHALE, B. D. & MHASKE, T. H. 1990. Stability constants of mixed-ligand chelates of Lanthanum (III), Praseodymium (III) and Neodymium (III) with NTA, HEDTA, CYDTA AND DTPA as primary ligands and some polymethylene dicarboxylic acids as secondary ligands. <i>J. Indian Chem. Soc.</i> , 67, 901.
98KHA/RAD	KHALIL, M. M. & RADALLA, A. M. 1998. Binary and ternary complexes of inosine. <i>Talanta</i> , 46, 53-61.
95KHA/BRI	KHAN, I., BRIMBLECOMBE, P. & CLEGG, S. L. 1995. Solubilities of pyruvic acid and the lower (C1-C6) carboxylic acids. Experimental determination of equilibrium vapor pressure above pure aqueous and salt solutions. <i>J. Atmos. Chem.</i> , 22, 285-302.

02KHA/KON	KHANG, G., KONG, C. S., RHEE, J. M. & LEE, H. B. 2002. Stabilization of non-toxic PVC formulation for gamma irradiation sterilization, I. Effect of additives. <i>Bio-Medical Materials and Engineering</i> , 12 135-147.
97KHA/JEM	KHATTECH, I. & JEMAL, M. 1997. Thermochemistry of phosphate products. Part I: Standard enthalpy of formation of tristrontium phosphate and strontium chlorapatite. <i>Thermochimica Acta</i> , 298, 17-21.
66KHO	KHODAKOVSKY, I. L. 1966. <i>Geokhimiya</i> , 7, 960.
86KHO/BRO	Khoe, G. H., Brown, P. L. and Sylvia, R. N. 1986. The hydrolysis of metal ions. Part 9. Iron (III) in perchlorate, nitrate, and chloride media (1 mol.dm ⁻¹), <i>J. Chem. Soc., Dalton Trans.</i> , 1901-1906.
69KHO/NAR	KHOPKAR, P. K. & NARAYANANKUTTY, P. 1969. Effect of ionic media on the stability constants of chloride, nitrate and thiocyanate complexes of americium(III) and europium(III). <i>J. Inorg. Nucl. Chem.</i> , 33 495-502.
05KIM/KIM	KIM, B. S. & KIM, B. K. 2005. Enhancement of hydrolytic stability and adhesion of waterborne polyurethanes. <i>Journal of applied polymer science</i> , 97, 1961-1969.
94KIM/KLE	KIM, J. I., KLENZE, R., WIMMER, H., RUNDE, W. & HAUSER, W. 1994. A study of the carbonate complexation of Cm(III) and Eu(III) by time-resolved laser fluorescence spectroscopy. <i>Journal of Alloys and Compounds</i> , 213/214 333-340.
05KIM/PAN	KIM, M. A., PANAK, P. J., YUN, J. I., PRIEMYSHEV, A. & KIM, J. I. 2005. Interaction of actinides(III) with aluminosilicate colloids in 'statu nascendi'. Part III. Colloid formation from monosilanol and polysilanol. <i>Colloids and Surfaces A</i> , 254 137-145.
05KIM/PAR	KIM, T.-G. & PARK, B. 2005. Synthesis and growth mechanisms of one-dimensional strontium hydroxyapatite nanostructures. <i>Inorganic chemistry</i> , 44, 9895-9901.
09KIM/BAE	KIM, W., BAE, I., CHAE, S. & SHIN, H. 2009. Mechanochemical decomposition of monazite to assist the extraction of rare earth elements. <i>Journal of Alloys and Compounds</i> , 486 610-614.
94KIN/LAC	KINDNESS, A., LACHOWSKI, E. E., MINOCHA, A. K. & GLASSER, F. P. 1994. Immobilisation and fixation of molybdenum (VI) by Portland cement. <i>Waste Management</i> , 14, 97-102.
98KIN	King, D. W. 1998. Role of carbonate speciation on the oxidation rate of Fe(II) in aquatic systems. <i>Environmental Science & Technology</i> , 32, 2997.
58KIN/CHR	KING, E. G. & CHRISTENSEN, A. U. 1958. Heat Contents above 298.15K. of Oxides of Cobalt and Nickel. <i>Journal of the American Chemical Society</i> , 80, 1800-1801.
53KIN/TOD	KING, E. G. & TODD, S. S. 1953. Heat capacities at low temperatures and entropies at 298.16K of stannic and stannous sulfides. <i>Journal of the American Chemical Society</i> , 75 2024-3023.
61KIN/WEL	KING, E. G. & WELLER, W. W. 1961. Low-temperature heat capacities and entropies at 298.15° K. of diaspore, kaloinite, dickite, and halloysite, Washington, DC, U.S. Dept. of the Interior, Bureau of Mines.
70KIN/WEL	KING, E. G. & WELLER, W. W. 1970. Low-temperature heat capacities and entropies at 298.15 K of goethite and pyrophyllite.: US Bureau of Mines Investig. Report.
10KIN/LIL	King, F., Lilja, C., Pedersen, K., Pitkänen P., Vähänen, M. (2010) An update of the state-of-the-art report on the corrosion of copper under expected conditions in a deep geologic repository. Technical Report SKB TR-10-67.

96KIN/MIL	KINNIBURGH, D. G., MILNE, C. J., BENEDETTI J., M. F. A. F., VAN RIEMSDIJK, W. H. & KOOPAL, L. K. 1996. Metal ion binding by humic acid: application of the NICA-Donnan model. <i>Environmental Science and Technology</i> , 30 1687-1698.
99KIN/VAN	KINNIBURGH, D. G., VAN RIEMSDIJK, W. H., KOOPAL, L. K., BORKOVEC, M., BENEDETTI, M. F. & AVENA, M. J. 1999. Ion binding to natural organic matter: competition, heterogeneity, stoichiometry and thermodynamic consistency. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 151 147-166.
08KIR/ONI	KIRISHIMA, A., ONISHI, Y., SATO, N. & TOCHIYAMA, O. 2008. Thermodynamic study on the U(VI) complexation with dicarboxylates by calorimetry. <i>Radiochimica Acta</i> , 96, 581-589.
06KIR/BRY	KIRKHAM, A. J., BRYAN, N. D. & MAY, I. 2006. Uranium coordination to environmentally relevant polyhydroxy carboxylate ligands. <i>Recent Advances in Actinide Science. Special Publication 305 The Royal Society of Chemistry</i>
55KIR/PLI	KIRSCHNING, H. J. & PLIETH, K. 1955. Elektrochemische bestimmung des umwandlungspunktes der kubischen und monoliken arsenimodifikationen. <i>Z. Anorg. Chem.</i> , 280 346.
92KIS/OGO	Kiseleva I. A., Ogorodova L. P., Melchakova L. V., Bisengaliev M. R., and Bekturganov M. S. (1992) Thermodynamic properties of copper carbonates - Malachite $Cu_2(OH)_2CO_3$ and azurite $Cu_3(OH)_2(CO_3)_2$. <i>Phys. Chem. Mineral.</i> 19, 322-333.
01KIS/NAV	KISELEVA, I., NAVROTSKY, A., BELITSKY, I. & FURSENKO, B. 2001. Thermochemical study of calcium zeolites—heulandite and stilbite. <i>American Mineralogist</i> , 86, 448-455.
96KIS/NAV	KISELEVA, I., NAVROTSKY, A., BELITSKY, I. A. & FURSENKO, B. A. 1996. Thermochemistry and phase equilibria in calcium zeolites. <i>American Mineralogist</i> , 81, 658-667.
82KIS/TÓT	KISS, T. & TÓTH, B. 1982. Microscopic dissociation processes of some tyrosine derivatives. <i>Talanta</i> , 29, 539-544.
04KIT/KOH	KITAMURA, A. & KOHARA, Y. 2004. Carbonate complexation of neptunium (IV) in highly basic solutions. <i>Radiochimica Acta/International journal for chemical aspects of nuclear science and technology</i> , 92, 583-588.
02KIT/KOH	Kitamura, A., Kohara, Y. 2002. Solubility of neptunium (IV) in carbonate media. <i>Journal of Nuclear Science and Technology</i> , 39(sup3), 294-297.
04KIT/KOH	Kitamura, A., Kohara, Y. 2004. Carbonate complexation of neptunium (IV) in highly basic solutions. <i>Radiochimica Acta</i> , 92(9-11), 583-588.
06KIT/ONI	KITANO, H., ONISHI, Y., KIRISHIMA, A., SATO, N. & TOCHIYAMA, O. 2006. Determination of the thermodynamic quantities of complexation between Eu(III) and carboxylic acids by microcalorimetry. <i>Radiochimica Acta</i> , 94, 541.
88KIT/PER	KITTRICK, J. A. & PERVEA, F. J. 1988. Experimental Validation of the Monophase Structure Model for Montmorillonite Solubility. <i>Soil Science Society of America Journal</i> , 52.
66KIT	KITTRICK, J. A. 1966. Free energy of formation of kaolinite from solubility measurements. <i>American Mineralogist</i> , 51.
70KIT	KITTRICK, J. A. 1970. Precipitation of Kaolinite at 25°C and 1 atm*. <i>Clays and Clay Minerals</i> , 18, 261-267.
71KIT	KITTRICK, J. A. 1971. Stability of Montmorillonites: I. Belle Fourche and Clay Spur Montmorillonites1. <i>Soil Science Society of America Journal</i> , 35.
82KIT	KITTRICK, J. A. 1982. Solubility of two high-Mg and two high-Fe chlorites using multiple equilibria. <i>Clays and Clay Minerals</i> , 30, 167-179.
84KIT	KITTRICK, J. A. 1984. Solubility measurements of phases in three illites. <i>Clays and Clay Minerals</i> , 32, 115-124.

76KLA/OST	KLANING, U. K. & OSTERBY, O. 1976. Hydration and ion pairing of malenates, malonates and substituted malonates in aqueous solution. J. Chem. Soc., Faraday Trans., 72, 513-525.
50KLE	KLEVENS, H. B. 1950. Solubilization of polycyclic hydrocarbons. J. Phys. Coll. Chem., 54, 283-298.
85KLE	KLEYKAMP, H. 1985. The chemical state of the fission products in oxide fuels. J. Nucl. Mat., 131 221-246.
00KLU/BYR	KLUNGNESS, G. D. & BYRNE, R. H. 2000. Comparative hydrolysis behaviour of the rare earths and yttrium: the influence of temperature and ionic strength. Polyhedron, 19 99-107.
91KNA/KUB	KNACKE, O., KUBASCHEWSKI, O. & HESSELMANN, K. 1991. Thermochemical properties of inorganic substances, Springer-Verlag.
99KNO/NEC	KNOPP, R., NECK, V. & KIM, J. I. 1999. Solubility, hydrolysis and colloid formation of plutonium (IV). Radiochim. Acta., 435 1-8.
64KO/OHA	KO, H. C., O'HARA, W. F., HU, T. & HEPLER, L. G. 1964. Ionization of substituted phenols in aqueous solution. J. Am. Chem. Soc., 86, 1003-1004.
64KO/O'H	KO, H. C., O'HARA, W. F., HU, T. & HEPLER, L. G. 1964. Ionization of substituted phenols in aqueous solution. J. Am. Chem. Soc., 86, 1003-1004.
07KOB/SAS	KOBAYASHI, T., SASAKI, T., TAKAGI, I. & MORIYAMA, H. 2007. Solubility of Zirconium(IV) Hydrous Oxides. J. Nucl. Sci. Technol., 44, 90-94.
09KOB/SAS	KOBAYASHI, T., SASAKI, T., TAKAGI, I. & MORIYAMA, H. 2009. Solubility of Thorium(IV) in the presence of Oxalic and Malonic Acids. Journal of Nuclear Science and Technology, 46, 1085-1090.
54KOC/CUN	KOCH, C. W. & CUNNINGHAM, B. B. 1954. The Vapor Phase Hydrolysis of the Rare Earth Halides. 1 III. Heat and Free Energy of the Reactions $\text{PrCl}_3(\text{s}) + \text{H}_2\text{O}(\text{g}) = \text{PrOCl}(\text{s}) + 2\text{HCl}(\text{g})$ and $\text{NdCl}_3(\text{s}) + \text{H}_2\text{O}(\text{g}) = \text{NdOCl}(\text{s}) + 2\text{HCl}(\text{g})$. Journal of the American Chemical Society, 76, 1471-1474.
76KOC/MCI	Koch, D.F.A., McIntyre, R.J. (1976) The application of reflectance spectroscopy to a study of the anodic oxidation of cuprous sulfide. J. Electroanal. Chem. 71, 285- 296.
59KOE/COU	Koehler, M. F. and Coughlin, J. P. 1959. Heats of Formation of Ferrous Chloride, Ferric Chloride and Manganous Chloride J. Phys. Chem., 63, 4, 605-608.
02KOL/DHA	KOLADKAR, D. V. & DHADKE, P. M. 2002. Extraction and separation of Th (IV) and U(VI) from nitric acid media using PIA-8 and HDEHP. Journal of radioanalytical and nuclear chemistry, 253, 297-302.
62KOL/POW	KOLAT, R. S. & POWELL, J. E. 1962. Acetate complexes of the rare earth and several transition metal ions. Inorganic Chemistry, 1, 293-296.
38KOL/GRI	KOLTHOFF, I. M. & GRIFFITH, F. S. 1938. Studies on ageing and properties of precipitates. XXIII. The postprecipitation of ferrous sulphide with cupric sulphide. Journal of the American Chemical Society, 60 2036-2039.
42KOL/PER	KOLTHOFF, I. M., PERLICH, R. W. & WEIBLEN, D. 1942. The Solubility of Lead Sulfate and of Lead Oxalate in Various Media. The Journal of Physical Chemistry, 46, 561-570.
77KON/FEO	Koneva, T.N. and Feodorov, V.A. (1977) The influence of value and nature of ionic strength of solution to stability of $\text{CuCl} + \text{aq}$. Zh. Neorg. Khim., 51, 1132-1135 (in Russian)
71KON/WAD	KONICEK, J. & WADSO, I. 1971. Thermochemical properties of some carboxylic acids, amines, and N-substituted amides in aqueous solution. Acta Chem. Scand., 25, 1541-1551.

99KÖN/KÖN	KÖNIGSBERGER, E., KÖNIGSBERGER, L.-C. & GAMSJÄGER, H. 1999. Low-temperature thermodynamic model for the system $\text{Na}_2\text{CO}_3\text{-MgCO}_3\text{-CaCO}_3\text{-H}_2\text{O}$. <i>Geochimica et Cosmochimica Acta</i> , 63, 3105-3119.
00KON/KON	Königsberger, L. C., Königsberger, E., May, P. M., & Heftner, G. T. (2000). Complexation of iron (III) and iron (II) by citrate. Implications for iron speciation in blood plasma. <i>Journal of inorganic biochemistry</i> , 78(3), 175-184.
98KON/VAN	KONINGS, R. J. M. & VAN DER LAAN, R. R. 1998. The high temperature enthalpy increment of solid antimony. <i>Thermochimica acta</i> , 316 185.
01KON	KONINGS, R. J. M. 2001. Estimation of the standard entropies of some Am(III) and Cm(III) compounds. <i>J. Nucl. Mater.</i> , 295 57-63.
01KON1	KONINGS, R. J. M. 2001. Estimation of the standard entropies of some Am(III) and Cm(III) compounds. <i>J. Nucl. Mater.</i> , 295 57-63.
01KON2	KONINGS, R. J. M. 2001. Thermochemical and thermophysical properties of curium and its oxides. <i>J. Nucl. Mater.</i> , 298 255-268.
04KON	KONINGS, R. J. M. 2004. The heat capacity and entropy of actinide(IV) compounds. <i>Journal of Chemical Thermodynamics</i> , 36 121-126.
13KON/BEN	Konings, R. J. M., Beneš, O. 2013. The heat capacity of NpO_2 at high temperatures: the effect of oxygen Frenkel pair formation, <i>J. Phys. Chem. Solids</i> , 74, 653-655.
14KON/BEN	Konings, R. J. M., Beneš, O., Kovács, A., Manara, D., Sedmidubský, D., Gorokhov, L., Iorish, V. S., Yungman, V., Shenyavskaya, E., Osina, E. 2014. The thermodynamic properties of the f-elements and their compounds. Part 2. The lanthanide and actinide oxides, <i>J. Phys. Chem. Ref. Data</i> , 43, 013101.
17KON/PLY	Konings, R. J. M., Plyasunov, A. 2017. Comment on; First experimental determination of the solubility constant of coffinite; [<i>Geochim. Cosmochim. Acta</i> 181 (2016) 36-53]. <i>Geochimica et Cosmochimica Acta</i> , 212, 372-373.
97KÖN/FAN	KÖNNECKE, T., FANGHÄENEL, T. & KIM, J. I. 1997. Thermodynamics of trivalent actinides in concentrated electrolyte solutions: Modelling the chloride complexation of Cm(III). <i>Radiochim. Acta</i> , 76 131-135.
97KÖN/NEC	Könnecke, T., Neck, V., Fanghänel, T., Kim, J. I. 1997. Activity coefficients and Pitzer parameters in the systems $\text{Na}^+/\text{Cs}^+/\text{Cl}^-/\text{TcO}_4^-$ or $\text{ClO}_4^-/\text{H}_2\text{O}$ at 25 °C, <i>J. Solution Chem.</i> , 26, 2, 561-577.
49KON/LEB	KONOPIK, N. & LEBERL, O. 1949. Dissoziationskonstanten sehr schwacher Säuren. <i>Monatshefte für Chemie</i> , 80, 655-669.
90KON/KAC	KONUNOYA, T. S. B., KACHKAR, L. S. & SEROVA, G. F. 1990. The reaction of zirconium and hafnium with the anions of mineral acids in acidic media. <i>Russ. J.Inorg.Chem.</i> , 35 13-16.
78KOR/ARE	KORENMAN, I. M. & AREF'EVA, R. P. 1978. Determination of the solubility of hydrocarbons in water. <i>J. Appl. Chem.</i> , 51, 923-924.
67KOR/USH	KORNILOV, A. N., USHAKOVA, I. M. & SKURATOV, A. M. 1967. Standard heat of formation of zirconium dioxide. <i>Zh.Fiz.Khim.</i> , 41 200-204.
75KOR/USH	KORNILOV, A. N., USHAKOVA, I. M., HUBER, E. J. & HOLEY, C. E. 1975. The enthalpy of formation of Hafnium dioxide. <i>J. Chem. Thermodyn.</i> , 7 21.
05KOR/MAN	KOROLEVA, M. & MANGINI, A. 2005. Laboratory investigation of U(VI) incorporation into calcium carbonate minerals. <i>Geophysical Research Abstracts</i> , 7
05KOR	KOROLEVA, M. 2005. Basic studies for the incorporation of uranium in sediments. University of Heidelberg
10KOR/KOR	Korzhevyy, P. A. and Johansson, B. (2010). Thermodynamic properties of copper compounds with oxygen and hydrogen from first principles. SKB TR-10-30.

78KOS/SAM	KOSTRYUKOV, V. N., SAMORUKOV, O. P., SAMORUKOVA, N. K. & NURULLAEV, N. G. 1978. Entropy of tin(II) oxide and lead(II) oxide at 298.15 K. Zh. Fiz. Khim., 52 1838-1839.
61KOV/BAG	KOVALENKO, P. N. & BAGDASAROV, K. N. 1961. The solubility of zirconium hydroxide. Russ. J. Inorg. Chem, 6, 272.
79KRA/DEC1	KRAGTEN, J. & DECNOP-WEEVER, L. G. 1979. Hydroxide complexes of cerium(III). Talanta, 25 147-150.
79KRA/DEC2	KRAGTEN, J. & DECNOP-WEEVER, L. G. 1979. Hydroxide complexes of lanthanides-II. Samarium(III) in perchlorate medium. Talanta, 26 1105-1109.
79KRA/DEC3	KRAGTEN, J. & DECNOP-WEEVER, L. G. 1979. Hydroxide complexes of lanthanides-III. Gadolinium(III) in perchlorate medium. Talanta, 27 1047-1050.
82KRA/DEC	KRAGTEN, J. & DECNOP-WEEVER, L. G. 1982. Hydroxide complexes of lanthanides-IV. Ytterbium(III) in perchlorate medium. Talanta, 29 219-222.
83KRA/DEC	KRAGTEN, J. & DECNOP-WEEVER, L. G. 1983. Hydroxide complexes of lanthanides-V. Erbium(III) in perchlorate medium. Talanta, 30 131-133.
83KRA/DEC1	KRAGTEN, J. & DECNOP-WEEVER, L. G. 1983. Hydroxide complexes of lanthanides-V. Erbium(III) in perchlorate medium. Talanta, 30 131-133.
83KRA/DEC2	KRAGTEN, J. & DECNOP-WEEVER, L. G. 1983. Hydroxide complexes of lanthanides—VI. Talanta, 30, 134.
84KRA/DEC	KRAGTEN, J. & DECNOP-WEEVER, L. G. 1984. Hydroxide complexes of lanthanides—VII: Neodymium (III) in perchlorate medium. Talanta, 31, 731-733.
87KRA/DEC	KRAGTEN, J. & DECNOP-WEEVER, L. G. 1987. Hydroxide complexes of lanthanides—VIII: Lanthanum (III) in perchlorate medium. Talanta, 34, 861-864.
80KRA/SIN	KRALJ, F. & SINCIC, D. 1980. Mutual solubilities of phenol, salicylaldehyde, phenol-salicylaldehyde mixture, and water with and without the presence of sodium chloride or sodium chloride plus sodium sulfate. J. Chem. Eng. Data, 25, 335-338.
75KRA/GUB	KRASNOSHCHKOVA, R. Y. & GUBERGRITS, M. Y. 1975. Solubility of n-alkylbenzenes in fresh and salt water. Vodnye Resursy, 2, 170-173.
50KRA/NEL	KRAUS, K. A. & NELSON, F. 1950. Hydrolytic behavior of metal ions. I. The acid constants of Uranium (IV) and Plutonium (IV). Journal of the American Chemical Society, 72, 3901-3906.
88KRA/ETT	KRAUSE, E. & ETTTEL, V. 1988. Solubility and stability of scorodite, $\text{FeAsO}_4 \cdot 2\text{H}_2\text{O}$: New data and further discussion. American Mineralogist, 73 850-854.
05KRE/MUS	KREHULA, S., MUSIC, S. & POPOVIC, S. 2005. Influence of Ni-dopant on the properties of synthetic goethite. Journal of alloys and compounds, 403, 368-375.
69KRI/FRI	KRISHNAN, C. V. & FRIEDMAN, H. L. 1969. Solvation enthalpies of various nonelectrolytes in water, propylene carbonate, and dimethyl sulfoxide. J. Phys. Chem., 73, 1572-1580.
52KRU/GAR	KRUMBEIN, W. C. & GARRELS, R. M. 1952. Origin and classification of chemical sediments in terms of pH and oxidation-reduction potentials. The Journal of Geology, 1-33.

79KRU/ROB	KRUPKA, K. M., ROBIE, R. A. & HEMINGWAY, B. S. 1979. High-temperature heat capacities of corundum, periclase, anorthite, CaAl ₂ Si ₂ O ₈ glass, muscovite, pyrophyllite, KAlSi ₃ O ₈ glass, grossular, and NaAlSi ₃ O ₈ glass. <i>American Mineralogist</i> , 64, 86-101.
88KRU	KRUPP, R. E. 1988. Solubility of stibnite in hydrogen sulphide solutions, speciation, and equilibrium constants, from 25 to 350°C. <i>Geochim. Cosmochim. Acta</i> , 52 3005.
57KRY/CHU	KRYLOV, E. I. & CHUKHLANTSEV, V. G. 1957. Uranyl and thorium selenites. <i>J. Anal. Chem. USSR (Engl. Transl.)</i> , 12 469-473.
69KRY/KOM	KRYLOV, V. N., KOMAROV, E. V. & PUSHLENKOV, M. F. 1969. Investigation of the complex formation of Zr(IV) with the fluoride ions in solutions of HClO ₄ and HNO ₃ by the method of ion exchange. <i>Soviet Radiochem.</i> , 11 450-451.
93KUB/ALC	Kubaschewski O., Alcock C. B., and Spencer P. J. (1993) <i>Materials Thermochemistry</i> . Pergamon Press, Oxford, 363 p. 6 edition
79KUB/ALC	KUBASCHEWSKI, O. & ALCOCK, C. B. 1979. <i>Metallurgical Thermochemistry</i> , Pergamon Press, Oxford
93KUB/ALC	KUBASCHEWSKI, O., ALCOCK, C. B. & SPENCER, P. J. 1993. <i>Materials Thermochemistry</i> , Pergamon Press, Oxford
06KUB/HEL	KUBATKO, K. A., HELEAN, K., A., N. & BURNS, P. C. 2006. Thermodynamics of uranyl minerals: Enthalpies of formation of uranyl oxide hydrates. <i>American Mineralogist</i> , 91 658-666.
88KUB/MOC	Kubota, E., Mochizuki, Y. and Yokoi, M. 1988. Conductivity of iron(II) sulfate in aqueous solution at various temperatures. <i>Bull. Chem. Soc. Jpn.</i> , 61 (10), 3723-3724.
99KUD/KOM	KUDO, K. & KOMATSU, K. 1999. Reduction of alkali metal carbonate to methane with water in the presence of Raney alloy. <i>Journal of Molecular Catalysis A: Chemical</i> , 145, 159-167.
00KUL/KER	KULIK, D. A., KERSTEN, M., HEISER, U. & NEUMANN, T. 2000. Application of Gibbs Energy Minimization to Model Early-Diagenetic Solid-Solution Aqueous-Solution Equilibria Involving Authigenic Rhodochrosites in anoxic Baltic Sea Sediments. <i>Aquatic Geochemistry</i> , 6, 147-199.
93KUL/HAK	KULMALA, S. & HAKANEN, M. 1993. The solubility of Zr, Nb and Ni in groundwater and concrete water and sorption on crushed rock and cement YJT.
60KUM	Kumai, T. 1960. Reactions between ferric hydroxide and hydrogen sulfide. III. Association of ferric ion with sulfate ion. <i>J. Chem. Soc. Jpn.</i> , 81, 1687-1690.
06KUM/PEL	KUMAR, A., PELTIER, E., NAVROTSKY, A., CASEY, W. H., JOHNSON, C. A., BERBECO, H. T. & SPARKS, D. L. 2006. Calorimetric determination of the enthalpies of formation of hydrotalcite-like solids and their use in the geochemical modeling of metals in natural waters. <i>Clays and clay minerals</i> , 54, 409-417.
87KUM	KUMOK, V. N. 1987. Problem of correlation of methods for evaluation of thermodynamic characteristics – Direct and reverse tasks of chemical thermodynamics., <i>Nauka, Novosibirsk</i>
03KUS/BEK	KUSTOV, A. V., BEKENEVA, A. V., ANTONOVA, O. A. & KOROLEV, V. P. 2003. Enthalpic pair-interaction coefficients of benzene, aniline and nitrobenzene with N,N-dimethylformamide and acetonitrile in water at 298.15K. <i>Thermochim. Acta</i> , 398, 9-14.
16KUT/GÁC	KUTUS, B., GÁCSI, A., PALLAGI, A., PÁLINKÓ, I., PIENTLER, G. & SIPOS, P. 2016. A comprehensive study on the dominant formation of the dissolved Ca(OH) ₂ (aq) in strongly alkaline solutions saturated by Ca(II). <i>RSC Advances</i> , 6, 45231-45240.
94LAI/FÉL	LA IGLESIA, A. & FÉLIX, J. F. 1994. Estimation of thermodynamic properties of mineral carbonates at high and low temperatures from the sum of polyhedral contributions. <i>Geochimica et Cosmochimica Acta</i> , 58, 3983-3991.

91LAI/FRA	LA IGLESIA, A., FRANCO, E. & POZZUOLI, A. 1991. Stability diagrams of zeolites. II. Phillipsite and chabazite from pyroclastic rocks in southern Italy. Neues Jahrbuch fur Mineralogie, Abhandlungen, 162, 261-280.
95LAA/GUS	LAAKSOHARJU, M., GUSTAFSON, G., PEDERSEN, K., RHÉN, I., SKARMAN, C., TULLBORG, E. L., WALLIN, B. & WIKBERG, P. 1995. Sulphate reduction in Äspö HRL tunnel SKB.
98LAB/NAV	LABERTY, C. & NAVROTSKY, A. 1998. Energetics of stable and metastable low-temperature iron oxides and oxyhydroxides. Geochimica et Cosmochimica Acta, 62 2905-2913.
87LAF/MUR	LAFLAMME, B. D. & MURRAY, J. W. 1987. Solid/solution interaction: The effect of carbonate alkalinity on adsorbed thorium. Geochimica et Cosmochimica Acta, 51 243-250.
59LAG	LAGERSTROM, G. 1959. Equilibrium studies of polyanions: III. Silicate ions in NaClO ₄ . Acta chem. scand, 13, 722-736.
66LAH/ADI	LAHIRI, S. C. & ADITYA, S. 1966. Chromium(III) - phosphoric acid complex. J. Indian Chem. Soc., 43 513-517.
97LAJ/POR	LAJUNEN, L. H. J., PORTANOVA, R., PIISPANEN, J., TOLAZZI, M. & OTHERS 1997. Critical evaluation of stability constants for alpha-hydroxycarboxylic acid complexes with protons and metal ions and the accompanying enthalpy changes Part I: Aromatic ortho-hydroxycarboxylic acids (Technical Report). Pure and Applied Chemistry, 69, 329-382.
04LAK/STI	LAKSHTANOV, L. Z. & STIPP, S. L. S. 2004. Experimental study of europium (III) coprecipitation with calcite. Geochimica et cosmochimica acta, 68, 819-827.
07LAK/STI	LAKSHTANOV, L. Z. & STIPP, S. L. S. 2007. Experimental study of nickel (II) interaction with calcite: Adsorption and coprecipitation. Geochimica et Cosmochimica Acta, 71, 3686-3697.
35LAM/BRO	LAMSON, P. D., BROWN, H. W., STOUGHTON, R. W., HARWOOD, P. D., BALTZLY, R. & BASS, A. 1935. Anthelmintic studies on alkylhydroxybenzenes II. o- and p-n-alkyl phenols. J. Pharmacol, 53, 218-226.
99LAN/ELI	LANDAIS, P. & ELIE, M. 1999. Utilisation de la géochimie organique pour la détermination du paléoenvironnement et de la paléothermicité dans le Callovo-Oxfordien du site de l'Est de la France. EDP Sciences, 1999 35-58.
80LAN/HER	LANGMUIR, D. & HERMAN, J. S. 1980. The mobility of thorium in natural waters at low temperatures. Geochim. et Cosmochim. Acta, 44 1753-1766.
85LAN/MEL	LANGMUIR, D. & MELCHIOR, D. 1985. The geochemistry of Ca, Sr, Ba and Ra sulfates in some deep brines from the Palo Duro Basin, Texas. Geochim. Cosmochim. Acta, 49 2423-2432.
85LAN/RIE	LANGMUIR, D. & RIESE, A. C. 1985. The thermodynamic properties of radium. Geochim. et Cosmochim. Acta, 49 1593-1601.
69LAN	Langmuir, D. 1969. The Gibbs free energies of substances in the system Fe-O ₂ -H ₂ O-CO ₂ at 25°C. US Geol. Surv. Prof. Paper 650-B:B180-B184.
71LAN	Langmuir, D. 1971. Particle size effect on the reaction goethite = hematite + water. Am. J. Sci. 217:147-156.
78LAN	LANGMUIR, D. 1978. Uranium solution – mineral equilibria at low temperatures with applications to sedimentary ore deposits. Geochimica et Cosmochimica Acta, 42 547-569.

79LAN	Langmuir, D. 1979. Techniques of estimating thermodynamic properties for some aqueous complexes of geochemical interest, in: Chemical Modeling in Aqueous Systems: Speciation, sorption, solubility, and kinetics (Jenne, E.A., ed.), ACS Symp. Ser. 93, American Chemical Society, Washington D.C., pp. 353-387.
71LAN/WHI	Langmuir, D. and Whittemore, D. O. 1971. In nonequilibrium systems in natural water chemistry; Hem, J. D., Ed.; ACS Advances in Chemistry Series No. 106; American Chemical Society: Washington, DC, 209-234
06LAN/MAH	LANGMUIR, D., MAHONEY, J. & ROWSON, J. 2006. Solubility products of amorphous ferric arsenate and crystalline scorodite (FeAsO ₄ · 2H ₂ O) and their application to arsenic behavior in buried mine tailings. <i>Geochimica et Cosmochimica Acta</i> , 70, 2942-2956.
81LAR/AVE	LARA, J., AVEDIKIAN, L., PERRON, G. & DESNOYERS, J. E. 1981. Microheterogeneity in aqueous-organic mixtures: Thermodynamic transfer functions for benzene from water to 2-propanol aqueous systems at 25°C. <i>J. Solut. Chem.</i> , 10, 301-313.
50LAR/GAM	LARSEN, E. M. & GAMMILL, A. M. 1950. Electrometric titrations of zirconium and hafnium solutions. <i>J. Amer.Chem.Soc.</i> , 72 3615-3619.
54LAR/WAN	LARSEN, E. M. & WANG, P. 1954. The ion exchange of zirconium and hafnium in perchloric acid with amberlite IR-120. <i>J. Am. Chem. Soc.</i> , 76 6223-6228.
97LAR/POS	LARSEN, F. & POSTMA, D. 1997. Nickel mobilization in a groundwater well field: Release by pyrite oxidation and desorption from manganese oxides. <i>Environmental science & technology</i> , 31, 2589-2595.
69LAR/HEP	LARSON, J. W. & HEPLER, L. G. 1969. Heats and entropies of ionization. <i>Solute-solvent interaction</i> (Marcel Dekker, New York), 1-44.
01LAS/LUT	LASAGA, A. C. & LUTTGE, A. 2001. Variation of Crystal Dissolution Rate Based on a Dissolution Stepwave Model. <i>Science</i> , 291, 2400-2404.
81LAS	LASAGA, A. C. 1981. Transition state theory. <i>Reviews in Mineralogy and Geochemistry</i> , 8, 135-168.
98LAS	LASAGA, A. C. 1998. <i>Kinetic theory in the earth sciences</i> , Princeton, N.J., Princeton University Press.
05LAS/AZA	LASSIN, A., AZAROUAL, M. & MERCURY, L. 2005. Geochemistry of unsaturated soil systems: Aqueous speciation and solubility of minerals and gases in capillary solutions. <i>Geochimica et Cosmochimica Acta</i> , 69, 5187-5201.
59LAS/PLA	LASWICK, J. & PLANE, R. 1959. Hydrolytic polymerization in boiled chromic solutions. <i>Journal of the American Chemical Society</i> , 81 3564-3567.
21LAT	LATIMER, W. M. 1921. The mass effect in the entropy of solids and gases. <i>Journal of the American Chemical Society</i> , 43 818-826.
51LAT	LATIMER, W. M. 1951. Methods for estimating the entropies of solid compounds. <i>Journal of the American Chemical Society</i> , 73 1480-1482.
52LAT	LATIMER, W. M. 1952. <i>The oxidation states of the elements and their potentials in aqueous solutions</i> , Prentice-Hall.
71LAU/FOU	LAUBSCHER, A. E. & FOUCHÉ, K. F. 1971. Investigation of Zr(IV), Hf(IV) and Th(IV) thiocyanate complexes by extraction with thenoyltrifluoroacetone and dinonyl naphthalene sulphonic acid. <i>J. Inorg. Nucl. Chem.</i> , 33 3521-3535.
81LAV/TIM	LAVUT, E. G., TIMOFEYEV, B. I., YULDASHEVA, V. M., LAVUT, E. A. & GALCHENKO, G. L. 1981. Enthalpies of formation of tin(IV) and tin(II) oxides from combustion calorimetry. <i>J. Chem. Thermodyn.</i> , 13 635-646.
73LEC/GUI	LE CLOAREC, M. F., GUILLAUMONT, R., MIRANDA, C. F. & FRANCK, C. C. 1973. Complexes of pentavalent protactinium in sulfuric, phosphoric, and sulfuric-phosphoric acid solutions. <i>Radiochim. Acta</i> , 20 1-6.
03LEN/TRU	LE NAOUR, C., TRUBERT, D. & JAUSSAUD, C. 2003. Hydrolysis of Protactinium(V).II. Equilibrium constants at 40 and 60 °C: A Solvent Extraction Study with TTA in the Aqueous System Pa(V)/H ₂ O/H ⁺ /Na ⁺ /ClO ₄ ⁻ . <i>J. Sol. Chem.</i> , 32 489-504.

05LEN/TRU	LE NAOUR, C., TRUBERT, D., DI GIANDOMENICO, M. V., FILLAUX, C., DEN AUWER, C., MOISY, P. & HENNIG, C. 2005. First Structural Characterization of a Protactinium(V) Single Oxo Bond in Aqueous Media. <i>Inorganic Chemistry</i> , 44 9542-9546.
72LEV	LE VAN, M. 1972. Estimation des fonctions thermodynamiques. I – Estimation des enthalpies normales de formation. <i>Bulletin de la Société Chimique de France</i> , 2 579-583.
92LEE/BYR	LEE, F. J. & BYRNE, R. H. 1992. Examination of comparative rare earth element complexation behaviour using linear free energy relationships. <i>Geochim. Cosmochim. Acta</i> , 56 1127-1137.
13LEE/YUN	LEE, J. Y. & YUN, J. I. 2013. Formation of ternary $\text{CaUO}_2(\text{CO}_3)_3^{2-}$ and $\text{Ca}_2\text{UO}_2(\text{CO}_3)_3(\text{aq})$ complexes under neutral to weakly alkaline conditions. <i>Dalton Trans</i> , 42, 9862-9869.
19LEE/AMA	Lee, J.Y., Amayri, S., Montoya, V., Fellhauer, D., Gaona, X., Altmaier, M., 2019. Solubility and stability of liebigite, in dilute to concentrated NaCl and NaClO ₂ solutions at T = 22-80°C. <i>Applied Geochemistry</i> 111, 104374.
17LEE/VES	Lee, J.-Y., Vespa, M., Gaona, X.A., Dardenne, K., Rothe, J., Rabung, T., Altmaier, M., Yun, J.-I., 2017. Formation, stability and structural characterization of ternary $\text{MgUO}_2(\text{CO}_3)_3^{2-}$ and $\text{Mg}_2\text{UO}_2(\text{CO}_3)_3(\text{aq})$ complexes. <i>Radiochimica Acta</i> 105, 171-185.
13LEE/YUN	Lee, J.Y., Yun, J.I., 2013. Formation of ternary $\text{CaUO}_2(\text{CO}_3)_3^{2-}$ and $\text{Ca}_2\text{UO}_2(\text{CO}_3)_3(\text{aq})$ complexes under neutral to weakly alkaline conditions. <i>Dalton Transactions</i> 42, 9862-9869.
10LEE/WIL	Lee, T. R. and Wilkin, R. T. 2010. Iron hydroxy carbonate formation in zerovalent iron permeable reactive barriers: Characterization and evaluation of phase stability. <i>Journal of contaminant hydrology</i> , 116(1-4), 47-57.
63LEF/MAR	LEFEBVRE, M. J. & MARIA, H. 1963. Étude des équilibres dans les solutions récentes des polyantimoniates. <i>Comptes rendus hebdomadaires des Seances de l'Academie des Sciences</i> , 256 3121-3125.
96LEH/CAR	LEHIKONEN, J., CARLSSON, T., MUURINEN, A., OLIN, M. & SALONEN, P. 1996. Evaluation of factors affecting diffusion in compacted bentonite. <i>MRS Proceedings</i> .
96LEH/MUU	LEHIKONEN, J., MUURINEN, A., MELAMED, A. & PITKÄNEN, P. 1996. Determination of porewater chemistry in compacted bentonite. <i>MRS Proceedings</i>
10LEH/GEI	Lehmann, S., Geipel, G., Grambole, G., Bernhard, G. 2010. Complexation of aqueous uranium(IV) with phosphate investigated using time-resolved laser-induced fluorescence spectroscopy, <i>J. Radioanal. Nucl. Chem.</i> , 283, 395-401.
94LEI/ZON	LEI, Q., ZONG, H., LIN, R. & YU, Q. 1994. Ionization thermodynamics of weak acids in water/DMF mixtures at 298.15 K. <i>Thermochim. Acta</i> , 247, 315-319.
73LEI/MAC	LEINONEN, P. J. & MACKAY, D. 1973. The multicomponent solubility of hydrocarbons in water. <i>Can. J. Chem. Eng.</i> , 51, 230-233.
89LEM/GAR	LEMIRE, R. J. & GARISTO, F. 1989. The solubility of U, Np, Pu, Th and Tc in a geological disposal vault for used nuclear fuel Atomic Energy of Canada Limited.
80LEM/TRE	LEMIRE, R. J. & TREMAINE, P. R. 1980. Uranium and Plutonium equilibria in aqueous solutions to 200 °C. <i>Journal of Chemical Engineering Data</i> , 25 361-370.
84LEM	LEMIRE, R. J. 1984. An assessment of the thermodynamic behaviour of Neptunium in water and model groundwaters from 25 to 150 °C (AECL-7817) Atomic Energy of Canada Limited.

88LEM	LEMIRE, R. J. 1988. Effects of high ionic strength groundwaters on the calculated equilibrium concentrations in the uranium-water system Atomic Energy of Canada Limited.
95LEM	LEMIRE, R. J. 1995. The solubility of nickel and copper(II) oxides in water and aqueous phosphate solutions at high temperatures: a reanalysis of the data of Ziemniak, Jones and Combs Atomic Energy of Canada Limited.
89LEM/&GA	Lemire, R. J., & Garisto, F. (1989). The solubility of U, Np, Pu, Th and Tc in a geological disposal vault for used nuclear fuel (No. AECL--10009). Atomic Energy of Canada Ltd.
01LEM/BAN	LEMIRE, R. J., BANK, N. E. A. D. & AGENCY, O. N. E. 2001. Chemical thermodynamics of neptunium and plutonium, Nuclear Energy Agency, Organisation for Economic Co-operation and Development.
13LEM/BER	LEMIRE, R. J., BERNER, U., MUSIKAS, C., PALMER, D. A., TAYLOR, P. & TOCHIYAMA, O. 2013. Chemical Thermodynamics of iron. Part I.
01LEM/FUG	LEMIRE, R. J., FUGER, J., NITSCHKE, H., POTTER, P., RAND, M. H., RYDBERG, J., SPAHIU, K., SULLIVAN, J. C., ULLMAN, W. J., VITORGE, P. & WANNER, H. 2001. Chemical thermodynamics vol. 4: Chemical thermodynamics of neptunium and plutonium, NEA North Holland Elsevier Science Publishers B. V., Amsterdam, The Netherlands
89LEM/GAR	Lemire, R. J., Garisto, F. 1989. The solubility of U, Np, Pu, Th, and Tc in a geological disposal vault for used nuclear fuel. Atomic Energy of Canada Limited AECL-10009.
20LEM/PAL	Lemire, R. J., Palmer, D. A., Taylor, P., Schlenz, H. 2020. Chemical thermodynamics of iron. Part 2. NEA-OECD Chemical thermodynamics 13b.
61LEN/BUS	LENGWEILER, H., BUSER, W. & FEITKNECHT, W. 1961. Determination of the solubility of iron(III) hydroxide with iron-59. I. Precipitation and dissolving. Helv. Chim. Acta (In German), 44 796-805.
61LEN/BUS2	Lengweiler, H., Buser, W., Feitknecht, W. 1961b. Die Ermittlung der Löslichkeit von Eisen (III)-hydroxiden mit 59Fe: II. Der Zustand kleinster Mengen Eisen(III)-hydroxid in wässriger Lösung, Helv. Chim. Acta, 44, 805-811.
66LES/SEL	LESHCHINSKAYA, S. L. & SELIVANOVA, N. M. 1966. Thermodynamic properties of magnesium selenites. Russ. J. Inorg. Chem., 11 143-146.
65LES/AVE	LESHCHINSKAYA, S. L., AVERBUKH, M. A. & SELIVANOVA, N. M. 1965. Solubility and thermodynamic properties of barium and strontium selenites. Russ. J. Phys. Chem., 39 1082-1083.
70LET	LETOWSKI, F. 1970. Etudes thermodynamiques des solutions aqueuses des ammoniacates de metaux aux temperatures elevees. II. Constantes de stabilite des ammoniacates de nickel en temperatures jusqu'a 180°C. Roczniki Chem., 44 1665-1673.
70LEU/GRU	LEUNG, C. S. & GRUNWALD, E. 1970. Temperature dependence of ΔC_p° for the self-ionisation of water and for the acid dissociation of acetic acid and benzoic acid in water. J. Phys. Chem., 74, 687-769.
53LEU/KOL	Leussing, D.L. and Kolthoff, I.M. 1953. The solubility product of ferrous and the ionization of aquo-ferrous ion. J. Amer. Chem. Soc. 75, 2476-2479.
68LEV	Levanda, O.G. 1968. Influence of ionic strength on the stability constant of the tetrachloropalladate(II) ion in water. Russ. J. Inorg. Chem. 13, 1707-1708.
82LEV/NAR	LEVITSKI, V. A., NARCHUK, P. B., KOVBA, M. L. & Y.Y., S. 1982. Solid electrolytes in thermodynamic studies. The thermodynamic properties of PdO. Russ. J. Phys. Chem, 56 1474-1479.

93LI/CAR	LI, J. & CARR, P. W. 1993. Measurement of water-hexadecane partition coefficients by headspace gas chromatography and calculation of limiting activity coefficients in water. <i>Anal. Chem.</i> , 65, 1443-1450.
93LI/DAL	LI, J., DALLAS, A. J., EIKKENS, D. I., CARR, P. W., BERGMANN, D. L., HAIT, M. J. & ECKERT, C. A. 1993. Measurement of large infinite dilution activity coefficients of nonelectrolytes in water by inert gas stripping and gas chromatography. <i>Anal. Chem.</i> , 65, 3212-3218.
58LI/DOO	LI, N. C., DOODY, E. & WHITE, J. M. 1958. Copper(II), nickel and uranyl complexes of some amino acids. <i>J. Amer. Chem. Soc.</i> , 80 5901-5903.
73LIB	Libus, Z. (1973) Nature and stability of the CuCl ⁺ complex in aqueous solution. <i>Inorg. Chem.</i> , 12, 2972-2977.
88LIC	LICHT, S. 1988. Aqueous Solubilities, Solubility Products and Standard Oxidation-Reduction Potentials of the Metal Sulfides. <i>Journal of The Electrochemical Society</i> , 135, 2971-2975.
95LIC/FOR	Licht, S., & Forouzan, F. (1995). Speciation analysis of aqueous polyselenide solutions. <i>Journal of the Electrochemical Society</i> , 142(5), 1546.
01LID/YAM	LIDA, Y., YAMAGUCHI, T., NAKAYAMA, S., NAKAJIMA, T. & SAKAMOTO, Y. 2001. The Solubility of Metallic Selenium under Anoxic Conditions. <i>Mat. Res. Soc. Symp. Proc.</i> , 663
86LIE/KIM	LIERSE, C. & KIM, J. I. 1986. Chemisches Verhalten von plutonium in natürlichen aquatischen systemen: Hydrolyse, carbonatkompleierung and redox reaktionen <i>Inst. Für radiochemie, Technische universität München.</i>
65LIE	LIESER, K. H. 1965. Radiochemische Messung der Löslichkeit von Erdalkalisulfaten in Wasser und in Natriumsulfatlösungen. <i>Z Anorg Allg Chem</i> , 335, 225.
99LIG/NAV	LIGNY, D. D. & NAVROTSKY, A. 1999. Energetics of kaolin polymorphs. <i>American Mineralogist</i> , 84, 506-516.
12LIL/XU	Lilova, K. I., Xu, F., Rosso, K. M., Pearce, C. I., Kamali, S., Navrotsky, A. 2012. Oxide melt solution calorimetry of Fe ²⁺ -bearing oxides and application to the magnetite-maghemite (Fe ₃ O ₄ -Fe ₈ /3O ₄) system. <i>Am. Mineral.</i> 97, 164-175.
83LIN/TOR	LINDER, P. W., TORRINGTON, R. G. & SEEMAN, U. A. 1983. Formation constants for the complexes of levulinate and acetate with manganese(II), cobalt(II), nickel(II), copper(II), zinc(II) and hydrogen ions. <i>Talanta</i> , 30 295-298.
68LIN/JON	LINGE, H. G. & JONES, A. L. 1968. The acidity constant of the hydrogen chromate ion in the range 5-60°C in water. <i>Australian Journal of Chemistry</i> , 21, 2189.
68LIN/JON1	LINGE, H. G. & JONES, A. L. 1968. The acidity constant of the hydrogen chromate ion in the range 5-60°C in water. <i>Australian Journal of Chemistry</i> , 21, 2189.
68LIN/JON2	LINGE, H. G. & JONES, A. L. 1968. The equilibrium constant of the reaction $Cr_2O_7^{2-} + H_2O = 2HCrO_4^-$ at 15°C to 45°C. <i>Austr. J. Chem.</i> , 21 1445-1449.
65LIN/SEI	LINKE, W. F. & SEIDELL, A. 1965. Solubilities of inorganic and metal-organic compounds, Washington, D.C., American Chemical Society.
98LIN	LINKLATER, C. M. 1998. A natural analogue study of cement-buffered, hyperalkaline groundwaters and their interaction with a repository host rock. Phase II. Maqarin Natural Analogue site study group. . Nirex.
71LIO	LIU, J. G. 1971. P—T Stabilities of Laumontite, Wairakite, Lawsonite, and Related Minerals in the System CaAl ₂ Si ₂ O ₈ -SiO ₂ -H ₂ O. <i>Journal of Petrology</i> , 12, 379-411.
80LIP	LIPPMANN, F. 1980. Phase diagrams depicting aqueous solubility of binary mineral systems. <i>Neues Jahrb. Mineral. Abh</i> , 139, 1-25.

86LIP	LIPSICAS, M. 1986. Molecular Motions, Surface Interactions, and Stacking Disorder in Kaolinite Intercalates. <i>Clays and Clay Minerals</i> , 34, 635-644.
80LIS/GOF	LISI, R. D., GOFFREDI, M. & LIVERI, V. T. 1980. Calorimetric determination of solution enthalpies of liquids with a small mutual solubility at 298.15K. <i>J. Chem. Soc., Faraday Trans. I.</i> , 76, 1660-1662.
55LIS/RIV	Lister, M. W. and Rivington, D. E. 1955. Ferric sulphate complexes, and ternary complexes with thiocyanate ions. <i>Can. J. Chem.</i> , 33, 1591-1602.
60LIS/ROS	Lister, M.W. and Rosenblum, P. (1960) Some equilibrium constants of transition metal halides. <i>Can. J. Chem.</i> , 38, 1829-1836.
05LIU/FAN	LIU, D. J. & FAN, X. H. 2005. Solubility of Tc(IV) oxides. 10th International conference on chemistry and migration behaviour of actinides and fission products in the geosphere. Migration 2005
07LIU/YAO	Liu, D. J., Yao, J., Wang, B., Bruggeman, C., Maes, N. 2007. Solubility study of Tc(IV) in a granitic water, <i>Radiochim. Acta</i> , 95, 523-528.
06LIU/ETS	Liu, W., Etschmann, B., Brugger, J., Spiccia, L., Foran, G. and McInnes, B. 2006. UV-Vis spectrophotometric and XAFS studies of ferric chloride complexes in hyper-saline LiCl solutions at 25-90 °C. <i>Chem. Geol.</i> , 231, 326-349.
97LIU/BYR	LIU, X. & BYRNE, R. H. 1997. Rare earth and yttrium phosphate solubilities in aqueous solution. <i>Geochim. et Cosmochim. Acta</i> , 61(8) 1625-1633.
98LIU/BYR	LIU, X. & BYRNE, R. H. 1998. Comprehensive investigation of yttrium and rare earth element complexation by carbonate ions using ICP-mass spectrometry. <i>J. Solution Chem.</i> , 27 803-815.
99LIU/MIL	Liu, X. and Millero, F. J. 1999. The solubility of iron hydroxide in sodium chloride solutions, <i>Geochim. Cosmochim. Acta</i> , 63, 3487-3497.
97LIU/BYR	Liu, X., Byrne, R. H. 1997. Rare earth and yttrium phosphate solubilities in aqueous solution, <i>Geochim. Cosmochim. Acta</i> , 61, 1625-1633.
07LOD/DAN	LODGE, K. B. & DANSO, D. 2007. The measurement of fugacity and the Henry's law constant for volatile organic compounds containing chromophores. <i>Fluid phase equilib</i> , 253, 74-79.
68LOE/PLA	LOEHR, T. M. & PLANE, R. A. 1968. Raman spectra and structures of arsenious acid and arsenites in aqueous solution. <i>Inorganic Chemistry</i> , 7, 1708-1714.
06LOH/TAN	LOH, X. J., TAN, K. K., LI, X. & LI, J. 2006. The in vitro hydrolysis of poly (ester urethane) s consisting of poly [R-3-hydroxybutyrate] and poly (ethylene glycol). <i>Biomaterials</i> , 27, 1841-1850.
52LON/MCD	LONG, F. A. & MCDEVIT, W. F. 1952. Activity coefficients of nonelectrolyte solutes in aqueous salt solutions. <i>Chem. Rev.</i> , 51, 119-169.
07LON	LONGHURST, G. R. 2007. The Idaho National Laboratory Beryllium Technology Update. . 8th IEA International Workshop on Beryllium Technology.: INL.
04LOO/PAS	LOOS, D., PASEL, C., LUCKAS, M., SCHMIDT, K. G. & HERBELL, J. D. 2004. Experimental investigation and modelling of the solubility of calcite and gypsum in aqueous systems at higher ionic strength. <i>Fluid phase equilibria</i> , 219, 219-229.
21LOP/PER	López, M., Pérez, D., Colàs, E. and Duro, L. 2021. Update of data selection for Ni hydroxides. TC-III-01E_vs1
20LOP/BEG	López-García, M., Begg, J., Riba, O., Colàs, E., Duro, L. 2020. Consistency: Second progress report. TC3 Project - Task C. ThermoChimie report TCIII-TRC-2020-VII-02E_vs1.
22LOP/COL	López-García, M., Colàs, E., and Duro, L. 2022. M(II)-U-CO3 data selection and temperature effects. TCIII- 2022- 04E_vs1

21LOP/COL	López-García, M., Colàs, E., Duro, L. 2021. M(II)-U-CO3 data selection and temperature effects. ThermoChimie report TCIII-2021-05E_vs1.
22LOP/RIB	López-García, M., Riba, O. Rodríguez, J., Colàs, E. and Duro, L. 2022. NEA-TDB review - U, Np, Pu, Am update. TCIII-2022-05E_vs1
21LOP/RIB	López-García, M., Riba, O., Rodríguez, J., Colàs, E., Duro, L. 2021b. NEA-TDB review - U, Np, Pu, Am update. ThermoChimie report TCIII-2021-20E_vs1.
00LOT/OCH1	LOTHENBACH, B. & OCHS, M. 2000. Progress report 2. Support of Kd models and datasets for the retention of radionuclides in cementitious repositories Schlieren, Switzerland: BMG.
06LOT/WIN	LOTHENBACH, B. & WINNEFELD, F. 2006. Thermodynamic modelling of the hydration of Portland cement. Cement and Concrete Research, 36, 209-226.
08LOT/MAT	LOTHENBACH, B., MATSCHEI, T., MÖSCHNER, G. & GLASSER, F. P. 2008. Thermodynamic modelling of the effect of temperature on the hydration and porosity of Portland cement. Cement and Concrete Research, 38, 1-18.
99LOT/OCH1	LOTHENBACH, B., OCHS, M. & HAGER, D. 1999. Confinement of radioactive waste in cementitious barriers for surface and deep geological disposal. . Andra.
00LOT/OCH2	LOTHENBACH, B., OCHS, M. & HAGER, D. 2000. Thermodynamic data for the solubility of tin (IV) in aqueous cementitious environments. Radiochimica Acta, 88 521.
99LOT/OCH2	LOTHENBACH, B., OCHS, M., WANNER, H. & YUI, M. 1999. Thermodynamic data for the speciation and solubility of Pd, Pb, Sn, Sb, Nb and Bi in aqueous solution. . JNC.
99LOT/OCH	Lothenbach, B., Ochs, M., Wanner, H., Yui, M. 1999. Thermodynamic Data for the Speciation and Solubility of Pd, Pb, Sn, Sb, Nb and Bi in Aqueous Solution. JNC report TN8400 99-011.
60LOU	LOUISE, K. D. 1960. Dissociation constants of o-cresol in water at elevated temperatures. Trans. Faraday Soc., 56, 1633-1634.
70LOW/THI	LOWN, D. A., THIRSK, H. R. & WYNNE-JONES, L. 1970. Temperature and pressure dependence of the volume of ionization of acetic acid in water from 25 to 225°C and 1 to 3000 bars. Trans. Faraday Soc., 66 51-73.
85LOW	LOWSON, R. T. 1985. The thermochemistry of radium. Thermochem. Acta, 91 185-212.
95LU/MOT	LU, O., MOTEKAITIS, R. J., RIBENSPIES, J. J. & MARTELL, A. E. 1995. Molecular Recognition by the Protonated Hexaaza Macrocyclic Ligand 3, 6, 9, 16, 19, 22- Hexaaza-27, 28-dioxatricyclo [22.2. 1.111, 14] octacos-1 (26), 11, 13, 24-tetraene. Inorg. Chem., 34, 495.
10LU/ZHU	LU, P. & ZHU, C. 2010. Arsenic Eh-pH diagrams at 25°C and 1 Bar. Environmental Earth Sciences, 62, 1673-1683.
97LUB/HAV	LUBAL, P. & HAVEL, J. 1997. The study of complex equilibria of uranium(VI) with selenate. Talanta, 44, 457-466.
81LUK/LUK	LUKKARI, O. & LUUKKARI, H. 1981. Finnish Chemical Letters, 62
89LUL/POR	Iuliano, M., Porto, R., Vasca, E. (1989) Chloride complexes of copper(II) and nickel(II) ions in 6m NaClO4. Ann. Chim. Roma, 79, 439-454.
75LUM/KAR	LUMME, P. & KARI, E. 1975. Phthalic acid as a reagent in inorganic qualitative analysis of metal ions. Part IV. Thermodynamics of the complexation of phthalate ion with divalent copper, nickel, and cobalt ions in aqueous sodium perchlorate solutions. Acta Chem Scand, A29 125-135.
06LUN/ARC	LUNA, M., ARCOS, D. & DURO, L. 2006. Effects of grouting, shotcreting and concrete leachates on backfill geochemistry SKB.

82LUN	LUNDQVIST, R. 1982. Hydrophilic complexes of the actinides: I. Carbonates of trivalent americium and europium. <i>Acta Chem. Scand.</i> , 1 741-750.
04LUO/MIL	LUO, Y. & MILLERO, F. J. 2004. Effects of temperature and ionic strength on the stabilities of the first and second fluoride complexes of yttrium and the rare earth elements. <i>Geochim. Cosmochim. Ac.</i> , 68 4301-4308.
00LUO/BYR	LUO, Y. R. & BYRNE, R. H. 2000. The ionic strength dependence of rare earth and yttrium fluoride complexation at 25°C. <i>J. Solution. Chem.</i> , 29 1089-1099.
04LUO/BYR	LUO, Y. R. & BYRNE, R. H. 2004. Carbonate Complexation of Yttrium and the Rare Earth Elements in Natural Waters. <i>Geochimica et Cosmochimica Acta</i> , 68 691-699.
07LUO/BYR	LUO, Y. R. & BYRNE, R. H. 2007. The influence of ionic strength of yttrium and rare earth element complexation by fluoride ions in NaClO ₄ , NaNO ₃ and NaCl solution at 25°C. <i>J. Solution Chem.</i> , 36 673-689.
01LUO/BYR	LUO, Y. R. & BYRNE, R. H. 2001. Yttrium and rare earth element complexation by chloride ions at 25°C. <i>J. Solution. Chem.</i> , 30 837-845.
96LUT/RIC	LUTHER, G. W. I. I., RICKARD, D. T., THEBERGE, S. & OLROYD, A. 1996. Determination of metal (bi)sulfide stability constants of Mn ²⁺ , Fe ²⁺ , Co ²⁺ , Ni ²⁺ , Cu ²⁺ and Zn ²⁺ by voltammetric methods. <i>Environ. Sci. Technol.</i> , 30 671-679.
92LUT/RUD	LUTSYK, A. I., RUDAKOV, E. S. & GUNDILOVICH, G. G. 1992. Solubility of hydrocarbons in the system water-nitric acid. <i>Ukr. Khim. Zh.</i> , 58.
13LÜT/ARV	LÜTTGE, A., ARVIDSON, R. S. & FISCHER, C. 2013. A Stochastic Treatment of Crystal Dissolution Kinetics. <i>Elements</i> , 9, 183-188.
66LYL/NAQ	LYLE, S. J. & NAQVI, S. J. 1966. A study of the distribution of series of positively charged europium complexes between a cation-exchanger and an external aqueous phase. <i>Journal of Inorganic and Nuclear Chemistry</i> , 28, 2993-3004.
49LYO/GIA	Lyon, D.N. and Giauque, W. F. 1949. Magnetism and the third law of thermodynamics. Magnetic properties of ferrous sulfate heptahydrate from 1 to 20°K. Heat capacity from 1 to 310°K. <i>J. Am. Chem. Soc.</i> , 71, 1647-1657.
83MAC	MACAROVICI, C. G. 1983. Chelate complexes of tetravalent metals (Ti, Zr, Hf, Th, Ge, Sn) with D-gluconic and D-saccharic acids. <i>Memoriile Sectiilor Stiintifice</i> , 4, 209-223.
77MAC/HOS	MACGEE, K. A. & HOSTELTER, P. B. 1977. Studies in the system MgOSiO ₂ - CO ₂ -H ₂ O (IV): The stability of MgOH ⁺ from 10° to 90°C. <i>American Journal of Science</i> , 275, 304-317.
75MAC/SHI	MACKAY, D. & SHIU, W. Y. 1975. Determination of the solubility of hydrocarbons in aqueous sodium chloride solutions. <i>Can. J. Chem. Eng.</i> , 53, 239-242.
79MAC/SHI	MACKAY, D., SHIU, W. Y. & SUTHERLAND, R. P. 1979. Determination of air-water Henry's law constants for hydrophobic pollutants. <i>Environ. Sci. Technol.</i> , 13, 333-337.
92MAC/SCO	MACKENZIE, A. B., SCOTT, R. D., LINSALATA, P. & MIEKELEY, N. 1992. Natural decay series studies of the redox front system in the Poços de Caldas uranium mineralization. <i>J. Geochem. Explor.</i> , 45 289-322.
04MAC/BAR	MACPHEE, D. E. & BARNETT, S. J. 2004. Solution properties of solids in the ettringite—thaumasite solid solution series. <i>Cement and Concrete Research</i> , 34, 1591-1598.
12MAD	MADÉ, B. 2012. Technical note, May 11th, 2012. Andra.
13MAD	MADÉ, B. 2013. Calculating the solubility of TC-RN according to the temperature (Thermochimie). Andra.

15MAD/HEN	MADÉ, B., HENOCQ, P. & GIFFAUT, E. 2015. Limites de solubilité de radionucléides et de toxiques chimiques en conditions salines: milieux cimentaires et milieu argileux expression du besoin. Paris (France): Andra.
03MAE/NOM	MAESHIMA, T., NOMA, H., SAKIYAMA, M. & MITSUDA, T. 2003. Natural 1.1 and 1.4 nm tobermorites from Fuka, Okayama, Japan: Chemical analysis, cell dimensions, ²⁹ Si NMR and thermal behavior. Cement and Concrete Research, 33, 1515-1523.
53MAG/HUI	Magnusson, L. B. and Huizenga, J. R. 1953. Stabilities of +4 and +5 oxidation states of the actinide elements - the Np(IV) - Np(V) couple in perchloric acid solution, J. Am. Chem. Soc., 75, 2242-2246.
68MAG/CAS	MAGON, L., CASSOL, A. & PORTANOVA, R. 1968. Complexes of plutonium (III) with acetate. Inorganica Chimica Acta, 2 285-288.
68MAG/POR	MAGON, L., PORTANOVA, R. & CASSOL, A. 1968. Complexes of plutonyl ion with acetate. Inorg. Chim. Acta, 2 237-240.
54MAH	MAH, A. 1954. Heats of formation of chromium oxide and cadmium oxide from combustion calorimetry. Journal of the American Chemical Society, 79 3363-3365.
62MAH	MAH, A. D. 1962. Heats and free energies of formation of antimony sesquioxide and tetroxide U. S. Bureau of Mines.
21MAI/RIB	Maia, F.M.S., Ribet, S., Bailly, C., Grivé, M., Madé, B., Montavon, G., 2021. Evaluation of thermodynamic data for aqueous Ca-U(VI)-CO ₃ species under conditions characteristic of geological clay formation. Applied Geochemistry 124, 104844.
82MAJ/STU	MAJER, V. & STULIK, K. 1982. Analytical data. A study of the stability of alkaline-earth metal complexes with fluoride and chloride ions at various temperature by potentiometry with ion selective electrodes. Talanta, 29 145-148.
03MAJ/GRE	MAJZLAN, J., GREVEL, K.-D. & NAVROTSKY, A. 2003. Thermodynamics of iron oxides. II. Enthalpies of formation and relative stability of goethite (alpha-FeOOH), lepidocrocite (gamma-FeOOH), and maghemite (gamma-Fe ₂ O ₃). American Mineralogist, 88 855-859.
03MAJ/LAN	MAJZLAN, J., LANG, B. E., STEVENS, R., NAVROTSKY, A., WOODFIELD, B. F. & BOERIO-GOATES, J. 2003. Thermodynamics of iron oxides. I. Standard entropy and heat capacity of goethite (alpha-FeOOH), lepidocrocite (gamma-FeOOH), and maghemite (gamma-Fe ₂ O ₃). American Mineralogist, 88 846-854.
04MAJ/NAV	MAJZLAN, J., NAVROTSKY, A. & SCHWERTMANN, U. 2004. Thermodynamics of iron oxides: Part III. Enthalpies of formation and stability of ferrihydrite (Fe(OH) ₃), schwertmannite (FeO(OH) _{3/4} (SO ₄) _{1/8}) and epsilon-Fe ₂ O ₃ . Geochimica et Cosmochimica Acta, 68 1049-1059.
81MAK/SAG	MAKHMETOV, M. Z., SAGADIEVA, A. K. & CHUPRAKOV, V. I. 1981. Solubility of iron arsenate. Journal of Applied Chemistry, 54 823-824.
83MAL/URU	MALININ, S. D. & URUSOV, V. S. 1983. The experimental and theoretical data on isomorphism in the (Ba,Sr)SO ₄ system in relation to barite formation. Geokhimiya, 9 1324-1334-1324-1334.
80MAL/CHU	MALINKO, L. A., CHUMAKOVA, L. S., ARSEININ, K. I., KARLYSHEVA, K. F. & SHEKA, I. A. 1980. The interaction of zirconium sulphate with sodium carbonate in solution. Russ.J.Inorg.Chem, 25, 1184-1188.
83MAL/SRE	MALLIKA, C., SREEDHARAN, O. M. & GNANAMOORTHY, J. B. 1983. Determination of the standard free energy of formation of PdO(s) from the solid oxides electrolyte emf. J. Less-Common Metals, 95 213-220.
15MAL	MALMBERG, M. 2015. LJUNGSKILE 2.4 Expansion and modernization of LJUNGSKILE 2.3. Chalmers University of Technology.
82MAM/PAC	Mamczák, M., & Pachevskii, V. V. (1982). Complexing properties of bivalent and trivalent iron in the system citric acid-iron (II) perchlorate-iron (III) perchlorate-water. Chemical Papers, 36(3), 333-343.

06MAN/CAR	MANFREDI, C., CARUSO, V., VASCA, E., VERO, S., VENTIMIGLIA, E., PALLADINO, G. & FERRI, D. 2006. On the hydrolysis of the tetravalent uranium ion U^{4+} . <i>J. Solution. Chem.</i> , 35 927-937.
69MAN/BHA	MANKU, G. S., BHAT, A. N. & JAIN, B. D. 1969. Solvent extraction studies of complexes of oximidobenzotetronic acid with iron (II), nickel (II) and copper (II). <i>Inorg. Nucl. Chem.</i> , 31 2533-2543.
62MAN/MON	MANNING, P. G. & MONK, C. B. 1962. Solvent extraction studies of ion association. Some europium complexes. <i>Trans. Faraday Soc.</i> , 58 938-941.
66MAN	MANNING, P. G. 1966. Europium oxalate ion association in water. <i>Canadian Journal of Chemistry</i> , 44, 3057-3062.
96MAR/KHO	MARCOS-ARROYO, M., KHOSHBARCHI, M. K. & VERA, J. H. 1996. Activity coefficients of sodium, potassium, and nitrate ions in aqueous solutions of $NaNO_3$, KNO_3 , and $NaNO_3 + KNO_3$ at 25° C. <i>Journal of solution chemistry</i> , 25(10), 983-1000.
60MAR	Marcus, Y. 1960. The anion exchange of metal complexes-IV. The iron(III) - chloride system. <i>J. Inorg. Nucl. Chem.</i> , 12, 287-296.
10MAR/ACC	MARINI, L. & ACCORNERO, M. 2010. Erratum to: Prediction of the thermodynamic properties of metal-arsenate and metal-arsenite aqueous complexes to high temperatures and pressures and some geological consequences. <i>Environmental Earth Sciences</i> , 59, 1601-1606.
83MAR/PAV	Markovi, M., Pavkovi, N. 1983. Solubility and equilibrium constants of uranyl(2+) in phosphate solutions, <i>Inorg. Chem.</i> , 22, 978-982.
03MAR/FAR	MARONGIU, A., FARAVELLI, T., BOZZANO, G., DENTE, M. & RANZI, E. 2003. Thermal degradation of poly (vinyl chloride). <i>Journal of analytical and applied pyrolysis</i> , 70, 519-553.
62MAR/RYA	MAROV, I. N. & RYABCHIKOV, D. I. 1962. Complex formation of Zr (IV) and Hf (IV) with chloride, nitrate, and oxalate ions. <i>Russ. J. Inorg. Chem</i> , 7 533-539.
80MAR/WAR	MARSHALL, W. L. & WARAKOMSKI, J. M. 1980. Amorphous silica solubilities—II. Effect of aqueous salt solutions at 25°C. <i>Geochimica et Cosmochimica Acta</i> , 44, 915-924.
80MAR1	MARSHALL, W. L. 1980. Amorphous silica solubilities—I. Behavior in aqueous sodium nitrate solutions; 25--300°C, 0--6 molal. <i>Geochimica et Cosmochimica Acta</i> , 44, 907-913.
80MAR	MARSHALL, W. L. 1980. Amorphous silica solubilities—III. Activity coefficient relations and predictions of solubility behavior in salt solutions, 0--350°C. <i>Geochimica et Cosmochimica Acta</i> , 44, 925-931.
80MAR2	MARSHALL, W. L. 1980. Amorphous silica solubilities—III. Activity coefficient relations and predictions of solubility behavior in salt solutions, 0--350°C. <i>Geochimica et Cosmochimica Acta</i> , 44, 925-931.
98MAR/SMI	MARTELL, A. & SMITH, R. 1998. NIST critically selected stability constants of metal complexes. NIST Standard Reference Database 46, Version 5.0 NIST.
04MAR/SMI	MARTELL, A. & SMITH, R. 2004. NIST critically selected stability constants of metal complexes. NIST Standard Reference Database 46, Version 8.0 NIST.
76MAR/SMI	MARTELL, A. E. & SMITH, R. M. 1976. Critical stability constants. 4. Inorganic complexes, Books on Demand.
95MAR/SMI	MARTELL, A. E. & SMITH, R. M. 1995. Critical stability constants. NIST Standard Reference Database 46, Gaithersburg, USA, NIST.
97MAR/SMI	MARTELL, A. E., SMITH, R. M. & MOTEKAITIS, R. J. 1997. NIST Critically Selected Stability. Constants of Metal Complexes Database. Version 4.0.

85MAR/FUG	MARTINOT, L. & FUGER, J. 1985. The actinides. In: BARD, A. J., PARSONS, R., JORDAN, J. & DEKKER, M. (eds.) Standard potentials in aqueous solution Marcel Dekker
11MAR/CAM	MARTY, N. C. M., CAMA, J., SATO, T., CHINO, D., VILLIÉRAS, F., RAZAFITIANAMAHARAVO, A., BRENDLÉ, J., GIFFAUT, E., SOLER, J. M., GAUCHER, E. C. & TOURNASSAT, C. 2011. Dissolution kinetics of synthetic Na-smectite. An integrated experimental approach. <i>Geochimica et Cosmochimica Acta</i> , 75, 5849-5864.
10MAR/FRI	MARTY, N. C. M., FRITZ, B., CLÉMENT, A. & MICHAU, N. 2010. Modelling the long term alteration of the engineered bentonite barrier in an underground radioactive waste repository. <i>Applied Clay Science</i> , 47, 82-90.
00MAR/GRA	MARTY, N. C. M., GRANGEON, S., WARMONT, F. & LEROUGE, C. 2000. Alteration of nanocrystalline Calcium Silicate Hydrate (C-S-H) at pH 9.2 and room temperature. <i>Cement and Concrete Research</i> .
09MAR/TOU	MARTY, N. C. M., TOURNASSAT, C., BURNOL, A., GIFFAUT, E. & GAUCHER, E. C. 2009. Influence of reaction kinetics and mesh refinement on the numerical modelling of concrete/clay interactions. <i>Journal of Hydrology</i> , 364, 58-72.
15MAR/CLA	MARTY, N., CLARET, F., LASSIN, A., TREMOSA, J., BLANC, P., MADÉ, B., GIFFAUT, E., COCHEPIN, B. & TOURNASSAT, C. 2015. A database of dissolution and precipitation rates for clay-rocks minerals. <i>Applied Geochemistry</i> . 55, 108-118.
80MAS/PEM	MASH, C. J. & PEMBERTON, R. C. 1980. Activity coefficients at very low concentrations for organic solutes in water determined by an automatic chromatographic method.: NPL (National Physical Laboratory).
87MAS	MASON, R. A. 1987. Ion microprobe analyses of trace elements in calcite with an application to the cathodoluminescence zonation of limestones cements from the Lower Carboniferous of South Wales, U.K. <i>Chemical Geology</i> , 64, 209-224.
91MAS/DEL	MASSCHELEYN, P. H., DELAUNE, R. D. & PATRICK, W. H. 1991. Biogeochemical behaviour of selenium in anoxic soils and sediments: an equilibrium thermodynamic approach. <i>J. Environ. Sci. Health</i> , 26 555-573.
10MAT/VIE	MATHIEU, R. & VIEILLARD, P. 2010. A predictive model for the enthalpies of formation of zeolites. <i>Microporous and Mesoporous Materials</i> , 132, 335-351.
06MAT/THA	MATHUR, J. N., THAKUR, P., DODGE, C. J., FRANCIS, A. J. & CHOPPIN, G. R. 2006. Coordination modes in the formation of the ternary Am (III), Cm (III), and Eu (III) complexes with EDTA and NTA: TRIFS, 13C NMR, EXAFS, and thermodynamics of the complexation. <i>Inorganic chemistry</i> , 45, 8026-8035.
07MAT/LOT	MATSCHER, T., LOTHENBACH, B. & GLASSER, F. P. 2007. The AFm phase in Portland cement. <i>Cement and Concrete Research</i> , 37, 118-130.
07MAT/LOT1	MATSCHER, T., LOTHENBACH, B. & GLASSER, F. P. 2007. The AFm phase in Portland cement. <i>Cement and Concrete Research</i> , 37, 118-130.
07MAT/LOT2	MATSCHER, T., LOTHENBACH, B. & GLASSER, F. P. 2007. Thermodynamic properties of Portland cement hydrates in the system CaO-Al ₂ O ₃ -SiO ₂ -CaSO ₄ -CaCO ₃ -H ₂ O. <i>Cement and Concrete Research</i> , 37, 1379-1410.
74MAT/KO	MATSUI, T., KO, H. C. & HEPLER, L. G. 1974. Thermodynamics of ionisation of benzoic acid and substituted benzoic acids in relation to the Hammett equation. <i>Can. J. Chem. Eng.</i> , 52, 2906-2911.
77MAT/SPO	MATTIGOD, S. V. & SPOSITO, G. 1977. Estimated association constants of some complexes of trace metals with inorganic ligands. <i>Journal of the Soil science Society of America</i> , 41 1092-1097.

79MAT/SPO	MATTIGOD, S. V. & SPOSITO, G. 1979. Geochemical modelling of tracer metal equilibria in contaminated soil solution using the computer program GEOCHEM. In: JENNE, E. A. (ed.) Chemical modelling in aqueous systems ACS Symp.Wash. S.C. .
97MAT/RAI	MATTIGOD, S. V., RAI, D., FELMY, A. R. & RAO, L. 1997. Solubility and solubility product of crystalline Ni(OH) ₂ . Journal of solution Chemistry, 26, 391-403.
62MAT	Mattsson, E. (1962) Potential-pH diagram för korrosionsstudier. Med beräkningsexempel avseende systemet Cu-Cl-H ₂ O, Svensk Kemisk Tidskrift, 74, 76-88.
35MAX/PAR	MAXWELL, W. R. & PARTINGTON, J. R. 1935. The dissociation constants of some polybasic acids. Trans. Faraday Soc., 31 922-935.
86MAY/KLN	MAY, H. M., KLNNIBURGH, D. G., HELMKE, P. A. & JACKSON, M. L. 1986. Aqueous dissolution, solubilities and thermodynamic stabilities of common aluminosilicate clay minerals: Kaolinite and smectites. United States Geological Survey.
98MAY/WIE	MAY, T. W. & WIEDMEYER, R. H. 1998. A table of polyatomic interferences in ICP-MS. ATOMIC SPECTROSCOPY-NORWALK CONNECTICUT-, 19 150-155.
78MAY/WAS	MAY, W. E., WASIK, S. P. & FREEMAN, D. H. 1978. Determination of the solubility behavior of some polycyclic aromatic hydrocarbons in water. Anal. Chem., 50, 997-1000.
83MAY/WAS	MAY, W. E., WASIK, S. P., MILLER, M. M., TEWARI, Y. B., BROWN-THOMAS, J. M. & GOLDBERG, R. N. 1983. Solution thermodynamics of some slightly soluble hydrocarbons in water. J. Chem. Eng. Data., 28, 197-200.
05MAZ/NAV	Mazeina, L. and Navrotsky, A. 2005. Surface enthalpy of goethite, Clays Clay Miner., 53, 113-122.
71MCA	MCALLIFE, C. 1971. GC determination of solute by multiple phaseequilibration. Chem. Tech., 1, 46-51.
61MCA/NAN	MCAULEY, A. & NANCOLLAS, G. H. 1961. Thermodynamics of ion association. Part IX. Some transition-metal oxalates. J. Chem. Soc., 4458-4463.
66MCA	MCAULIFFE, C. 1966. Solubility in water of paraffin, cycloparaffin, olefin, acetylene, cycloolefin, and aromatic hydrocarbons. J. Phys. Chem., 70, 1267-1275.
51MCB/LIS	MCBAIN, J. W. & LISSANT, K. J. 1951. The solubilization of four typical hydrocarbons in aqueous solution by three typical detergents. J. Phys. Chem., 55.
98MCC/CZE	MCCARTHY, J. F., CZERWINSKI, K. R., SANFORD, W. E., JARDINE, P. M. & MARSH, J. D. 1998. Mobilization of transuranic radionuclides from disposal trenches by natural organic matter. Journal of Contaminant Hydrology, 30 49-77.
97MCC/SHO	MCCOLLOM, T. M. & SHOCK, E. L. 1997. Geochemical constraints on chemolithoautotrophic metabolism by microorganisms in seafloor hydrothermal systems. Geochim. Cosmo. Acta, 61, 4375-4391.
50MCC/DAV	McConnell, H. and Davidson, N., Optical interaction between the chloro-complexes of copper(I) and copper(II) in solutions of unit ionic strength. J. Am. Chem. Soc., 72 (1950): 3168-3173.
52MCD/LON	MCDEVIT, W. F. & LONG, F. A. 1952. The activity coefficient of benzene in aqueous salt solutions. J. Amer. Chem. Soc., 74, 1773-1777.
77MCD/GRE	MCDOWELL, H., GREGORY, T. M. & BROWN, W. E. 1977. Solubility of Ca ₅ (PO ₄) ₃ OH in the system Ca(OH) ₂ -H ₃ PO ₄ -H ₂ O at 5, 15, 25 and 37°C. Journal of research of the National Bureau of Standards – A. Physics and Chemistry, 81A 273-281.

36MCD/JOH	McDowell, L.A. and Johnston, H.L. (1936) The solubility of cupric oxide in alkali and the second dissociation constant of cupric acid, The analysis of very small amounts of copper. <i>J. Am. Chem. Soc.</i> , 58, 2009-2014.
86MCK/BAR	MCKIBBEN, M. A. & BARNES, H. L. 1986. Oxidation of pyrite in low temperature acidic solutions: Rate laws and surface textures. <i>Geochimica et Cosmochimica Acta</i> , 50, 1509-1520.
92MCL/BLE	MCLEAN, J. E. & BLEDSOE, B. E. 1992. Ground Water Issue. Behaviour of metals in soils. US-EPA/s-2. Utah Water Research Laboratory, 1-20.
89MCN/BAL	MCNEAL, J. M. & BALISTRIERI, L. S. 1989. Geochemistry and occurrence of selenium: an overview. <i>Soil Sci. Soc. Am. J.</i> , 23 1-13.
08MEC/COL	MECA, S., COLÀS, E., ROJO, I., GAONA, X., GRIVÉ, M., DURO, L., ROVIRA, M., MARTÍ, V. & DE PABLO, J. 2008. U(VI) interaction with cement-based materials. 2nd International Workshop. Mechanism and modelling of waste/cement interaction
93MEE/BEN	MEECE, D. E. & BENINGER, L. A. 1993. The coprecipitation of Pu and other radionuclides with CaCO ₃ . <i>Geochimica et Cosmochimica Acta</i> , 57, 1447-1458.
56MEG/KEL	MEGAW, H. D. & KELSEY, C. H. 1956. Crystal Structure of Tobermorite. <i>Nature</i> , 177, 390-391.
38MEG	MEGSON, N. J. L. 1938. The solubility of phenols in formalin. <i>Transactions of the Faraday Society</i> , 34, 525-532.
69MEH/GUB	MEHRA, M. C. & GUBELI, A. O. 1969. Complexing characteristics of insoluble selenites: I. Silver selenite. <i>Radiochem. Radioanal. Lett.</i> , 2 61-68.
71MEH/GUB	MEHRA, M. C. & GUBELI, A. O. 1971. The complexing characteristics of insoluble selenides. III. Mercuric selenide. <i>J. Less-Common Met</i> , 25 221-224.
68MEH	MEHRA, M. C. 1968. Studies on the stabilities of some metal selenite, sulphide and selenide complexes in solution. Laval University, Quebec, Canada.
91MEI/KIM	MEINRATH, G. & KIM, J. I. 1991. The carbonate complexation of the Am(III) ion. <i>Radiochim. Acta</i> , 52/53 (3) 29-34.
10MEL	MELCHER, A. C. 1910. The solubility of silver chloride, barium sulphate and calcium sulphate at high temperature. <i>Journal of the American Chemical Society</i> , 32, 50-66.
09MEL/AZE	MELESCHYN, A., AZEROUAL, M., REECK, T., HOUBEN, G., RIEBE, B. & BUNNENBERG, C. 2009. Influence of (Calcium-)Uranyl-Carbonate complexation on U(VI) sorption on Ca- and Na-Bentonites. <i>Environ. Sci. Technol.</i> , 43 4896-4901.
83MEL/EFI	MELNIKOVA, V. M., EFIMOV, M. E., VASIN, S. K. & MEDVEDEV, V. A. 1983. The standard molar enthalpies of formation of zirconium sulphate and its crystal hydrates. <i>J.Chem. Thermodynamics</i> , 15 523-529.
07MEN/MAR	MENADAKIS, M., MAROULIS, G. & KOUTSOUKOS, P. G. 2007. A quantum chemical study of doped CaCO ₃ (calcite). <i>Computational materials science</i> , 38, 522-525.
70MER/KUM	MERKUSHEVA, S. A., KUMOK, V. N., SKORIK, N. A. & SEREBRENNIKOV, V. V. 1970. Stability of complexes of thorium and uranium (IV) with anions of dicarboxylic acids. <i>RADKA</i> , 12 175-178.
96MER/FUG	MERLI, L. & FUGER, J. 1996. Thermochemistry of selected lanthanides and actinide hydroxycarbonates and carbonates. <i>Radiochim. Acta</i> , 74 37-43.

97MER/LAM	MERLI, L., LAMBERT, B. & FUGER, J. 1997. Thermochemistry of lanthanum, neodymium, samarium and americium trihydroxides and their relation to the corresponding hydroxycarbonates. <i>J. Nucl. Mat.</i> , 247 172-176.
88MER	MERLINO, S. 1988. Gyrolite: Its Crystal Structure and Crystal Chemistry. <i>Mineralogical Magazine</i> , 52, 377-387.
00MER/BON	MERLINO, S., BONACCORSI, E. & ARMBRUSTER, T. 2000. The real structures of clinotobermorite and tobermorite 9 Å OD character, polytypes, and structural relationships. <i>European Journal of Mineralogy</i> , 12, 411-429.
01MER/CAN	MERMUT [†] , A. R. & CANO, A. F. 2001. Baseline Studies of the Clay Minerals Society Source Clays: Chemical Analyses of Major Elements. <i>Clays and Clay Minerals</i> , 49, 381-386.
01MER/WEL	MERSIOWSKY, I., WELLER, M. & EJLERTSSON, J. 2001. Fate of plasticised PVC products under landfill conditions: a laboratory-scale landfill simulation reactor study. <i>Water Research</i> , 35, 3063-3070.
15MES/SZE	MESBAH, A., SZENKNECT, S., CLAVIER, N., LOZANO-RODRIGUEZ, J., POINSSOT, C., DEN AUWER, C., EWING, R. C. & DACHEUX, N. 2015. Coffinite, USiO ₄ , Is Abundant in Nature: So Why Is It So Difficult To Synthesize? <i>Inorganic chemistry</i> , 54(14), 6687-6696.
67MES/BAE	MESMER, R. E. & BAES, C. F. 1967. The hydrolysis of beryllium (II) in 1m NaCl. <i>Inorganic Chemistry</i> , 6, 1951-1960.
71MES	Mesmer, R. E. 1971. Hydrolysis of iron (2+) in dilute chloride at 25°C. <i>Inorg. Chem.</i> , 10, 4, 857-858.
89MES/PAT	MESMER, R. E., PATTERSON, C. S., BUSEY, R. H. & HOLMES, H. F. 1989. Ionization of acetic acid in aq. sodium chloride media: a potentiometric study to 573K and 130 bar. <i>J. Phys. Chem.</i> , 93, 7483-7490.
72MET/GUI	METIVIER, H. & GUILLAUMONT, R. 1972. Hydrolysis du plutonium tetravalent. <i>Radiochem Radioanal. Lett.</i> , 10 27-35.
05MET/AMR	METZ, V., AMRAM, K. & GANOR, J. 2005. Stoichiometry of smectite dissolution reaction. <i>Geochimica et cosmochimica acta</i> , 69, 1755-1772.
05MET/RAA	METZ, V., RAANAN, H., PIEPER, H., BOSBACH, D. & GANOR, J. 2005. Towards the establishment of a reliable proxy for the reactive surface area of smectite. <i>Geochimica et Cosmochimica Acta</i> , 69, 2581-2591.
07MEY/BUR	MEYER, M., BURGAT, R., FAURE, S., BATIFOL, B., HUBINOIS, J. C., CHOLLET, H. & GUILARD, R. 2007. Thermodynamic studies of actinide complexes. 1. A reappraisal of the solution equilibria between plutonium (IV) and ethylenediaminetetraacetic acid (EDTAH ₄) in nitric media. <i>Comptes Rendus Chimie</i> , 10 929-947.
91MEY/ARN	Meyer, R. E., Arnold, W. D. 1991. The electrode potential of the Tc(IV)-Tc(VII) couple, <i>Radiochim. Acta</i> , 55, 19-22.
91MEY/ARN2	MEYER, R. E., ARNOLD, W. D., CASE, F. I. & O'KELLEY, G. D. 1991. Solubilities of Tc (IV) oxides. <i>Radiochim. Acta</i> , 55 19-22.
89MEZ/ARM	Mezyk S. and Armstrong, D. (1989) Kinetics of oxidation of Cu(I) complexes of cysteine and penicillamine: Nature of intermediates and reactants at pH 10.0. <i>Canadian J. Chem.</i> 67, 736-745.
91MGA/FÜR	MGAIDI, A., FÜRST, W. & RENON, H. 1991. Representation of the solubility of lead chloride in various chloride solutions with Pitzer's model. <i>Metallurgical Transactions B</i> , 22B, 491-498.
05MIC/BIH	MICHOT, L. J., BIHANNIC, I., PELLETIER, M., RINNERT, E. & ROBERT, J.-L. 2005. Hydration and swelling of synthetic Na-saponites: Influence of layer charge. <i>American Mineralogist</i> , 90, 166-172.
83MIC/DEB	MICSKEI, K., DEBRECZENI, F. & NAGYPÁL, I. 1983. Equilibria in aqueous solutions of some chromium(2+) complexes. <i>Journal of the Chemical Society, Dalton Transactions</i> , 1335-1338.

99MID/WOO	MIDDLESWORTH, J. M. & WOOD, S. A. 1999. The Stability of Palladium(II) Hydroxide and Hydroxy-Chloride complexes: An experimental solubility study at 25-85C and 1 bar. <i>Geochim. et Cosmochim. Acta</i> , 63, 1751-1765.
75MIE/BOO	MIEDEMA, A. R., BOOM, R. & DE BOER, F. R. 1975. On the heat of formation of solid alloys. <i>Journal of the Less-Common Metals</i> , 41 283-298.
57MIL	Milburn R. M. 1957. A spectrophotometric study of the hydrolysis of iron(III) ion. Heats and entropies of hydrolysis, <i>J. Am. Chem. Soc.</i> , 79, 537-540.
75MIL	Milburn R. M. 1975. A spectrophotometric study of the hydrolysis of iron(III) ion. Heats and entropies of hydrolysis, <i>J. Am. Chem. Soc.</i> , 79, 537-540.
55MIL/VOS	Milburn, R. M. and Vosburgh, W. C. 1955. A spectrophotometric study of the hydrolysis of iron(III) ion. II. Polynuclear species, <i>J. Am. Chem. Soc.</i> , 77, 1352-1355.
00MIL/STU	MILLER, M. E. & STUART, J. D. 2000. Measurements of aqueous Henry's law constants for oxygenates and aromatics found in gasolines by the static headspace method. <i>Anal. Chem.</i> , 72, 622-625.
90MIL/SMI	MILLER, S. L. & SMITH-MAGOWAN, D. 1990. The thermodynamics of the Krebs cycle and related compounds. <i>J. Phys. Chem. Ref. Data</i> , 19, 1049-1073.
00MIL/ALE	MILLER, W., ALEXANDER, R., CHAPMAN, N., MCKINLELY, I. & SMELLIE, J. 2000. Geological Disposal of Radioactive Waste and Natural Analogues. <i>Lessons from Nature and Archaeology</i> .
95MIL/YAO	Millero F. J., Yao W., and Aicher J. A. 1995. The speciation of Fe(II) and Fe(III) in natural waters. <i>J. Mar. Chem.</i> 50, 21-39.
92MIL	MILLERO, F. J. 1992. Stability constants for the formation of rare earth inorganic complexes as a function of ionic strength. <i>Geochim. Cosmochim. Acta</i> , 56 3123-3132.
74MIL	MILLS, K. C. 1974. <i>Thermodynamic data for inorganic sulphides, selenides and tellurides</i> , Butterworths
03MIL/KIN	MILNE, C. J., KINNIBURGH, D. G., VAN RIEMSDIJK, W. H. & TIPPING, E. 2003. Generic NICA-Donnan model parameters for Metal-Ion binding by humic substances. <i>Environmental Science and Technology</i> , 37 958-971.
97MIR	MIRLOHI, S. 1997. Chemical identification and flavor profile analysis of iodinated phenols produced from disinfection of spacecraft drinking water. Virginia Polytechnical Institute and State University
95MIR/KIS	MIRONOV, V. E., KISELEV, V. P., EGIZARYAN, M. B., GOLOVNEV, N. N. & PASHKOV, G. L. 1995. Ion association in aqueous solutions of calcium arsenate. <i>Russian journal of inorganic chemistry</i> , 40, 1690-1691.
68MIS/GUP	MISHRA, S. K. & GUPTA, Y. K. 1968. Spectrophotometric study of the hydrolytic equilibrium of Sb(III) in aqueous perchloric acid solution. <i>Indian J. Chem.</i> , 6 757.
70MIT/DUK	MITCHELL, R. E. & DUKE, F. R. 1970. Kinetics and equilibrium constants of the gluconic acid-gluconolactone system. <i>Ann. New York Acad. Sci.</i> 172 129.
02MIT	MITROFANOVA, G. V. 2002. Complexation of calcium ions with dicarboxylic acids in aqueous solutions. <i>Russian journal of applied chemistry</i> , 75, 712-714.

67MIY/NUR	MIYAKE, C. & NURNBERG, H. W. 1967. Co-ordination compounds of actinides – I: The determination of the stability constants of uranyl complexes with anions of carboxylic acids. <i>J. Inorg. Nucl. Chem.</i> , 29 2411-2429.
06MIY/UEH	MIYAMOTO, S., UEHARA, S., SASOH, M., SATO, M., TOYOHARA, M., IDEMITSU, K. & MATSUMURA, S. 2006. Characterization of cement alteration process by transmission electron microscopy with high spatial resolution. <i>Journal of Nuclear Science and Technology</i> , 43, 1370-1378.
83MIY/KLE	MIYANO, T. & KLEIN, C. 1983. Phase relations of orthopyroxene, olivine, and grunerite in high-grade metamorphic iron-formation. <i>American Mineralogist</i> , 68, 699-716.
06MOH/SAH	MOHAPATRA, M., SAHOO, S. K., ANAND, S. & DAS, R. P. 2006. Removal of As (V) by Cu (II)-, Ni (II)-, or Co (II)-doped goethite samples. <i>Journal of colloid and interface science</i> , 298, 6-12.
98MOI/SES	MOISEEV, G. K. & SESTAK, J. 1998. Some calculations methods for estimation of thermodynamical and thermochemical properties of inorganic compounds. <i>Progress in Crystal Growth and Characterization of Materials</i> , 30 23-81.
11MOL/BRE	Moll, H., Brendler, V., Bernhard, G. 2011. Aqueous curium(III) phosphate species characterized by time-resolved laser-induced fluorescence spectroscopy, <i>Radiochim. Acta</i> , 99, 775-782.
98MOL/GEI	Moll, H., Geipel, G., Brendler, V., Bernhard, G., Nitsche, H. 1998. Interaction of uranium(VI) with silicic acid in aqueous solutions studied by time-resolved laser-induced fluorescence spectroscopy (TRLFS), <i>J. Alloys Compd.</i> , 271--273, 765-768.
96MOL/GEI	MOLL, H., GEIPEL, G., MATZ, W., BERNHARD, G. & NITSCHKE, H. 1996. Solubility and speciation of $(\text{UO}_2)_2\text{SiO}_4 \cdot 2\text{H}_2\text{O}$ in aqueous systems. <i>Radiochimica Acta</i> , 74 3-7.
03MOL/GEI	MOLL, H., GEIPEL, G., REICH, T., BERNHARD, G., FANGHÄNEL, T. & GRENTHE, I. 2003. Uranyl (VI) complexes with alpha-substituted carboxylic acids in aqueous solution. <i>Radiochimica Acta/International journal for chemical aspects of nuclear science and technology</i> , 91, 11-20.
32MON/DAV	MONEY, R. W. & DAVIES, C. W. 1932. The extent of dissociation of salts in water. Part IV.: Bi-valent salts. <i>Trans. Faraday Soc.</i> , 28, 609-614.
51MON	Monk, C. B. (1951) Electrolytes in Solutions of Amino Acids. Part II. The Cupric Complexes of Glycine, Alanine and Glycil-Glycine. <i>Trans. Faraday Soc.</i> , 47, 285-291.
06MON/CIV	MONNIN, C. & CIVIDINI, D. 2006. The saturation state of the world's ocean with respect to (Ba, Sr) SO_4 solid solutions. <i>Geochimica et Cosmochimica Acta</i> , 70, 3290-3298.
88MON/GAL	MONNIN, C. & GALINIER, C. 1988. The solubility of celestite and barite in electrolyte solutions and natural waters at 25°C: A thermodynamic study. <i>Chemical Geology</i> , 71 283-296.
08MON/GRI	MONTOYA, V., GRIVÉ, M., TAMAYO, A. & DURO, L. 2008. Assessment of solubility limits for radionuclides and toxics under clay and cementitious conditions: Recommended solubility limits calculated with ThermoChimie v.6 Amphos 21.
08MON/TAM	MONTOYA, V., TAMAYO, A., GAONA, X., GRIVÉ, M. & DURO, L. 2008. Update of the thermodynamic database. Reporting of new data selection 2007. Project ANDRA-TDB6-Task 1, 1 st PR Amphos 21.
04MOO/HAG	Moog, H. C., Hagemann, S. and Rumyantsev, A. V. 2004. Isopiestic investigation of the systems FeCl_2 -(Na, K, Mg, Ca)Cln-H ₂ O at 298.15 K, <i>Z. Phys. Chem.</i> 218, 1063-1087.

89MOO	MOON, H. C. 1989. Equilibrium ultrafiltration of hydrolyzed Thorium(IV) solutions. Bull. Korean Chem. Soc., 10 270.
70MOO/TAY	MOORE, A. E. & TAYLOR, H. F. W. 1970. Crystal structure of ettringite. Acta Crystallographica Section B Structural Crystallography and Crystal Chemistry, 26, 386-393.
43MOO	Moore, G. E. 1943. Heat contents at high temperatures of the anhydrous chlorides of calcium, iron, magnesium and manganese. J. Am. Chem. Soc., 65, 1700-1703.
99MOO/BOR	MOORE, R. C., BORKOWSKI, M., BRONIKOWSKI, M. G., CHEN, J., POKROVSKY, O. S., XIA, Y. & CHOPPIN, G. R. 1999. Thermodynamic modeling of actinide complexation with acetate and lactate at high ionic strength. J. Sol. Chem., 28 521-531.
74MOR/FAU	MOREL, J. P., FAUVE, J., AVEDIKIAN, L. & JUILLARD, J. 1974. Solute-solvent interactions in water-tert-butyl alcohol mixtures. 111. DG, DH, and DS for dissociation of aliphatic carboxylic acids in water-rich media. J. Sol. Chem., 3, 403-415.
93MOR	MORETON, A. D. 1993. Thermodynamic modeling of the effect of hydroxycarboxylic acids on the solubility of plutonium at high pH. Materials Research Society Symposium Proceedings, 294, 753
00MOR/PIL	MORETON, A. D., PILKINGTON, N. J. & TWEED, C. J. 2000. Thermodynamic modeling of the effect of hydroxycarboxylic acids on the solubility of plutonium at high pH UK NIREX.
62MOR/FOU	MOREY, G. W., FOURNIER, R. O. & ROWE, J. J. 1962. The solubility of quartz in water in the temperature interval from 25 to 300°C. Geochim. Cosmochim. Acta., 26, 1029-1043.
74MOR/SEK	MORIYA, H. & SEKINE, T. 1974. A solvent-extraction study of zinc(II) complexes with several divalent anions of carboxylic and inorganic acids. Bull. Chem. Soc. Jpn., 47 747-748.
95MOR/PRA	MORIYAMA, H., PRATOPO, M. I. & HIGASHI, K. 1995. Hydrolysis and carbonate complexation of Np(VI) in high pH solutions. Radiochim. Acta, 69 49-54.
99MOR/KIT	MORIYAMAM, H., KITAMURA, A., FUJIWARA, K. & YAMANA, H. 1999. Analysis of hydrolysis constants of actinide ions by hard sphere model. Radiochim. Acta, 87 97.
95MOR/GLA	MORONI, L. P. & GLASSER, F. P. 1995. Reactions between cement components and U(VI) oxide. Waste Management, 15 243-254.
52MOR/BIL	MORRISON, T. J. & BILLETT, F. 1952. The salting-out of nonelectrolytes. Part II. The effect of variations in non-electrolyte. J. Chem. Soc.
87MOR/MIL	MORSE, J. W., MILLERO, F. J., CORNWELL, J. C. & RICKARD, D. 1987. The chemistry of the hydrogen sulfide and iron sulfide systems in natural waters. Earth-Science Reviews, 24 1-42.
94MOR/WIL	MORSS, L. R. & WILLIAMS, C. W. 1994. Synthesis of crystalline americium hydroxide, Am(OH) ₃ and determination of its enthalpy of formation, estimation of the solubility product constant of actinide(III) hydroxides. Radiochim. Acta, 66/67 89-93.
76MOR	MORSS, L. R. 1976. Thermochemical properties of yttrium, lanthanum and the lanthanide elements and ions. Chem. Rev, 76 827-841.
28MOR	MORTON, C. 1928. The dilution and neutral-salt errors of buffer mixtures. J. Chem. Soc., 1401-1413.
08MÖS/LOT	MÖSCHNER, G., LOTHENBACH, B., ROSE, J., ULRICH, A., FIGI, R. & KRETZSCHMAR, R. 2008. Solubility of Fe-ettringite (Ca ₆ [Fe(OH) ₆] ₂ (SO ₄) ₃ · 26H ₂ O). Geochimica et Cosmochimica Acta, 72, 1-18.
24MOS/BEH	MOSER, L. & BEHR, M. 1924. Die Bestimmung der Metalle der Schwefelanmmengruppe durch Schwefelwasserstoff unter Druck. Z. anorg. Allgem. Chem., 164 49-74.

67MOS/ESS1	MOSKVIN, A. I. & ESSEN, L. N. 1967. The solubility product of thorium oxalate and the composition and dissociation constants of oxalatocomplexes of thorium in aqueous solution. <i>Russ. J. Inorg. Chem.</i> , 12 359-362.
58MOS/GEL1	MOSKVIN, A. I. & GELMAN, A. D. 1958. Determination of the composition and instability constants of oxalate and carbonate complexes of plutonium(IV). <i>Russ. J. Inorg. Chem.</i> , 3 198-216.
58MOS/GEL	MOSKVIN, A. I. & GELMAN, A. D. 1958. Study of the physicochemical properties of aqueous solutions of plutonium(IV) oxalate and determination of its solubility product. <i>Russ. J. Inorg. Chem.</i> , 3 188-197.
58MOS/GEL2	MOSKVIN, A. I. & GELMAN, A. D. 1958. Study of the physicochemical properties of aqueous solutions of plutonium(IV) oxalate and determination of its solubility product. <i>Russ. J. Inorg. Chem.</i> , 3 188-197.
79MOS/POZ	MOSKVIN, A. I. & POZNYAKOV, A. N. 1979. Coprecipitation study of complex formation by neptunium(V), plutonium(V), and americium(V) with the anions of various inorganic acids. <i>Russ. J. Inorg. Chem.</i> , 24 1357-1362.
69MOS	MOSKVIN, A. I. 1969. Complex formation of actinides with anions of acids in aqueous solutions. <i>Radiokhimiya</i> , 11 458-460.
71MOS	MOSKVIN, A. I. 1971. Correlation of the solubility products of actinide compounds with the properties of the metal ions and acid anions forming them. <i>Sov. Radiochem.</i> , 13 299-300.
71MOS1	MOSKVIN, A. I. 1971. Correlation of the solubility products of actinide compounds with the properties of the metal ions and acid anions forming them. <i>Sov. Radiochem.</i> , 13 299-300.
71MOS2	MOSKVIN, A. I. 1971. Investigation of the complex formation of trivalent plutonium, neptunium and curium in phosphate solutions. <i>Sov. Radiochem.</i> , 13 688-693.
67MOS/ESS2	MOSKVIN, A. L., ESSEN, L. N. & BUKHTIYAROVA, T. N. 1967. The formation of Thorium (IV) and Uranium (IV) complexes in phosphate solutions. <i>Russ. J. Inorg. Chem.</i> , 12 1794-1795.
10MOS/CAT	MOSSER-RUCK, R., CATHELINEAU, M., GUILLAUME, D., CHARPENTIER, D., ROUSSET, D., BARRES, O. & MICHAU, N. 2010. Effects of Temperature, pH, and Iron/Clay and Liquid/Clay Ratios on Experimental Conversion of Dioctahedral Smectite to Berthierine, Chlorite, Vermiculite, or Saponite. <i>Clays and Clay Minerals</i> , 58, 280-291.
84MOT/MAR	MOTEKAITIS, R. J. & MARTELL, A. E. 1984. Complexes of aluminum (III) with hydroxy carboxylic acids. <i>Inorganic Chemistry</i> , 23, 18-23.
98MOT/CHA	MOTELLIER, S. & CHARLES, Y. 1998. Characterization of acid-base and complexation properties of cellulose degradation products using capillary electrophoresis. <i>Anal. Chim. Acta</i> , 375 243-254.
99MOU/SEW	Mountain B. W. and Seward T. M. (1999) The hydrosulphide/sulphide complexes of copper(I): Experimental determination of stoichiometry and stability at 22°C and reassessment of high temperature data. <i>Geochim. Cosmochim. Acta</i> 63, 11-29.
92MUK/ZOT	MUKHAMET-GALEEV, A. P. & ZOTOV, A. V. Relative stability of kaolinite and dickite. 1992. Novosibirsk, Russia.
95MUL/SEL	Mulay, L. N. and Selwood, P. W. 1995. Hydrolysis of Fe ³⁺ : magnetic and spectrophotometric studies on ferric perchlorate solutions, <i>J. Am. Chem. Soc.</i> , 77, 2693-2701.
93MUL/ISA	MULDAGALIEVA, S. A., ISABAEV, A. S., ZHAMBKOV, M. I. & ISABAEV, S. M. 1993. Thermodynamic properties of nickel arsenide. <i>High temperature</i> , 31, 794.

01MÜL/SEW	MÜLLER, B. & SEWARD, T. M. 2001. Spectrophotometric determination of the stability of tin(II) chloride complexes in aqueous solution up to 300°C. <i>Geochimica et Cosmochimica Acta</i> , 65, 4187.
08MUL/BRE	MULLER, K., BRENDLER, V. & FOERSTENDORF, H. 2008. Aqueous uranium (VI) hydrolysis species characterized by attenuated total reflection Fourier-transform infrared spectroscopy. <i>Inorganic chemistry</i> , 47, 10127-10134.
84MUR/TAY	MURAD, E. & TAYLOR, R. M. 1984. The Mössbauer spectra of hydroxycarbonate green rusts. <i>Clay Minerals</i> , 19 77-83.
03MUR/UTS	MURAKAMI, T., UTSUNOMIYA, S., YOKOYAMA, T. & KASAMA, T. 2003. Biotite dissolution processes and mechanisms in the laboratory and in nature: Early stage weathering environment and vermiculitization. <i>American Mineralogist</i> , 88, 377-386.
02MUR/BRA	MURGASOVA, R., BRANTLEY, E. L., HERCULES, D. M. & NEFZGER, H. 2002. Characterization of polyester-polyurethane soft and hard blocks by a combination of MALDI, SEC, and chemical degradation. <i>Macromolecules</i> , 35, 8338-8345.
94MUR/PAB	MURPHY, W. M. & PABALAN, R. T. 1994. Geochemical investigations related to the Yucca Mountain Environment and Potential Nuclear Waste Repository. . South west research institute.
96MUR/PAB	MURPHY, W. M., PABALAN, R. T., PRIKRYL, J. D. & GOULET, C. J. 1996. Reaction kinetics and thermodynamics of aqueous dissolution and growth of analcime and Na-clinoptilolite at 25 degrees C. <i>American Journal of Science</i> , 296, 128-186.
65MUT/HIR	MUTO, T., HIRONO, S. & KURATA, H. 1965. Some aspects of fixation of uranium from natural waters. <i>Mining Geol.</i> (In Japanese, Engl. Translation: Report NSJ-Tr 91, Japanese Atomic Energy Research Institute., 15, 287-298.
74MUX/GUI	MUXART, R. & GUILLAUMONT, R. 1974. Compléments au nouveau traité de chimie minérale, Paris.
97MYN/TOK	MYNENI, S. C. B., TOKUNAGA, T. K. & BROWN, G. E. 1997. Abiotic selenium redox transformations in the presence of Fe (II, III) oxides. <i>Science</i> , 278, 1106-1109.
98MYN/TRA	MYNENI, S. C. B., TRAINA, S. J. & LOGAN, T. J. 1998. Ettringite solubility and geochemistry of the Ca(OH) ₂ -Al ₂ (SO ₄) ₃ -H ₂ O system at 1 atm pressure and 298 K. <i>Chemical Geology</i> , 148, 1-19.
70NAB/KAL	NABIVANETS, B. I. & KALABINA, L. V. 1970. State of palladium(II) in perchlorate solutions. <i>Russ. J. Inorg. Chem.</i> , 15 818-821.
91NAG/BLU	NAGY, K. L., BLUM, A. E. & LASAGA, A. C. 1991. Dissolution and precipitation kinetics of kaolinite at 80 degrees C and pH 3; the dependence on solution saturation state. <i>American Journal of Science</i> , 291, 649-686.
81NAI/JOS	NAIR, G. M. & JOSHI, J. K. 1981. Stability constants of some carboxylate complexes of plutonium(III) and samarium(III). <i>J. Indian Chem. Soc.</i> , 58 311-314.
67NAI/RAO	NAIR, G. M., RAO, C. L. & WELCH, G. A. 1967. Study of plutonium(III)-sulphate complexes. <i>Radioch. Acta</i> , 7 77-80.
61NAI/NAN	NAIR, V. S. K. & NANCOLLAS, G. H. 1961. Thermodynamics of ion association. Part VIII. Some transition-metal malonates. <i>Journal of the Chemical Society (Resumed)</i> .
99NAK/SHI	NAKAJIMA-KAMBE, T., SHIGENO-AKUTSU, Y., NOMURA, N., ONUMA, F. & NAKAHARA, T. 1999. Microbial degradation of polyurethane, polyester polyurethanes and polyether polyurethanes. <i>Applied microbiology and biotechnology</i> , 51, 134-140.
04NAK/SAK	NAKAYAMA, S., SAKAMOTO, Y., YAMAGUCHI, T., AKAI, M., TANAKA, T., SATO, T. & IIDA, Y. 2004. Dissolution of montmorillonite in compacted bentonite by highly alkaline aqueous solutions and diffusivity of hydroxide ions. <i>Applied Clay Science</i> , 27, 53-65.

98NAN/YU	NAN, Y. Q., YU, Q. S. & LIN, R. S. 1998. Thermodynamics of ionisation processes for o-fluoro substituted benzoic acids in waterdimethylformamide mixtures at 298.15K. <i>Thermochim. Acta</i> , 315, 101-105.
56NAN	NANCOLLAS, G. H. 1956. Thermodynamic of ion association. Part II. Alkaline-earth acetates and formates. <i>J. Chem. Soc.</i> , 744-759.
84NAN	NANCOLLAS, G. H. 1984. The Nucleation and Growth of Phosphate Minerals. In: NRIAGU, D. J. O. & MOORE, P. D. P. B. (eds.) <i>Phosphate Minerals</i> . Springer Berlin Heidelberg.
76NÄS/LIN	NÄSÄNEN, R. & LINDELL, E. 1976. Studies on lead (II) hydroxyde salts. Part I. the solubility product of Pb(OH)Cl. <i>Finnish Chemistry Lett</i> , 95-98.
49NAS/TAM	Nasanen, R., and Tamminen, V. (1949). The equilibria of cupric hydroxysalts in mixed aqueous solutions of cupric and alkali salts at 25. <i>Journal of the American Chemical Society</i> , 71(6), 1994-1998.
83NAS/CLE	NASH, K. L. & CLEVELAND, J. M. 1983. Stability constants, enthalpies and entropies of Pu(III) and Pu(IV) sulfate complexes. In: SOC, A. C. (ed.) <i>Plutonium chemistry</i>
84NAS/CLE	NASH, K. L. & CLEVELAND, J. M. 1984. Thermodynamics of the system: Americium(III)-fluoride. Stability constants, enthalpies, entropies and solubility products. <i>Radiochim. Acta</i> , 37 19-24.
05NAS	NASH, K. L. 2005. Project 94878: Characterization of actinides in simulated alkaline tank waste sludges and leachates.
74NAU/RYZ	NAUMOV, G. B., RYZHENKO, B. N. & KHODAKOVSKY, I. L. 1974. Handbook of thermodynamic data, atomizdat, moscow, in Russian (Engl. transl). . U.S. Geological Survey.
14NAV/MAY	Navarro, M., May, P. M., Hefter, G., & Königsberger, E. (2014). Solubility of CuO (s) in highly alkaline solutions. <i>Hydrometallurgy</i> , 147, 68-72.
97NAV	NAVROTSKY, A. 1997. Progress and new directions in high temperature calorimetry revisited. <i>Physics and Chemistry of Minerals</i> , 24, 222-241.
71NAZ/ANT	NAZARENKO, V. A., ANTONOVICH, V. P. & NEVSKAYA, E. M. 1971. Spectrophotometric determination of the hydrolysis constants of tin(IV) ions. <i>Russian Journal of Inorganic Chemistry</i> , 16, 980-982.
72NAZ/EFR	NAZAROVA, L. V., EFREMOVA, T. M. & OHRENSTEIN, S. I. 1972. <i>Zhur. Neorg Khim.</i> , 17 357.
02NEA/SHA	NEAL, C., SHAND, P. & OTHERS 2002. Spring and surface water quality of the Cyprus ophiolites. <i>Hydrology and Earth System Sciences Discussions</i> , 6, 797-817.
66NEB/URB	NEBEL, D. & URBAN, G. 1966. Potentiometrische Untersuchungen zur Komplexbildung von Ce(III), Ce(IV), Th(IV), U(IV) und Citrat in wäBriger Lösung. <i>Z. Phys. Chem. (Leipzig)</i> , 233 73-84.
63NEB/SCH	NEBEL, E. & SCHWABE, K. 1963. Spektrofotometrische Untersuchungen von Pu(IV) – Acetatkomplexen in wässriger Lösung. <i>Zeitschrift für Physikalische Chemie</i> , 224 29-50.
00NEC/KIM	NECK, V. & KIM, J. I. 2000. An electrostatic approach for the prediction of actinide complexation constants with inorganic ligands-application to carbonate complexes. <i>Radiochim. Acta</i> , 88 815-822.
01NEC/KIM	NECK, V. & KIM, J. I. 2001. Solubility and hydrolysis of tetravalent actinides. <i>Radiochimica Acta</i> , 89 1-16.
99NEC/KIM	NECK, V. & KIM, J.-I. 1999. Solubility and hydrolysis of tetravalent actinides <i>Wissenschaftliche Berichte/Forschungszentrum (Karlsruhe)</i> .
99NEC	NECK, V. 1999. Solution chemistry of actinides and radium. Lot2: Cement water environment final report FZK-INE.

06NEC/ALT	NECK, V., ALTMAIER, M. & FANGHÄNEL, T. 2006. Ion interaction (SIT) coefficients for the Th ⁴⁺ ion and trace activity coefficients in NaClO ₄ , NaNO ₃ and NaCl solution determined by solvent extraction with TBP. Proceedings of the 10th Int. Conf. on the Chemistry and Migration Behaviour of Actinides and Fission Products in the Geosphere
07NEC/ALT	NECK, V., ALTMAIER, M. & FANGHÄNEL, T. 2007. Solubility of plutonium hydroxides/hydrous oxides under reducing conditions and in presence of oxygen. C. R. Chimie, 10 959-977.
07NEC/ALT1	NECK, V., ALTMAIER, M. & FANGHÄNEL, T. 2007. Solubility of plutonium hydroxides/hydrous oxides under reducing conditions and in presence of oxygen. C. R. Chimie, 10 959-977.
07NEC/ALT	NECK, V., ALTMAIER, M., LUTZENKIRCHEN, J., KORTHAUS, E. & FANGHÄNEL, T. 2007. A comprehensive thermodynamic model for the solubility and hydrolysis of Nd (III) and Am (III) in dilute to concentrated NaCl, MgCl ₂ and CaCl ₂ solutions. conference Migration
07NEC/ALT2	NECK, V., ALTMAIER, M., LUTZENKIRCHEN, J., KORTHAUS, E. & FANGHÄNEL, T. 2007. A comprehensive thermodynamic model for the solubility and hydrolysis of Nd (III) and Am (III) in dilute to concentrated NaCl, MgCl ₂ and CaCl ₂ solutions. conference Migration
03NEC/ALT	NECK, V., ALTMAIER, M., MÜLLER, R., BAUER, A., FANGHÄNEL, T. & KIM, J. I. 2003. Solubility of crystalline thorium dioxide. Radiochim. Acta, 91 253-262.
07NEC/ALT3	NECK, V., ALTMAIER, M., SEIBERT, A., YUN, J. I., MANQUARDT, C. M. & FANGHÄNEL, T. 2007. Solubility and redox reaction of Pu(IV) hydrous oxide: Evidence for the formation of PuO _{2+x} (s, hyd). Radiochim. Acta, 95 193-207.
07NEC/ALT2	Neck, V., Altmaier, M., Seibert, A., Yun, J. I., Marquardt, C. M., Fanghänel, T. 2007. Solubility and redox reactions of Pu(IV) hydrous oxide: evidence for the formation of PuO _{2+x} (s, hyd), Radiochim. Acta, 95, 193-207.
98NEC/FAN	NECK, V., FANGHÄNEL, T. & KIM, J. I. 1998. Aquatische chemie und thermodynamische modellierung von trivalente actiniden In: FZKA (ed.). FZK.
99NEC/FAN	Neck, V., Fanghänel, T. 1999. Comments on actinide carbonate compounds concerning; 1. NEA-TDB draft of the Np/Pu review, 2. NEA-TDB II (update of U, Am, Pu, Tc), Personal communication to Np/Pu TDB team (R. Lemire, P. Vitorge) and the NEA-TDB co-ordinator (E. Östhols).
92NEC/KIM	NECK, V., KIM, J. I. & KANELLAKOPOULOS, B. 1992. Solubility and hydrolysis behavior of Neptunium(V). Radiochim. Acta, 56 25-30.
94NEC/KIM	NECK, V., KIM, J. I. & KANELLAKOPOULOS, B. 1994. Thermodynamisches verhalten von Neptunium(V) in konzentrierten NaCl- und NaClO ₄ - Lösungen Kernforschungszentrum Karlsruhe.
01NEC/KIM	Neck, V., Kim, J. I. 2001. Solubility and hydrolysis of tetravalent actinides, Radiochim. Acta, 89, 1-16.
02NEC/MÜL	NECK, V., MÜLLER, R., BOUBY, M., ALTMAIER, M., ROTHE, J., DENECKE, M. A. & KIM, J. I. 2002. Solubility of amorphous Th(IV) hydroxide – application of LIBD to determine the solubility product and EXAFS for aqueous speciation. Radiochim. Acta, 90 485-494.
95NEC/RUN	NECK, V., RUNDE, W. & KIM, J. I. 1995. Solid-Liquid equilibria of Neptunium(V) in carbonate solutions of different ionic strengths: II. Stability of the solid phases. J. of alloys and compounds, 225 295-302.
84NEH	Neher-Neumann, E. (1984). On the hydrolysis of the copper 2+ ion, Cu ²⁺ , in 3 M (Na)ClO ₄ medium at high copper 2+ ion concentrations and 25°C. Acta Chem. Scand., A38, 517-522.
64NEL	NELANDER, L. 1964. The heats of hydrolysis of aspirin, thioaspirin, and their para analogs. Acta Chem. Scand., 18, 973-984.

01NEU/BIR	NEUHOFF, P. S. & BIRD, D. K. 2001. Partial dehydration of laumontite: thermodynamic constraints and petrogenetic implications. <i>Mineralogical Magazine</i> , 65, 59-70.
07NEU/WAN	NEUHOFF, P. S. & WANG, J. 2007. Heat capacity of hydration in zeolites. <i>American Mineralogist</i> , 92, 1358-1367.
04NEU/HOV	NEUHOFF, P. S., HOVIS, G. L., BALASSONE, G. & STEBBINS, J. F. 2004. Thermodynamic properties of analcime solid solutions. <i>American Journal of Science</i> , 304, 21-66.
03NEU/STE	NEUHOFF, P. S., STEBBINS, J. F. & BIRD, D. K. 2003. Si-Al disorder and solid solutions in analcime, chabazite, and wairakite. <i>American Mineralogist</i> , 88, 410-423.
33NEU	NEUMAN, E. W. 1933. Solubility relations of barium sulfate in aqueous solutions of strong electrolytes. <i>Journal of the American Chemical Society</i> , 55, 879-884.
56NEU/RAM	NEUMANN, H. M. & RAMETTE, R. W. 1956. Kinetics of hydrolysis of hexachloroantimoniate. <i>J. Am. Chem. Soc.</i> , 78 1848.
54NEU	NEUMANN, H. M. 1954. Antimony (V) species in hydrochloric acid solution. <i>J. Am. Chem. Soc.</i> , 76 2611.
34NEU/RIE	NEUSS, J. D. & RIEMAN, W. 1934. The application of the glass electrode to a study of chromic acid. <i>Journal of the American Chemical Society</i> , 56, 2238-2243.
56NEW	NEWMAN, E. S. 1956. Heats of formation of xonotlite, hillebrandite, and foshagite. 57, 27-30.
92NGU/SIL	NGUYEN, S. N., SILVA, R. J., WEED, H. C. & ANDREWS JR., J. E. 1992. Standard Gibbs free energies of formation at the temperature 303.15K of four uranyl silicates: soddyte, uranophane, sodium boltwoodite and sodium weeksite. <i>J. Chem. Thermodyn.</i> , 24 359-376.
97NGU/LAN	NGUYEN-TRUNG, C. & LANDAIS, P. 1997. Etude experimentale de la solubilité du TcO ₂ amorphe et cristallisé dans des solutions aqueuses (CF ₃ SO ₃ , Cl, CO ₃ , SO ₄) jusqu'à 70°C, sous 0.1Mpa Andra.
95NGU/PEI	NGUYEN-TRUNG, C. & PEIFERT, C. 1995. Etude experimentale de la solubilité du Nb ₂ O ₅ cristallisé dans les solutions aqueuses Andra.
97NGU/PEI	NGUYEN-TRUNG, C. & PEIFERT, C. 1997. Etude experimentale de la solubilité des oxydes de Nb(V) cristallisé et amorphe dans les solution aqueuses Andra.
95NGU/POT	NGUYEN-TRUNG, C. & POTY, B. 1995. Etude experimentale de la solubilité de TcO ₂ cristallisé dans les solutions aqueuses (0 < pH < 14 a 24°C, 0.1MPa) Andra.
96NGU/POT	NGUYEN-TRUNG, C. & POTY, M. 1996. Etude experimentale de la solubilité du TcO ₂ amorphe et cristallisé dans des solutions aqueuses (0 <= pH <= 14) at T=25°C, P=0.1MPa (Rapport Final) Andra.
95NGU/CUN	NGUYEN-TRUNG, C., CUNEY, M. & POTY, B. 1995. Etude experimentale de la solubilité du B-Nb ₂ O ₅ cristallisé dans des solutions aqueuses (0 <= pH <= 14) à force ionique élevée (0.5m <= I <= 6m) à 25 et 50°C Andra.
97NGU/LAN	Nguyen-Trung, C., Landais, P. 1997. Etude experimentale de la solubilité du TcO ₂ amorphe et cristallisé dans des solutions aqueuses (CF ₃ SO ₃ , Cl, CO ₃ , SO ₄) jusqu'a 70°C, sous 0.1 Mpa. Andra report.
96NGU/PAL	NGUYEN-TRUNG, C., PALMER, D. A. & GIFFAUT, E. 1996. Solubility and hydrolysis of technetium(IV) oxides in aqueous solutions at 25°C, 0.1MPa. 4th Internat. Conf. on Nucl. and Radiochem. .
75NIC/WAD	NICHOLS, N. & WADSÖ, I. 1975. Thermochemistry of solutions of biochemical model compounds. 3. Benzene derivatives in aqueous solution. <i>J. Chem. Thermodyn.</i> , 7, 329-336.

94NIE/OLS	NIELSEN, F., OLSEN, E. & FREDLUND, A. 1994. Henry's law constants and infinite dilution activity coefficients for volatile organic compounds in water by a validated batch air stripping method. <i>Environ. Sci. Technol.</i> , 28, 2133-2138.
78NIK/PIR	NIKOLAEVA, N. M. & PIROZHKOVA, A. V. 1978. The solubility product of U(IV) hydroxide at the elevated temperatures. <i>Izv. Sib. Otd. Akad. Nauk SSSR Ser. Khim. Nauk</i> , 5 82-88.
73NIK/ANT	Nikolaeva, N. M. and Antipina, V A 1973. <i>Izvest. Sib. Otd. Acad. Nauk SSSR</i> 4, 8.
73NIK/PAL	Nikol'skii, B. P., Pal'chevskii, V. V. and Bang, P.-T. 1973. Complex formation by trivalent iron in acidic sulfate solution. <i>Dokl. Akad. Nauk SSSR</i> , 209, 624-627.
04NIL	NILSSON, H. 2004. The chemistry of plutonium solubility. Chalmers University of Technology (Nuclear Chemistry, Department of Materials and Surface Chemistry)
04NIL/ALB	NILSSON, H., ALBINSSON, Y. & SKARNEMARK, G. 2004. Dissolution of plutonium(III) hydroxide at 50 bar H ₂ . <i>Mat. Res. Soc. Symp. Proc.</i> , 807 615-620.
13NIL/ALB	Nilsson, H., Albinsson, Y., Skarnemark, G. 2013. Plutonium Futures - The Science: Third Topical Conference on Plutonium and Actinides, AIP Conference Proceedings, 673, 257-258.
84NIL/WAD	NILSSON, S. O. & WADSÖ, I. 1984. A flow-microcalorimetric vessel for solution of small quantities of easily or slightly soluble liquids. Solution of benzene in water at 298.15 K. <i>J. Chem. Thermodyn.</i> , 16, 317-330.
11NIP/CHE	Nipruk, O. V., Chernorukov, N. G., Pykhova, Yu. P., Godovanova, N. S., Eremina, A. A. 2011. State of uranyl phosphates and arsenates in aqueous solutions, <i>Radiochemistry (Moscow)</i> , 53, 483-490.
98NIS/ROB	NISHIMURA, T. & ROBINS, R. G. 1998. A re-evaluation of the solubility and stability regions of calcium arsenites and calcium arsenates in aqueous solution at 25°C. <i>Mineral Processing and Extractive Metallurgy Review</i> , 18, 283-308.
78NIS/TOZ	NISHIMURA, T. & TOZAWA, K. 1978. On the solubility products of ferric, calcium and magnesium arsenates. <i>Bulletin of the Research Inst. Min. Dress. Metall. (Tohoku University)</i> , 34 20-26.
09NIS/DON	Nishimura, T. and Dong, J. 2009. Corrosion behavior of carbon steel for the overpack in groundwater containing bicarbonate ions. <i>Journal of Power an energy systems</i> 3(1), 23-30.
05NIS	NIST. 2005. NIST Chemistry WebBook. NIST Standard Reference Database 69, Version 2005 [Online]. Nat. Inst. Stds. Technol., Gaithersburg, Maryland. Available: http://webbook.nist.gov/chemistry/ [Accessed].
85NIT/EDE	NITSCHKE, H. & EDELSTEIN, N. M. 1985. Solubilities and speciation of selected transuranium ions. A comparison of a non-complexing solution with a groundwater from the Nevada Tuff Site. <i>Radiochim. Acta</i> , 39, 23-33.
96NIT/SIL	NITSCHKE, H. & SILVA, R. J. 1996. Investigation of the carbonate complexation of Pu(V) hydrous oxide in aqueous solutions. <i>Radiochim. Acta</i> , 72 62-72.
89NIT/STA	NITSCHKE, H., STANDIFER, E. M. & SILVA, R. J. 1989. Americium(III) carbonate complexation in aqueous perchlorate solution. <i>Radiochimica Acta</i> , 46, 185-189.
03NOR/ARC	NORDSTROM, D. & ARCHER, D. 2003. Arsenic thermodynamic data and environmental geochemistry, Springer, Berlin
87NOR/PAR	NORDSTROM, D. & PARKS, G. 1987. Solubility and stability of scorodite, FeAsO ₄ · 2H ₂ O: Discussion. <i>American Mineralogist</i> , 72 849-851.

77NOR/JEN	NORDSTROM, D. K. & JENNE, E. A. 1977. Fluorite solubility equilibria in selected geothermal waters. <i>Geochim. et Cosmochim. Acta</i> , 41 175-188.
96NOR	NORDSTROM, D. K. 1996. Geochemical transport modelling. Sixth EC Natural Analogue Working Group Meeting. Proceedings of an international workshop held in Santa Fe, New Mexico, USA. .
77NOR/JEN	Nordstrom, D. K., & Jenne, E. A. 1977. Fluorite solubility equilibria in selected geothermal waters. <i>Geochimica et Cosmochimica Acta</i> , 41(2), 175-188.
89NOR/BAL	NORDSTROM, D. K., BALL, J. W., DONAHOE, R. J. & WHITTEMORE, D. 1989. Groundwater chemistry and water-rock interactions at Stripa. <i>Geochimica et Cosmochimica Acta</i> , 53, 1727-1740.
90NOR/PLU	NORDSTROM, D. K., PLUMMER, L. N., LANGMUIR, D., BUSENBERG, E., MAY, H. M., JONES, B. F. & PARKHURST, D. L. 1990. Revised Chemical Equilibrium Data for Major Water-Mineral Reactions and Their Limitations. In: MELCHIOR, D. C. & BASSETT, R. L. (eds.) <i>Chemical Modeling of Aqueous Systems II</i> . American Chemical Society.
06NOR/RAS	NORDSTRÖM, F. L. & RASMUSON, A. C. 2006. Solubility and melting properties of salicylic acid. <i>Journal of Chemical & Engineering Data</i> , 51, 1668-1671.
67NOR	NOREN, B. 1967. The fluoride complexes of zirconium. <i>Acta Chem. Scand</i> , 21 2457-2462.
69NOR	NORÉN, B. 1969. Solvent extraction studies of the formation of fluoride and sulphate complexes of zirconium (IV). <i>Acta Chem. Scand.</i> , 23 379-387.
73NOR	NORÉN, B. 1973. The hydrolysis of Zr^{4+} and Hf^{4+} . <i>Acta Chem. Scandinavica</i> , 27 1369-1384.
82NOR/LIN	Norvell, W. A. and Lindsay, W. L. 1982. <i>Soil Sci. Soc. Am. J.</i> 46, 710-715.
03NOS/BRA	NOSECK, U., BRASSER, T., LACIOK, A., HERCIK, M. & WOLLER, F. 2003. Uranium migration in argillaceous sediments as analogue for transport processes in the far field of repositories (Ruprechtov site, Czech Republic). <i>Uranium in the Aquatic Environment</i> . Springer
63NOW/PFR	NOWIKOW, J. & PFREPPER, G. 1963. Komplexbildung von Protactinium (V) mit Silfat- und Nitrationen. <i>Naturforsch.</i> , 18b 993-1001.
17NOY/TOA	NOYES, A. A. & TOABE, K. 1917. The relative electrode potentials of tin and lead determined by equilibrium measurements with their perchlorates. <i>J. Am. Chem. Soc.</i> , 39 1537-1545.
12NOY/BRA	Noyes, A. A. and Brann, B. F. 1912. The equilibrium of the reaction between metallic silver and ferric nitrate, <i>J. Am. Chem. Soc.</i> , 34, 1016-1027.
71NRI	NRIAGU, J. O. 1971. Solubility studies on vivianite and strengite. <i>Geological Society of America Abstract with Programs</i>
72NRI	NRIAGU, J. O. 1972. Lead orthophosphates. I. Solubility and hydrolysis of secondary lead orthophosphate. <i>Inorg. Chem.</i> , 11 2499-2503.
72NRI2	Nriagu, J. O. 1972. Solubility equilibrium constant of strengite, <i>Am. J. Sci.</i> , 272, 476-484.
72NRI3	Nriagu, J. O. 1972b. Stability of vivianite and ion-pair formation in the system $Fe_3(PO_4)_2-H_3PO_4-H_2O$, <i>Geochim. Cosmochim. Acta</i> , 36, 459-470.
73NRI	NRIAGU, J. O. 1973. Lead orthophosphates.II. Stability of chloropymorphyte at 25°C. <i>Geochim. Cosmochim. Acta</i> , 37 367-377.
74NRI	NRIAGU, J. O. 1974. Lead orthophosphates—IV Formation and stability in the environment. <i>Geochimica et Cosmochimica Acta</i> , 38, 887-898.

74NRI/DEL	Nriagu, J. O. and Dell, C. I. 1974. Diagenetic formation of iron phosphates in recent lake sediments. <i>American Mineralogist</i> 59, 934-946.
73OHA/HOE	O'HARE, P. A. G. & HOEKSTRA, H. R. 1973. Thermochemistry of molybdates. I. Standard enthalpy of formation of cesium molybdate (Cs ₂ MoO ₄). <i>J. Chem. Thermodynamics</i> , 5 851-856.
74OHA/HOE	O'HARE, P. A. G. & HOEKSTRA, H. R. 1974. Thermochemistry of molybdates. II. Standard enthalpies of formation of rubidium molybdate and the aqueous molybdate ion. <i>J. Chem. Thermodynamics</i> , 6 117-122.
74OHA	O'HARE, P. A. G. 1974. Thermochemistry of molybdates III. Standard enthalpy of formation of barium molybdate, and the standard entropy and standard Gibbs energy of formation of the aqueous molybdate ion. <i>J. Chem. Thermodynamics</i> , 6 425-434.
76OHA/HOE	O'HARE, P. A. G., HOEKSTRA, H. R. & FREDRICKSON, D. R. 1976. Thermochemistry of uranium compounds:VII. Solution calorimetry of a- and b-Na ₂ UO ₄ standard enthalpy of formation of b-Na ₂ UO ₄ and the a to b transition at 298.15 K. <i>Journal of Chemical Thermodynamics</i> , 8 361-365.
74OHA/KEN	O'HARE, P. A. G., KENNETH, J. J. & HOEKSTRA, H. R. 1974. Thermochemistry of molybdates IV. Standard enthalpy of formation of lithium molybdate, thermodynamic properties of the aqueous molybdate ion, and thermodynamic stabilities of the alkali-metal molybdates. <i>J. Chem. Thermodynamics</i> , 6 681-691.
88ONE	O'NEILL, H. S. C. 1988. Systems Fe-O and Cu-O: Thermodynamic data for the equilibria Fe-“FeO”, Fe-Fe ₃ O ₄ , “FeO”-Fe ₃ O ₄ , Fe ₃ O ₄ Fe ₂ O ₃ , Cu-Cu ₂ O, and Cu ₂ O-CuO from emf measurements. <i>American Mineralogist</i> , 73, 470-486.
98OCH/HAG	OCHS, M., HAGER, D., S., H. & LOTHENBACH, B. 1998. Solubility of radionuclides in fresh and leached cementitious systems at 22°C and 50°C. <i>Mat. Res. Soc. Symp. Proc.</i> .
02OCH/LOT	OCHS, M., LOTHENBACH, B. & GIFFAUT, E. 2002. Uptake of oxo-anions formation: experimental evidence and modelling. <i>Radiochim. Acta</i> , 90 639-646.
01OCH/LOT	OCHS, M., LOTHENBACH, B. & TALERICO, C. 2001. Support of Kd models and datasets for the retention of radionuclides in cementitious repositories Andra.
97OCH/LOT	OCHS, M., LOTHENBACH, B., HAGER, D., HELFER, S., WIERCZINSKI, B. & SKARNEMARK, G. 1997. Solubility limits and adsorption reactions. Experimental and Theoretical investigation on the behaviour of Sn, Ni, Eu(Am), Pb, Re(Tc), Th, Sr and Cs in cementitious systems. . Andra.
98ODA/AMA	ODA, C. & AMAYA, T. 1998. Effects of ligand on the solubility of tin JNC.
96ODA/YOS	Oda, C., Yoshikawa, H., Yui, M. 1996. Effects of aging on the solubility of palladium. <i>Mater. Res. Soc. Symp. Proc.</i> 412, 881-887.
05ÖDE/EKB	ÖDEGAARD-JENSEN, A., EKBERG, C. & MEINRATH, G. 2005. LJUNGSKILE: a program for assessing uncertainties in speciation calculations. <i>Talanta</i> , 63, 907-916.
08OEL/MON	OELKERS, E. H. & MONTEL, J. M. 2008. Phosphates and nuclear waste storage. <i>Elements</i> , 4 113-116.
02OEL/POI	OELKERS, E. H. & POITRASSON, F. 2002. An experimental study of the dissolution stoichiometry and rates of a natural monazite as a function of temperature from 50 to 230 °C and pH from 1.5 to 10. <i>Chemical Geology</i> , 191 73- 87.
95OEL/SCH	OELKERS, E. H. & SCHOTT, J. 1995. Experimental study of anorthite dissolution and the relative mechanism of feldspar hydrolysis. <i>Geochimica et Cosmochimica Acta</i> , 59, 5039-5053.

01OEL	OELKERS, E. H. 2001. General kinetic description of multioxide silicate mineral and glass dissolution. <i>Geochimica et Cosmochimica Acta</i> , 65, 3703-3719.
94OEL/SCH	OELKERS, E. H., SCHOTT, J. & DEVIDAL, J.-L. 1994. The effect of aluminum, pH, and chemical affinity on the rates of aluminosilicate dissolution reactions. <i>Geochimica et Cosmochimica Acta</i> , 58, 2011-2024.
10OGO/KIS	OGORODOVA, L. P., KISELEVA, I. A. & MELCHAKOVA, L. V. 2010. Thermodynamic properties of lithium micas. <i>Geochemistry International</i> , 48, 415-418.
12OGO/KIS	OGORODOVA, L. P., KISELEVA, I. A., MELCHAKOVA, L. V., VIGASINA, M. F. & VLADYKIN, N. V. 2012. Calorimetric measurement of the enthalpy of formation, dehydration, and dehydroxylation of vermiculite. <i>Geochemistry International</i> , 50, 878-883.
09OGO/MEL	OGORODOVA, L. P., MEL'CHAKOVA, L. V., KISELEVA, I. A., SHURIGA, T. N. & KONONOV, O. V. 2009. The enthalpy of formation of natural siderophyllite. <i>Russian Journal of Physical Chemistry A</i> , 83, 346-349.
98OHT/KOB	OHTAKE, Y., KOBAYASHI, T., ASABE, H., MURAKAMI, N. & ONO, K. 1998. Oxidative degradation and molecular weight change of LDPE buried under bioactive soil for 32-37 years. <i>Journal of applied polymer science</i> , 70, 1643-1648.
67OHT/KAT	OHTAKI, H. & KATO, H. 1967. Ionic equilibria in mixed solvents. Hydrolysis of beryllium ion in a 0.1 mole fraction dioxane-water mixture and in aqueous solution containing 3M LiClO ₄ as an ionic medium. <i>Inorg. Chem.</i> , 6, 1935-1937.
72OHT/KAW	Ohtaki, H. and Kawai, T. (1972). Ionic equilibria in mixed solvents, VII. Hydrolysis of copper 2+ ion in dioxane-water mixtures containing 3 M(Li)ClO ₄ as an ionic medium, <i>Bull. Chem. Soc. Jpn.</i> , 45,1735-1738.
73OHY	OHYOSHI, E. 1973. Complex formation by the cation exchange method. Bivalent metal complexes with univalent anions. <i>Bull. Chem. Soc. Japan.</i> , 46 2758-2761.
85OHY	OHYOSHI, E. 1985. Spectrophotometric study of complexation equilibria involving a metal and coloured and buffer ligands by the competitive effect of the two ligands. <i>Analytical Chemistry</i> , 57, 446-448.
05OKA/HAM	OKA, T. & HAMA, Y. 2005. Long-term degradation of chemical structures and mechanical properties in polyethylene induced by ion-beam irradiation. <i>Research on chemical intermediates</i> , 31, 661-666.
03OKA/KAN	OKA, T., KANBE, H., YATAGAI, F. & HAMA, Y. 2003. Changes in the chemical structure and the mechanical properties of single-site polyethylene induced by ion-beam irradiation. <i>Nuclear Instruments and Methods in Physics Research Section B: Beam Interactions with Materials and Atoms</i> , 208 181-184.
57OKA/OKU	OKAMOTO, G., OKURA, T. & GOTO, K. 1957. Properties of silica in water. <i>Geochimica et Cosmochimica Acta</i> , 12, 123-132.
05OLI/NOL	OLIN O., A., NOLANG, B., OSADCHII, E. G., OHMAN, L. O. & ROSÉN, E. 2005. Chemical thermodynamics vol. 7: Chemical thermodynamics of selenium, NEA North Holland Elsevier Science Publishers B. V., Amsterdam, The Netherlands
07OLI/COE	OLIVEIRA, A. M., COELHO, M. G., PIRES, R. F. & FRANCO, M. R. 2007. Solubility of benzoic acid in mixed solvents. <i>J. Chem. Eng. Data.</i> , 52, 298-300.
17OLM/HEN	OLMEDA, J., HENOCQ, P., GIFFAUT, E. & GRIVÉ, M. 2017. Modelling of chemical degradation of blended cement-based materials by leaching cycles with Callovo- Oxfordian porewater. <i>Physics and Chemistry of the Earth</i> , 99, 110-120.

84OLO	OLOFSSON, G. 1984. Temperature dependence of the heat capacity change for the dissociation of acetic acid and of propionic acid in water. J. Chem. Thermodyn., 16, 39-44.
81OLO/ANG	OLOFSSON, G., ANGUS, S., ARMSTRONG, G. T. & KORNILOV, A. N. 1981. A report of IUPAC Commission 1.2 on Thermodynamics. Assignment and presentation of uncertainties of the numerical results of thermodynamic measurements. J. Chem. Thermodyn. 13, 603-622.
58OLS/IVA	OLSHANSKII, Y. A. I. & IVANENKO, V. V. 1958. Mechanism of mass transfer in the formation of hydrothermal deposits of sulphides. Tr. Inst. Geol. Rudn. Mestorosh, 16 14-46.
88ONE	O'Neill, H. St. C. 1988. Systems Fe-O and Cu-O: thermodynamic data for the equilibria Fe-"FeO", Fe-Fe ₃ O ₄ , "FeO"-Fe ₃ O ₄ , Fe ₃ O ₄ -Fe ₂ O ₃ , Cu-Cu ₂ O, and Cu ₂ O-CuO from emf measurements, Am. Mineral., 73.
07OPE/HUB	OPEL, K., HUBENER, W. S., ZANKER, H. & BERNHARD, G. 2007. Study of the solubility of amorphous and crystalline uranium dioxide by combined spectroscopic methods. Radiochim. Acta, 95 143-149.
76OPE/HEM	OPENSHAW, R. E., HEMINGWAY, B. S., ROBIE, R. A., WALDBAUM, D. R. & KRUPKA, K. M. 1976. Heat-capacities at low-temperatures and entropies at 298.15 K of low albite, analbite, microcline, and high sanidine. Journal of Research of the US Geological Survey, 4, 195-204.
04ORH/HRE	ORHAN, Y., HRENOVIC, J. & BUYUKGUNGOR, H. 2004. Biodegradation of plastic compost bags under controlled soil conditions. Acta Chimica Slovenica, 51, 579-588.
06OSA/CHA	Osadchii, E. G., Chareev, D. A. 2006. Thermodynamic studies of the pyrrhotite-pyrite equilibria in the Ag-Fe-S system by solid-state galvanic cell technique at 518-723 K and total pressure of 1 atm. Geochim. Cosmochim. Acta, 70.
79OST/PER	Österberg R., Ligaarden R., Persson D. (1979) Copper(I) complexes of penicillamine and glutathione. J. Inorg. Biochem. 10, 341-355.
95ÖST	ÖSTHOLS, E. 1995. The solubility of microcrystalline ThO ₂ in phosphate media. Radiochimica Acta, 68 185-190.
94ÖST/BRU	ÖSTHOLS, E., BRUNO, J. & GRENTHE, I. 1994. On the influence of carbonate on mineral dissolution: III. The solubility of microcrystalline ThO ₂ in CO ₂ -H ₂ O media. Geochim. et Cosmochim. Acta, 58 613-623.
82OVE/LUN	OVERVOLL, P. A. & LUND, W. 1982. Complex formation of uranyl ions with polyaminopolycarboxylic acids. Analytica Chimica Acta, 143 153-161.
53PAG	PAGE, F. M. 1953. 355. The dissociation constants of thiosulphuric acid. Journal of the Chemical Society (Resumed), 1719-1724.
10PAK/BRU	PAKTUNC, D. & BRUGGEMAN, K. 2010. Solubility of nanocrystalline scorodite and amorphous ferric arsenate: Implications for stabilization of arsenic in mine wastes. Applied Geochemistry, 25, 674-683.
04PAL/KHA	PALANDRI, J. L. & KHARAKA, Y. K. 2004. A compilation of rate parameters of water-mineral interaction kinetics for application to geochemical modeling, Menlo Park, Calif, U.S. Dept. of the Interior, U.S. Geological Survey.
76PAL/JAH	PALASKAR, N. G., JAHAGIRDAR, D. V. & KHANOLKAR, D. D. 1976. Uranyl chelates of phthalic acid and its substituted derivatives. Journal of Inorganic and Nuclear Chemistry, 38, 1673-1675.
00PAL	PALLADINO, G. 2000. Migrazione di radionuclidi nell'ambiente: studio degli equilibri di formazione di complessi nel sistema UO ₂ +H ₂ O-CO ₂ . Università degli studi di Salerno, Salerno, Italy.

97PAL/WES	PALMER, D. A. & WESOLOWSKI, D. J. 1997. Potentiometric measurements of the first hydrolysis quotient of magnesium(II) to 250°C and 5 molal ionic strength (NaCl). <i>J. Solut. Chem.</i> , 26, 217-232.
11PAL	Palmer, D. A. (2011). Solubility measurements of crystalline Cu ₂ O in aqueous solution as a function of temperature and pH. <i>Journal of solution chemistry</i> , 40(6), 1067-1093.
87PAL/WES	PALMER, D. A., WESOLOWSKI, D. & MESMER, R. E. 1987. A potentiometric investigation of the hydrolysis of chromate(VI) ion in NaCl media to 175°C. <i>Journal of Solution Chemistry</i> , 16, 443-463.
11PAL/BÉN	PALMER, D., BÉNÉZETH, P., XIAO, C., WESOLOWSKI, D. & ANOVITZ, L. 2011. Solubility Measurements of Crystalline NiO in Aqueous Solution as a Function of Temperature and pH. <i>J. Solution Chem</i> , 40, 680-702.
04PAL/BEN	Palmer, D.A., Bénézeth, P., Wesolowski, D.J., 2004. Solubility of nickel oxide and hydroxide in water, in: 14th International Conference on the Properties of Water and Steam in Kyoto. pp. 264-269.
11PAL/BEN	Palmer, D.A., Bénézeth, P., Xiao, C., Wesolowski, D.J., Anovitz, L.M., 2011. Solubility measurements of crystalline NiO in aqueous solution as a function of temperature and pH. <i>Journal of solution chemistry</i> 40, 680.
10PAL/GAM	Palmer, D.A., Gamsjäger, H., 2010. Solubility measurements of crystalline γ -Ni(OH) ₂ in aqueous solution as a function of temperature and pH. <i>Journal of coordination chemistry</i> 63, 2888-2908.
89PAN/SUS	PAN, P. & SUSAK, N. J. 1989. Co(II)-chloride and -bromide complexes in aqueous solutions up to 5 m NaX and 90°C: Spectrophotometric study and geological implications. <i>Geochimica et Cosmochimica Acta</i> , 53, 327-341.
05PAN/KIM	PANAK, P. J., KIM, M. A., KLENZE, R., KIM, J. I. & FANGHÄNEL, T. 2005. Complexation of Cm(III) with aqueous silicic acid. <i>Radiochim. Acta</i> , 93 133-139.
03PAN/KIM	PANAK, P. J., KIM, M. A., YUN, J. I. & KIM, J. I. 2003. Interaction of actinides with aluminosilicate colloids in statu nascendi. Part II: spectroscopic speciation of colloid-borne actinides(III). <i>Colloids and Surfaces A</i> , 227 93-103.
95PAN/KLE	PANAK, P., KLENZE, R., KIM, J. I. & WIMMER, H. 1995. A study of intramolecular energy transfer in Cm(III) complexes with aromatic ligands by time-resolved laser fluorescence spectroscopy. <i>Journal of Alloys and Compounds</i> , 225 261-266.
82PAN	PANKRATZ, L. B. 1982. Thermodynamic properties of elements and oxides. <i>US Bureau of Mines Bulletin</i> , 672 509.
84PAN	PANKRATZ, L. B. 1984. Thermodynamic properties of halides, [Washington], U.S. Dept. of the Interior, Bureau of Mines : For sale by the Supt. of Docs., U.S. G.P.O.
59PAN/DES	PANTANI, F. & DESIDERI, P. G. 1959. Il comportamento polarografico de l'antimonio(III) in soluzioni cloridriche. <i>Acta Chim. Italiana</i> , 89 1360.
56PAP/CAN	PAPEE, H. M., CANADY, W. J. & LAIDLER, K. J. 1956. The heat of neutralization of strong acids and bases in highly dilute aqueous solutions. <i>Can. J. Chem.</i> , 34, 1677-1682.
59PAP/CAN	PAPÉE, H. M., CANADY, W. J., ZAWIDZKI, T. W. & LAIDLER, K. J. 1959. Thermodynamics of ionization processes in aqueous solution. III. Methyl-substituted phenol. <i>Trans. Faraday Soc.</i> , 55, 1734-1737.
80PAR/DUB	PARAMONOVA, V. I. & DUBROVIN, V. S. 1980. Complexation reactions of tetravalent plutonium with acetate ion. II. Ion-exchange study by the relative sorption method. <i>Sov. Radiochem.</i> , 22, 409-413.

58PAR/SER	PARAMONOVA, V. I. & SERGEEV, A. N. 1958. The application of ion exchange in the investigation of the substance in solution. J.Inorg.Chem, 3 331-341.
63PAR/KER	PARAMONOVA, V. I., KEREICHUK, A. S. & CHIZHOV, A. V. 1963. Application of ionexchange in studies of substances in solutions. IX. Studies of Europium complex formation with certain dibasic acids. Radiokhimiya, 5, 63.
68PAR/GRE	PARIS, M. & GREGOIRE, C. 1968. Coulometric assay of complexes. 1. apparatus and application to beryllium (2) ion hydrolysis. Analytica Chimica Acta, 42, 431.
97PAR/HAN	PARK, S.-J., HAN, S.-D. & RYN, S.-A. 1997. Measurement of airwater partition coefficient (Henry's law constant) by using EPICS method and their relationship with vapor pressure and water solubility. Hwanak Konghak, 35, 915-920.
97PAR/TIC	PARKER, R. P., TICE, K. R. & THOMASON, D. N. 1997. Effects of ion pairing with calcium and magnesium on selenate availability to higher plants. Environ. Toxicol. Chem., 16 565-571.
95PAR/KHO	PARKER, V. B. & KHODAKOVSKII, I. L. 1995. Thermodynamic Properties of the Aqueous Ions (2+ and 3+) of Iron and the Key Compounds of Iron. Journal of Physical and Chemical Reference Data, 24, 1699-1745.
71PAR/WAG	PARKER, V. B., WAGMAN, D. D. & EVANS, W. H. 1971. Selected values of chemical thermodynamic properties. Tables for the alkaline earth elements (Elements 92 through 97 in the standard order of arrangement) U.S. Natl. Bur. Standards Teach.
99PAR/APP	PARKHURST, D. L. & APPELO, C. A. J. 1999. User's guide to PHREEQC (Version 2): A computer program for speciation, batch-reaction, one-dimensional transport, and inverse geochemical calculations USGS.
01PAR/APP	PARKHURST, D. L. & APPELO, C. A. J. 2001. User's guide to PHREEQC (Version 2.4.6). A computer program for speciation, batch reaction, one dimensional transport and inverse geochemical calculations U.S. Department of the Interior. U.S. Geological Survey. Water-Resources Investigations.
13PAR/APP	PARKHURST, D. L. & APPELO, C. A. J. 2013. Description of input and examples for PHREEQC version 3 - A computer program for speciation, batch-reaction, one-dimensional transport, and inverse geochemical calculations. U.S. Geological Survey Techniques and Methods, , book 6, chap. A43, 497 p., available only at http://pubs.usgs.gov/tm/06/a43 .
88PAR/POH	PARKS, G. A. & POHL, D. C. 1988. Hydrothermal solubility of uraninite. Geochim. Cosmochim. Acta, 52 863-875.
72PAR	PARKS, G. A. 1972. Free energies of formation and aqueous solubilities of aluminium hydroxides and oxides at 25°C. Am. Mineralogist, 57 1163-1189.
32PAR/HUF	PARKS, G. S. & HUFFMAN, H. M. 1932. The free energies of some organics compounds, New York.
25PAR/KEL	PARKS, G. S. & KELLEY, K. K. 1925. The heat capacities of some metallic oxides. Journal of Physical Chemistry, 30 47-55.
34PAR/LIG	PARKS, G. S. & LIGHT, D. W. 1934. Thermal data on organic compounds. XIII. The heat capacities and entropies of n-tetradecane and the hydroxybenzoic acids. The relative free energies of some benzenoid position isomers. Journal of the American Chemical Society, 56, 1511-1513.
02PAR/VID	PARRA, T., VIDAL, O. & AGARD, P. 2002. A thermodynamic model for Fe–Mg dioctahedral K white micas using data from phase-equilibrium experiments and natural pelitic assemblages. Contributions to Mineralogy and Petrology, 143, 706-732.

71PAR/ROC	PARSONS, G. H., ROCHESTER, C. H. & WOOD, C. E. C. 1971. Effect of 4-substitution on the thermodynamics of hydration of phenol and the phenoxide anion. J. Chem. Soc., B, 533-536.
72PAR/ROC	PARSONS, G. H., ROCHESTER, C. H., ROSTRON, A. & SYKES, P. C. 1972. Thermodynamics of hydration of phenols. J. Chem. Soc., Perkin Trans., 2, 136-138.
06PAR/COV	PARTANEN, J. I. & COVINGTON, A. K. 2006. Re-evaluation of the first and second stoichiometric dissociation constants of phthalic acid at temperatures from (0 to 60) °C in aqueous phthalate buffer solutions with or without potassium chloride. 1. Estimation of parameters for the hückel model activity coefficient equations for calculation of the second dissociation constant. Journal of Chemical and Engineering Data, 51, 777-784.
76PAR/AMB	PARTHASARATHY, S. & AMBUJAVALLI, S. 1976. Energetics of complex formation of calcium and magnesium ions with O-donor ligands. Inorganica Chimica Acta, 17 213-216.
97PAS/CZE	PASHALIDDIS, I., CZERWINSKI, K. R., FANGHANEL, T. & KIM, J. I. 1997. Solid-Liquid Phase Equilibria of Pu(VI) and U(VI) in Aqueous Carbonate Systems Determination of Stability Constants. Radiochim. Acta, 76 55-62.
03PAS/PEM	PASILIS, S. P. & PEMBERTON, J. E. 2003. Speciation and coordination chemistry of uranyl (VI)-citrate complexes in aqueous solution. Inorganic chemistry, 42, 6793-6800.
06PAT/CHO1	PATHAK, P. N. & CHOPPIN, G. R. 2006. Complexation/speciation studies of Ni ²⁺ ion with orthosilicic acid in perchlorate media. J. Radioanal. Nucl. Chem., 267, 309-314.
06PAT/CHO2	PATHAK, P. N. & CHOPPIN, G. R. 2006. Silicate complexation of NpO ₂ ⁺ ion in perchlorate media. J. Radioanal. Nucl. Chem, 274 3-7.
06PAT/CHO3	PATHAK, P. N. & CHOPPIN, G. R. 2006. Thermodynamic study of metal silicate complexation in perchlorate media. Radiochim. Acta, 94 81-86.
07PAT/CHO	PATHAK, P. N. & CHOPPIN, G. R. 2007. Silicate complexation of NpO ₂ ⁺ ion in perchlorate media. J. Radioanal. Nucl. Chem., 274, 3-7.
06PAT/CHO	Pathak, P. N., Choppin, G. R. 2006. Thermodynamic study of metal silicate complexation in perchlorate media, Radiochim. Acta, 94, 81-86.
73PAT/RAM	PATIL, S. K. & RAMAKRISHNA, V. V. 1973. Studies on the sulphate complexing of tetravalent actinides. Radiochim acta., 19 27-30.
53PAT/THO	Patrick, W. A. and Thompson, W. E. 1953. Standard electrode potential of the iron-ferrous ion couple at 25°C. J. Am. Chem. Soc., 75, 1184-1187.
98PAU/FUR	PAUKOV, I. E. & FURSENKO, B. A. 1998. Low-temperature heat capacity and thermodynamic functions of laumontite. Geochemistry International, 1177-1179.
70PAU	PAUL, M. T. 1970. Die Komplexbildung vierweriger Aktiniden mit Pyridin- und alpha-Aminopolykarbonsäuren Institut für Radiochemie, kernforschungszentrum Karlsruhe.
60PAU	PAULING, L. 1960. The nature of the chemical bond, New York, Cornell University Press 3rd Ed.
80PAU/KER	Paulson, A.J. and Kester, D.R. (1980). Copper 2+ ion hydrolysis in aqueous solution, J. Sol. Chem., 9, 269-277.
99PAV	PAVASARS, I. 1999. Characterisation of organic substances in waste materials under alkaline conditions. Linköping University, Linköping Studies in Arts and Sciences

03PAV/HAG	PAVASARS, I., HAGBERG, J., BORÉN, H. & ALLARD, B. 2003. Alkaline degradation of cellulose: mechanisms and kinetics. <i>Journal of Polymers and the Environment</i> , 11, 39-47.
96PAV/FAN	PAVIET, P., FANGHANEL, T., KLENZE, R. & KIM, J. I. 1996. Thermodynamics of curium (III) in concentrated electrolyte solutions: Formation of sulfate complexes in NaCl/Na ₂ SO ₄ solutions. <i>Radiochim. Acta</i> , 74 99-104.
92PEA/BER	PEARSON, F. J., BERNER, U. & HUMMEL, W. 1992. Nagra thermochemical data base. II. Supplemental data 05/92 (TR 91-18) NTB, NAGRA.
91PEA/BER	Pearson, F. J., Jr. and Berner, U. 1991. Nagra Thermochemical Data Base, I. Core Data, Nagra Technical Report NTB 91-17, Wetingen.
11PEA/TOU	PEARSON, F. J., TOURNASSAT, C. & GAUCHER, E. C. 2011. Biogeochemical processes in a clay formation in situ experiment: Part E-Equilibrium controls on chemistry of pore water from the Opalinus Clay, Mont Terri Underground Research Laboratory, Switzerland. <i>Appl. Geochem.</i> , 26, 990-1008.
92PEA/BER	Pearson, F.J., Berner, U. and Hummel, W. 1992. Nagra thermochemical data base, II. Supplemental data 05/92. Nagra Technical Report 91-18.
55PEC/SAN	PECSOK, R. L. & SANDERA, J. 1955. The gluconate complexes. II. The ferric-gluconate system. <i>Journal of the American Chemical Society</i> , 77, 1489-1494.
96PED	PEDERSEN, K. 1996. Bacteria, colloids and organic carbon in groundwater at the Bangombé site in the Oklo area (SKB SKB).
97PEI/NGU	PEIFFERT, C., NGUYEN-TRUNG, C. & LANDAIS, P. 1997. Etude experimentale de la solubilité des oxydes de Nb(V) cristallisé et amorphe dans des solutions aqueuses Andra.
96PEI/NGU	PEIFFERT, C., NGUYEN-TRUNG, C. & POTY, B. 1996. Etude experimentale de la solubilité du B-Nb ₂ O ₅ cristallisé dans des solutions aqueuses. . Andra.
10PEI/NGU	PEIFFERT, C., NGUYEN-TRUNG, C., PALMER, D. A., LAVAL, J. P. & GIFFAUT, E. 2010. Solubility of B-Nb ₂ O ₅ and the Hydrolysis of Niobium(V) in Aqueous Solution as a Function of Temperature and Ionic Strength. <i>J. Solution Chem.</i> , 39, 197-218.
87PEI/FRE	PEIFFERT, S. & FREVERT, T. 1987. Potentiometric determination of heavy metal sulphide solubilities using a pH ₂ S(Glass/Ag ⁰ , Ag ₂ S) electrode cell. <i>Analyst</i> , 112 951-954.
02PEK/RIG	PEKETROUKHINE, V., RIGLET-MARTIAL, C., CAPDEVILA, H., CALMON, V., BIENVENU, P. & LASZAK, I. 2002. Effect of soluble silicates on the solubility of thorium (IV) hydrous oxide. <i>Journal of Nuclear Science and Technology</i> , 39(sup3), 516-519.
06PEL/ALL	PELTIER, E., ALLADA, K., NAVROTSKY, A. & SPARKS, D. L. 2006. Nickel solubility and precipitation in soils: a thermodynamic study. <i>Clays and Clay Minerals</i> , 54, 153-164.
97PEN/WAN	PENG, J. & WAN, A. 1997. Measurement of Henry's constants of high-volatility organic compounds using a headspace autosampler. <i>Environ. Sci. Technol.</i> , 31, 2998-3003.
62PEP/MAS	PEPPARD, D. F., MASON, G. W. & HUCHER, I. 1962. Stability constants of certain lanthanide(III) and actinide(III) chloride and nitrate complexes. <i>J. Inorg. Nucl. Chem.</i> , 24 881-888.
01PER/HEF	PERERA, W. N., HEFTER, G. & SIPOS, P. M. 2001. An investigation of the lead(II)-hydroxide system. <i>Inorganic chemistry</i> , 40, 3974-3978.

96PÉR/DEL	PÉREZ DEL VILLAR, L., DE LA CRUZ, B., PARDILLO, J., CÓZAR, J. S., PELAYO, M., MARÍN, C., RIVAS, P., REYES, E., CABALLERO, E., DELGADO, A., NUÑEZ, R., CRESPO, M. T. & GALÁN, M. P. 1996. Lithochemical characterization and evolutive model of El Berrocal site: Analogies with HLRWR. Topical report 2. In El Berrocal project. Characterization and validation natural radionuclide migration processes under real conditions on the fissured granitic environment Enrrasa.
96PÉR/PEL	PÉREZ DEL VILLAR, L., PELAYO, M., CÓZAR, J. S., DE LA CRUZ, B., PARDILLO, J., RIVAS, P., REYES, E., DELGADO, A., NUÑEZ, R., CRESPO, M. T., JIMÉNEZ, A., QUEJIDO, A. & SÁNCHEZ, M. 1996. Mineralogical and geochemical characterisation of the El Berrocal fracture fillings in relation to the migration/retention of natural radionuclide. Topical report 3 in El Berrocal project. Characterization and validation of natural radionuclide migration processes under real conditions on the fissured granitic environment ECC.
15PÉR/CAM1	PÉREZ, D., CAMPOS, I., COLÀS, E. & GRIVÉ, M. 2015. Systematic cross-checking: Development of a cross-checking tool. Project ANDRA TC2 - Task A. 1st Progress Report. Amphos 21.
15PÉR/CAM2	PÉREZ, D., CAMPOS, I., COLÀS, E. & GRIVÉ, M. 2015. TCEExtract tool: Informatic development documentation. Project ANDRA TC2 - Task E. Progress Report. Amphos 21.
15PÉR/CAM3	PÉREZ, D., CAMPOS, I., COLÀS, E. & GRIVÉ, M. 2015. TCEExtract Tool: User Guide. Version 1.0.0.0 TC2 Task E. Amphos 21.
16PÉR/CAM	PÉREZ, D., CAMPOS, I., COLÀS, E. & GRIVÉ, M. 2016. ThermoChimie data extraction. Project TC2 – Task E. 3rd progress report.: Amphos 21.
17PÉR/CAM	PÉREZ, D., CAMPOS, I., COLÀS, E. & GRIVÉ, M. 2017. TCEExtract Tool: User Guide. Version 2.2 Project TC2 - Task E. Amphos 21.
16PÉR/RIB	PÉREZ, D., RIBA, O., CAMPOS, I., COLÀS, E. & GRIVÉ, M. 2016. ThermoChimie data extraction into Geochemist's Workbench format. Project ANDRA TC2 – Task E. Progress report. Amphos 21.
00PÉR/CAS	PÉREZ, I., CASAS, I., MARTÍN, M. & BRUNO, J. 2000. The thermodynamics and kinetics of uranophane dissolution in bicarbonate test solutions. <i>Geochimica et Cosmochimica Acta</i> , 64, 603.
00PER/CAS	Pérez, I., Casas, I., Martín, M., Bruno, J. 2000. The thermodynamics and kinetics of uranophane dissolution in bicarbonate test solutions, <i>Geochim. Cosmochim. Acta</i> , 64, 4, 603-608.
97PÉR/CAS	PÉREZ, I., CASAS, I., TORRERO, M. E., CERA, E., DURO, L. & J., B. 1997. Disolution studies of soddyite as long-term analogue of oxidative alterationof spent nuclear fuel matrix. <i>Mater. Res. Soc. Symp. Proc.</i> , 465 565-572.
97PER/CAS	Pérez, I., Casas, I., Torrero, M. E., Cera, E., Duro, L., Bruno, J. 1997. Dissolution studies of soddyite as a long-term analogue of the oxidative alteration of the spent nuclear fuel matrix, <i>Mater. Res. Soc. Symp. Proc.</i> , 465, 565-572.
00PER/PAL	PERKINS, R. B. & PALMER, C. D. 2000. Solubility of $\text{Ca}_6[\text{Al}(\text{OH})_6]_2(\text{CrO}_4)_3 \cdot 26\text{H}_2\text{O}$, the chromate analog of ettringite; 5-75°C. <i>Applied geochemistry</i> , 15, 1203-1218.
01PER/PAL	PERKINS, R. B. & PALMER, C. D. 2001. Solubility of chromate hydrocalumite ($3\text{CaO} \cdot \text{Al}_2\text{O}_3 \cdot \text{CaCrO}_4 \cdot n\text{H}_2\text{O}$) 5–75°C. <i>Cement and Concrete Research</i> , 31, 983-992.
83PER/EIS	PERLINGER, J. A., EISENREICH, S. J. & CAPEL, P. D. 1983. Application of headspace analysis to the study of sorption of hydrophobic organic chemicals to $\alpha\text{-Al}_2\text{O}_3$. <i>Environ. Sci. Technol.</i> , 27, 928-937.
60PER	Perrin, D.D. (1960). The hydrolysis of copper 2+ ion. <i>J. Chem. Soc.</i> , 3189-3196.
63PES/PEN	PESHKOVA, V. M. & PEN, A. 1963. <i>Vestnik Moskow Univ.</i> , 2, 40-42.

61PES/MEL	PESHKOVA, V. M., MELCHAKOVA, N. V. & ZHEMCHUZHIN, S. G. 1961. Complex formation in the benzoylacetone (1-phenylbutane-1,3-Dione)-zirconium-benzene-water system and the hydrolysis of zirconium ions. Russ. J. Inorg. Chem, 6 630-634.
17PET/FEL	Petrov, V. G., Fellhauer, D., Gaona, X., Dardenne, K., Rothe, J., Kalmykov, S. N., Altmaier, M. 2017. Solubility and hydrolysis of Np(V) in dilute to concentrated alkaline NaCl solutions: formation of Na-Np(V)-OH solid phases at 22 °C, Radiochim. Acta, 105, 1-20.
11PET/GAO	PETROV, V. G., GAONA, X., FELLHAUER, D., KALMYKOV, S. N. & ALTMAIER, M. 2011. Solubility and phase transformations of Np(V) hydroxide in NaCl solutions.: KIT.
81PET/MIL	PETTINE, M., MILLERO, F. J. & MACCHI, G. 1981. Hydrolysis of tin (II) in aqueous solutions. Analytical Chemistry, 53, 1039-1043.
97PFI/SHI	PFINGSTEN, W. & SHIOTSUKI, M. 1997. Modeling a cement degradation experiment by a hydraulic transport and chemical equilibrium coupled code. MRS Proceedings
94PFI	PFINGSTEN, W. 1994. Modular coupling of transport and chemistry: theory and model applications PSI.
08PHI/VER	PHILIPPINI, V., VERCOUTER, T., AUIPAIS, J., TOPIN, S., AMBARD, C., CHAUSSÉ, A. & VITORGE, P. 2008. Evidence of different stoichiometries for the limiting carbonate complexes across the lanthanide (III) series: A capillary electrophoresis-mass spectrometry study. Electrophoresis, 29, 2041-2050.
10PHI/VER	Philippini, V., Vercouter, T., Vitorge, P., 2010. Evidence of Different Stoichiometries for the Limiting Carbonate Complexes across the Lanthanide(III) Series. J Solution Chem 39, 747–769.
88PHI/HAL	PHILLIPS, S. L., HALE, F. B., SILVESTER, L. F. & SIEGEL, M. D. 1988. Thermodynamic tables for nuclear waste isolation. Aqueous solution database. . NUREG.
08PHI/HAL	PHILLIPS, S. L., HALE, F. V. & SILVESTER, L. F. 2008. Thermodynamic tables for nuclear waste isolation, an aqueous solutions database. Lawrence Berkeley National Laboratory.
00PIC/CON	PICCOLO, A. & CONTE, P. 2000. Molecular size of humic substances. Supramolecular associations versus macromolecular polymers. Adv. Environ. Res, 3, 508-521.
72PIE/LIA	PIEROTTI, R. A. & LIABASTRE, A. A. 1972. The structure and properties of water solutions, Atlanta, Georgia Institute of Technology, School of Chemistry.
97PIE	PIERRARD, J. C. 1997. Chimie de produits de fission et d'activation.Acquisition de données thermodynamiques associées aux équilibres gouvernant leur solubilité en solution aqueuse Andra.
64PIE	PIERROT, R. 1964. Contribution à la minéralogie des arsénates calciques et calcomagnésiens naturels. Bulletin de la Societe Francaise de Mineralogie et de Cristallographie, 87 169-211.
90PIL/STO	PILKINGTON, N. J. & STONES, N. S. 1990. The solubility and sorption of nickel and niobium under high pH conditions Nirex.
90PIL	PILKINGTON, N. J. 1990. The Solubility of Technetium in the Near-Field Environment of a Radioactive Waste Repository. J. Less-Common Metals., 161 203-211.
02PIN/PUT	PINA, C. M. & PUTNIS, A. 2002. The kinetics of nucleation of solid solutions from aqueous solutions: A new model for calculating non-equilibrium distribution coefficients. Geochimica et cosmochimica acta, 66, 185-192.
84PIN/EAS	PINGITORE, N. E. & EASTMAN, M. P. 1984. The experimental partitioning of Ba ²⁺ into calcite. Chem.Geol., 45 113-120.

99PIN/MOT	PINHEIRO, J. P., MOTA, A. M. & BENEDETTI, M. F. 1999. Lead and Calcium binding to fulvic acids: Salt effect and competition. <i>Environmental Science and Technology</i> , 33 3398-3404.
69PIN/WAL	PINNEY, R. J. & WALTERS, V. 1969. The relation between the bactericidal activities and certain physico-chemical properties of some fluorophenols. <i>J. Pharmacy Pharmacology</i> , 21, 415-422.
83PIN/PÉR	PINO, F. & PÉREZ, D. 1983. Análisis de elementos-traza por espectrofotometría de absorción molecular ultravioleta-visible, Universidad de Sevilla
56PIT/POU	PITMAN, A. L., POURBAIX, M. & ZOUBOV, N. 1956. Potential-pH diagram of the antimony-water system. <i>J. Electrochem. Soc.</i> , 78 1848.
57PIT/POU	PITMAN, A. L., POURBAIX, M. & ZOUBOV, N. 1957. Potential-pH diagram of the antimony-water system. <i>J. Electrochem. Soc.</i> , 104, 594-600.
91PIT	PITZER, K. S. 1991. Ion interaction approach: theory and data correlation. <i>Activity coefficients in electrolyte solutions</i> , 2 75-154.
07PLA/WEN	PLAS, F. & WENDLING, J. 2007. The Geological Research in France-The Dossier 2005 Argile. <i>Scientific Basis for Nuclear Waste Management XXX</i> , 985 493-504.
82PLU/BUS	PLUMMER, L. N. & BUSENBERG, E. 1982. The solubilities of calcite, aragonite and vaterite in CO ₂ -H ₂ O solutions between 0 and 90°C, and an evaluation of the aqueous model for the system CaCO ₃ -CO ₂ -H ₂ O. <i>Geochimica et Cosmochimica Acta</i> , 46, 1011-1040.
88PLU/PAR	PLUMMER, L. N., PARKHURST, D. L., FLEMING, G. W. & DUNKLE, S. A. 1988. A computer program incorporating pitzer's equations for calculation of geochemical reactions in brines, U.S. Geological Survey
00PLY/SHO	PLYASUNOV, A. V. & SHOCK, E. L. 2000. Thermodynamic functions of hydration of hydrocarbons at 298.15 K and 0.1 MPa. <i>Geochimica et Cosmochimica Acta</i> , 64, 439-468.
01PLY/SHO	PLYASUNOV, A. V. & SHOCK, E. L. 2001. Group contribution values of the infinite dilution thermodynamic functions of hydration for aliphatic noncyclic hydrocarbons, alcohols, and ketones at 298.15 K and 0.1 MPa. <i>Journal of Chemical & Engineering Data</i> , 46, 1016-1019.
01PLY/OCO	PLYASUNOV, A. V., O'CONNELL, J. P., WOOD, R. H. & SHOCK, E. L. 2001. Semiempirical equation of state for the infinite dilution thermodynamic functions of hydration of nonelectrolytes over wide ranges of temperature and pressure. <i>Fluid Phase Equilib.</i> , 183, 133-142.
06PLY/PLY	PLYASUNOV, A. V., PLYASUNOVA, N. V. & SHOCK, E. L. 2006. Group contribution values for the thermodynamic functions of hydration at 298.15 K, 0.1 MPa. 3. Aliphatic monoethers, diethers, and polyethers. <i>Journal of Chemical & Engineering Data</i> , 51, 276-290.
04PLY/PLY	PLYASUNOVA, N. V., PLYASUNOV, A. V. & SHOCK, E. L. 2004. Database of thermodynamic properties for aqueous organic compounds. <i>International journal of thermophysics</i> , 25, 351-360.
97PLY/WAN	Plyasunova, N. V., Wang, M., Zhang, Y., Muhammed, M. (1997). Critical evaluation of thermodynamics of complex formation of metal ions in aqueous solutions II. Hydrolysis and hydroxo-complexes of Cu ²⁺ at 298.15 K. <i>Hydrometal.</i> , 45, 37.
98PLY/ZHA1	PLYASUNOVA, N. V., ZHANG, Y. & MUHAMMED, M. 1998. Critical evaluation of thermodynamics of complex formation of metal ions in aqueous solutions. V. hydrolysis and hydroxo-complexes of Co ²⁺ at 298.15 K. <i>Hydrometallurgy</i> , 48, 153-169.
98PLY/ZHA2	PLYASUNOVA, N., ZHANG, Y. & MUHAMMED, M. 1998. Critical evaluation of thermodynamics of complex formation of metals ions in aqueous solutions. IV Hydrolysis and hydroxo-complex of Ni ²⁺ at 298,15 K. <i>Hydrometallurgy</i> , 48 43-63.

73POC/GRE	POCKER, Y. & GREEN, E. 1973. Hydrolysis of D-glucono-delta-lactone. I. General acid-base catalysis, solvent deuterium isotope effects, and transition state characterization. <i>J. Am. Chem. Soc.</i> , 95 113.
04POI	Poineau, F. 2004. Mécanismes de condensation du technétium tétravalent en milieu chloré, Ph. D. Thesis.
06POI/FAT	Poineau, F., Fattahi, M., Grambow, B. 2006. Photochemical behaviour of Tc ₂ OCl ₁₀ ⁴⁻ and Tc _n O _y (4n-2y) ⁺ in chloride media, <i>Radiochim. Acta</i> , 94, 91-95.
02POI/COR	POINTEAU, I., COREAU, N. & REILLER, P. 2002. Etude expérimentale et modélisation de la rétention de ¹⁴ CO ₃ ²⁻ par les matériaux constituant le béton dans le cadre d'un entreposage de barres graphite UNGG.: CEA.
04POI/COR	POINTEAU, I., COREAU, N. & REILLER, P. 2004. Etude de la rétention chimique des radionucléides Cs(I), Am(III), Zr(IV), Pu(IV), Nb(V), U(VI) et Tc(IV) par les matériaux cimentaires dégradés CEA.
08POI/COR	POINTEAU, I., COREAU, N. & REILLER, P. E. 2008. Uptake of anionic radionuclides onto degraded cement pastes and competing effect of organic ligands. <i>Radiochimica Acta</i> , 96, 367-374.
06POI/HAI	POINTEAU, I., HAINOS, D., COREAU, N. & REILLER, P. 2006. Effect of organics on selenite uptake by cementitious materials. <i>Waste Management</i> , 26, 733-740.
04POI/LAN	POINTEAU, I., LANDESMAN, C., GIFFAUT, E. & REILLER, P. 2004. Reproducibility of the uptake of U(VI) onto degraded cement pastes and calcium silicate hydrate phases. <i>Radiochim. Acta</i> , 92 645-650.
01POI/MAR	POINTEAU, I., MARMIER, N., FROMAGE, F., FEDOROFF, M. & GIFFAUT, E. 2001. Cesium and Lead Uptake by CSH Phases of Hydrated Cement. <i>Materials Research Society Symposium Proceedings</i>
01POI/PIR	POINTEAU, I., PIRIOU, B., FEDOROFF, M., BARTHES, M. G., MARMIER, N. & FROMAGE, F. 2001. Sorption mechanism of Eu ³⁺ on CSH phases of hydrated cements. <i>Journal of colloid and interface science</i> , 236 252-259.
00POI/OEL	POITRASSON, F., OELKERS, E. H., SCHOTT, J. & MONTEL, J. M. 2000. Experimental study of monazite-water Interaction from 21 to 300°C. <i>Goldschmidt. Journal of Conference Abstracts</i> , 5 805.
04POI/OEL	POITRASSON, F., OELKERS, E., SCHOTT, J. & MONTEL, J. M. 2004. Experimental determination of synthetic NdPO ₄ monazite end-member solubility in water from 21°C to 300°C: Implications for rare earth element mobility in crustal fluids. <i>Geochimica et Cosmochimica Acta</i> , 68 2207-2221.
13POK/ROU	POKROVSKI, G. S., ROUX, J., FERLAT, G., JONCHIERE, R., SEITSONEN, A. P., VUILLEUMIER, R. & HAZEMANN, J. L. 2013. Silver in geological fluids from in situ X-ray absorption spectroscopy and first-principles molecular dynamics. <i>Geochimica et Cosmochimica Acta</i> , 106, 501-523.
95POK/SCH	POKROVSKI, G. S., SCHOTT, J. & SERGEYEV, A. S. 1995. Experimental determination of the stability constants of NaSO ₄ ⁻ and NaB(OH) ₄ in hydrothermal solutions using a new high-temperature sodium-selective glass electrode — Implications for boron isotopic fractionation. <i>Chemical Geology</i> , 124, 253-265.
96POK/GOU	POKROVSKI, G., GOUT, R., SCHOTT, J., ZOTOV, A. & HARRICHOURY, J. C. 1996. Thermodynamic properties and stoichiometry of As(III) hydroxide complexes at hydrothermal conditions. <i>Geochimica et Cosmochimica Acta</i> , 60, 737.
95POK/HEL	POKROVSKII, V. A. & HELGESON, H. C. 1995. Thermodynamic properties of aqueous species and the solubilities of minerals at high pressures and temperatures; the system Al ₂ O ₃ -H ₂ O-NaCl. <i>American Journal of Science</i> , 295, 1255-1342.

97POK/HEL	POKROVSKII, V. A. & HELGESON, H. C. 1997. Calculation of the standard partial molal thermodynamic properties of KClO and activity coefficients of aqueous KCl at temperatures and pressures to 1000°C and 5 kbar. <i>Geochimica et Cosmochimica Acta</i> , 61, 2175-2183.
97POK/HEL1	POKROVSKII, V. A. & HELGESON, H. C. 1997. Calculation of the standard partial molal thermodynamic properties of KCl ⁰ and activity coefficients of aqueous KCl at temperatures and pressures to 1000°C and 5 kbar. <i>Geochimica et Cosmochimica Acta</i> , 61, 2175-2183.
97POK/HEL2	POKROVSKII, V. A. & HELGESON, H. C. 1997. Thermodynamic properties of aqueous species and the solubilities of minerals at high pressures and temperatures: the system Al ₂ O ₃ -H ₂ O-KOH. <i>Chemical Geology</i> , 137, 221-242.
97POK/CHO	POKROVSKY, O. S. & CHOPPIN, G. R. 1997. Neptunium (V) complexation by acetate, oxalate and citrate in NaClO ₄ media at 25°C. <i>Radiochimica acta</i> , 79, 167-171.
98POK/BRO	POKROVSKY, O. S., BRONIKOWSKI, M. G., MOORE, R. C. & CHOPPIN, G. R. 1998. Interaction of neptunyl (V) and uranyl (VI) with EDTA in NaCl media: Experimental study and Pitzer modeling. <i>Radiochimica acta</i> , 80, 23-29.
73POL/LU	POLAK, J. & LU, B. C.-Y. 1973. Mutual solubilities of hydrocarbons and water at 0 and 25°C. <i>Can. J. Chem. Eng.</i> , 51, 4018-4023.
65POL/HEM	POLZER, W. L. & HEM, J. D. 1965. The dissolution of kaolinite. <i>Journal of Geophysical Research</i> , 70, 6233-6240.
01POM/LEQ	POMIES, M. P., LEQUEUX, N. & BOCH, P. 2001. Speciation of cadmium in cement Part I. Cd ²⁺ uptake by CSH. <i>Cement and concrete research</i> , 31 563-569.
29POP/KUN	Popoff, S. and Kunz, A. H. 1929. Oxidation-reduction potentials. I. The ferric-ferrous electrode, <i>J. Am. Chem. Soc.</i> , 51, 382-394.
31POP/FLE	Popoff, S., Fleharty, V. B. and Hanson, E. L. 1931. Oxidation-reduction potentials. IV. The determination from equilibrium data. B. Ferric-ferrous electrode, <i>J. Am. Chem. Soc.</i> , 53, 40-46.
73POR/DEP	PORTANOVA, R., DEPAOLI, G., BISMONDO, A. & MAGON, L. 1973. Interaction of plutonyl(VI) with dicarboxylate ligands. A comparison of the strength of corresponding complexes of other actinide elements. <i>Gazzetta Chimica Italiana</i> , 103 691-697.
74POR/DIB	PORTANOVA, R., DI BERNARDO, P., CASSOL, A., TONDELLO, E. & MAGON, L. 1974. Thermodynamic properties of actinide complexes. Part I: Uranyl(VI) monocarboxylate complexes. <i>Inorg. Chim. Acta</i> , 8 233-240.
75POR/DIB	PORTANOVA, R., DI BERNARDO, P., TRAVERSO, O., MAZZOCCHIN, G. A. & MAGON, L. 1975. Thermodynamic properties of actinide complexes—II: Thorium (IV)-acetate system. <i>Journal of Inorganic and Nuclear Chemistry</i> , 37, 2177-2179.
03POR/LAJ	PORTANOVA, R., LAJUNEN, L. H. J., TOLAZZI, M. & PIISPANEN, J. 2003. Critical evaluation of stability constants for a-hydroxycarboxylic acid complexes with protons and metal ions and the accompanying enthalpy changes. part ii. aliphatic 2-hydroxycarboxylic acids (IUPAC Technical Report). <i>Pure Appl. Chem.</i> , 75, 495-540-495-540.
72POR/TOM	PORTANOVA, R., TOMAT, G., CASSOL, A. & MAGON, L. 1972. Equilibria of thorium (IV) with monocarboxylate ligands. <i>Journal of Inorganic and Nuclear Chemistry</i> , 34, 1685-1690.
71POR/WEB	PORTER, R. A. & WEBER, W. J. 1971. THE INTERACTION OF SILICIC ACID WITH IRON(III) AND URANYL IONS IN DILUTE AQUEOUS SOLUTION. <i>J. inorg. Nucl. Chem.</i> , 33 2443-2449.
87POS/AXT	POSEY-DOWTY, J., AXTMANN, E., CRERAR, D., BORCSIK, M., RONK, A. & WOODS, W. 1987. Dissolution rates of uraninites and uranium roll front ores. <i>Econ.Geol.</i> , 82 184-194.
77POT	Potter R. (1977) An electrochemical investigation of the system copper-sulfur. <i>Econ. Geol.</i> 72, 1524-1542.

01POU/CUR	POUCHON, M. A., CURTI, E., DEGUELDRE, C. & TOBLER, L. 2001. The influence of carbonate complexes on the solubility of zirconia: new experimental data. <i>Prg. Nucl. Energy</i> , 38 443-446.
45POU	Pourbaix, M. (1945). <i>Thermodynamique des Solutions Aqueuses Diluées. Représentation Graphique du Role du pH et du Potentiel</i> . Ph. D. Thesis. Université Libre des Bruxelles,. Engl. transl. : (1965) <i>Thermodynamics in Dilute Aqueous Solutions, with Applications to Electrochemistry and Corrosion</i> , Arnold, London.
73POU	Pourbaix, M. (1973). <i>Lectures on Electrochemical Corrosion</i> . Plenum Press, New York-London, p. 121-142
64POU	POURBAIX, M. 1964. <i>Atlas d'équilibres électrochimiques à 25° C</i> , Gauthier-Villars et Cie, Paris.
10POU/DEV	POURTIER, E., DEVIDAL, J.-L. & GIBERT, F. 2010. Solubility measurements of synthetic neodymium monazite as a function of temperature at 2Kbars, and aqueous neodymium speciation in equilibrium with monazite. <i>Geochimica et Cosmochimica Acta</i> , 74 1872-1891.
68POW/FAR	POWELL, J. E., FARRELL, J. L., NEILLIE, W. F. S. & RUSSELL, R. 1968. Stability trends of 1:1 and 2:1 dialkylmalonato rare-earth chelates. <i>Journal of inorganic and nuclear chemistry</i> , 30, 2223-2231.
07POW/BRO	Powell, K. J., Brown, P. L., Byrne, R. H., Gajda, T., Hefter, G., Sjöberg, S., & Wanner, H. (2007). Chemical speciation of environmentally significant metals with inorganic ligands Part 2: The Cu ²⁺ -OH ⁻ , Cl ⁻ , CO ₃ ²⁻ , SO ₄ ²⁻ , and PO ₄ ³⁻ systems (IUPAC Technical Report). <i>Pure and Applied Chemistry</i> , 79(5), 895-950.
51POW/LAT	POWELL, R. E. & LATIMER, W. M. 1951. The entropy of aqueous solutes. <i>J. Chem. Phys.</i> , 19 1139-1141.
99PRA/SHO	PRAPAIPONG, P., SHOCK, E. L. & KORETSKY, C. M. 1999. Metal-organic complexes in geochemical processes: Temperature dependence of the standard thermodynamic properties of aqueous complexes between metal cations and dicarboxylate ligands. <i>Geochim. Cosmochim. Acta</i> , 63 2547-2577.
70PRA/HAV	PRASILOVA, J. & HAVLICEK, J. 1970. Determination of stability constants of some complexes of zirconium using dinonyl naphthalene sulphonic acid as liquid ion exchanger. <i>J. Inorg. Nucl. Chem</i> , 32 953-960.
09PRA/VER	PRAT, O., VERCOUTER, T., ANSOBORLO, E., FICHET, P., PERRET, P., KURTTIO, P. & SALONEN, L. 2009. Uranium speciation in drinking water from drilled wells in southern Finland and its potential links to health effects. <i>Environ. Sci. Technol.</i> , 43, 3841-3946.
72PRE/RUG	PREDEL, B. & RUGE, H. 1972. Untersuchung der bildungsenthalpien in den systemen Mg-Cu-Zn, Mg-Cu-Al und Mg-Cu-Sn als beitrag zur klarung der bindungsverhältnisse in Laves-Phasen. <i>Materials Science and Engineering</i> , 9 141-151.
02PRE/GAM	PREIS, W. & GAMSJAGER, H. 2002. Critical evaluation of solubility data: enthalpy of formation of siderite. <i>Physical Chemistry Chemical Physics</i> , 4 4014-4019.
02PRE/AND	Preis, W., and Gamsjäger, H. (2002). Solid-solute phase equilibria in aqueous solution. XVI. Thermodynamic properties of malachite and azurite-predominance diagrams for the system Cu ²⁺ -H ₂ O-CO ₂ . <i>The Journal of Chemical Thermodynamics</i> , 34(5), 631-650.
76PRI	PRICE, L. C. 1976. Aqueous solubility of petroleum as applied to its origin and primary migration. <i>Amer. Assoc. Petrol. Geol. Bull.</i> , 60, 213-244.
97PRI/FER	PRIETO, M., FERNANDEZ-GONZALEZ, A., PUTNIS, A. & FERNANDEZ-DIAZ, L. 1997. Nucleation, growth, and zoning phenomena in crystallizing (Ba, Sr) CO ₃ , Ba (SO ₄ , CrO ₄), (Ba, Sr) SO ₄ , and Cd, CaCO ₃ solid solutions from aqueous solutions. <i>Geochimica et Cosmochimica Acta</i> , 61 3383-3397.

08PRI	Prikryl, J. D. 2008. Uranophane dissolution and growth in CaCl ₂ -SiO ₂ (aq) test solutions, <i>Geochim. Cosmochim. Acta</i> , 72, 4508-4520.
86PRO/EFI	PROKOPENKO, I. V., EFIMOV, M. E., TROYANOV, S. I., MEDVEDEV, V. A. & TSIRELNIKOV, V. I. 1986. <i>Russ. J. Phys. Chem.</i> , 60 1238.
86PRO/MED	PROKOPENKO, I. V., MEDVEDEV, V. A. & TSIREL'NIKOV, V. I. 1986. Eleventh All-Union conference on calorimetry and chemical thermodynamics
84PRO/SMO	PROKOPENKO, I. V., SMOLYAR, M. I., TROYANOV, S. I. & EFIMOV, M. E. 1984. Tenth All-union conference on problems in calorimetry and chemical thermodynamics
58PRY	PRYTZ, M. 1958. Komplexbildung in stannochlorid- und stannobromidlösungen. <i>Z. Anorg. Allg. Chem.</i> , 172 147-166.
91PUI/BRU	PUIGDOMÈNECH, I. & BRUNO, J. 1991. Plutonium solubilities (Technical Report 91-04) SKB.
95PUI/BRU	PUIGDOMÈNECH, I. & BRUNO, J. 1995. A thermodynamic data base for Tc to calculate equilibrium solubilities at temperatures up to 300°C SKB.
00PUI/TAX	PUIGDOMENECH, I. & TAXÉN, C. 2000. Thermodynamic data for copper. Implications for the corrosion of copper under repository conditions. SKB.
98PUI	PUIGDOMÈNECH, I. 1998. MEDUSA (Make Equilibrium Diagrams Using Sophisticated Algorithms) Windows interface to the MS-DOS versions of INPUT, SED and PREDOM (FORTRAN programs drawing chemical equilibrium diagrams) Vers. 9. . Royal Institute of Technology, Stockholm, Sweden.
04PUI	PUIGDOMÈNECH, I. 2004. Chemical Equilibrium Software MEDUSA and Database HYDRA Royal Institute of Technology, Stockholm, Sweden.
10PUI	PUIGDOMENECH, I. 2010. Chemical Equilibrium Diagrams, 14.07.2011. [Online]. Available: http://www.kemi.kth.se/medusa . [Accessed].
00PUI/TAX	Puigdomènech, I. and Taxén, C. (2000). Thermodynamic data for copper. Implications for the corrosion of copper under repository conditions. Technical Report SKB TR-00-13.
99PUI/RAR	PUIGDOMÈNECH, I., RARD, J. A., PLYASUNOV, A. V. & GRENTHE, I. 1999. TDB-4 Temperature corrections to thermodynamic data and enthalpy calculations. NEA OECD.
69QUI/MAR	QUIST, A. S. & MARSHALL, W. L. 1969. Electrical conductances of some alkali metal halides in aqueous solutions from 0 to 800 °C and at pressures to 4000 bars. <i>J. Phys. Chem.</i> , 73, 978-985.
56RAB	RABIDEAU, S. W. 1956. Thermodynamic functions and formal potentials of the plutonium (V) – (VI) couple. <i>J. Am. Chem. Soc.</i> , 78 2705-2707.
57RAB	RABIDEAU, S. W. 1957. The hydrolysis of plutonium (IV). <i>J. Am. Chem. Soc.</i> , 79 3675-3677.
60RAB/KLI	Rabideau, S. W., Kline, R. J. 1960. A spectrophotometric study of the hydrolysis of plutonium(IV), <i>J. Phys. Chem.</i> , 64, 680-682.
86RAB/SHE	RABINOVICH, I. B., SHEIMAN, M. S., KAMELOVA, G. P. & NISTRATOV, V. P. 1986. Heat capacity and thermodynamic functions of salicylic acid. <i>Termodinam.</i>
07RAB/ALT	RABUNG, T., ALTMAIER, M., NECK, V. & FANGHÄNEL, T. 2007. A TRLFs study of Cm(III) hydroxide complexes in alkaline CaCl ₂ solution. Abstracts of the Migration'07 conference

08RAB/ALT	RABUNG, T., ALTMAIER, M., V., N. & TH., F. 2008. A TRLFS study of Cm(III) hydroxide complexes in alkaline CaCl ₂ solutions. Radiochim. Acta, 96 551-559.
07RAB/ALT	Rabung, Th., Altmaier, M., Neck, V., Fanghänel, Th. 2007. A TRLFS study of Cm(III) hydroxide complexes in alkaline CaCl ₂ solutions. Abstracts of the Migration'07 conference.
08RAB/ALT	Rabung, Th., Altmaier, M., Neck, V., Fanghänel, Th. 2008. A TRLFS study of Cm(III) hydroxide complexes in alkaline CaCl ₂ solutions, Radiochim. Acta, 96, 551-559.
68RAC/SOP	RACZ, G. J. & SOPER, R. J. 1968. SOLUBILITY OF DIMAGNESIUM PHOSPHATE TRIHYDRATE AND TRIMAGNESIUM PHOSPHATE. Canadian Journal of Soil Science, 48, 265-269.
06RAG	RAGAVAN, A. J. 2006. Linear free energy relationship applied to trivalent cations with lanthanum and actinium oxide and hydroxide structure. Journal of Nuclear Materials, 358 47-51.
01RAG/FOU	RAGNARSDOTTIR, K. V., FOURNIER, P., OELKERS, E. H. & HARRICHOURY, J. C. 2001. Experimental determination of the complexation of strontium and cesium with acetate in high-temperature aqueous solutions. Geochim. Cosmochim. Acta, 65 3955-3964.
85RAI/RYA	RAI, D. & RYAN, J. L. 1985. Neptunium(IV) Hydrous Oxide Solubility Under Reducing and Carbonate Conditions. Inorg. Chem, 24 247-251.
84RAI	RAI, D. 1984. Solubility product of Pu(IV) hydrous oxide and equilibrium constant of Pu(IV)/Pu(V), Pu(IV)/Pu(VI) and Pu(V)/Pu(VI) couples. Radiochim acta, 35 97-106.
01RAI/BOL	RAI, D., BOLTON, H., MOORE, D. A., HESS, N. J. & CHOPPIN, G. R. 2001. Thermodynamic model for the solubility of PuO ₂ (am) in the aqueous Na ⁺ -H ⁺ -OH ⁻ -Cl ⁻ -H ₂ O-ethylenediaminetetraacetate system. Radiochimica Acta, 89(2/2001) 67.
92RAI/FEL	RAI, D., FELMY, A. R. & FULTON, R. W. 1992. Solubility and Ion Activity Product of AmPO ₄ .xH ₂ O(am). Radiochim. Acta, 56 7-14.
91RAI/FEL1	RAI, D., FELMY, A. R. & MOORE, D. A. 1991. Thermodynamic models for aqueous Cd(2+)-CO ₃ (2-) ionic interactions in high ionic strength carbonate solutions, and the solubility product crystalline CdCO ₃ . J. Solution Chem., 20, 1169-1187.
95RAI/FEL1	RAI, D., FELMY, A. R. & MOORE, D. A. 1995. The solubility product of crystalline ferric selenite hexahydrate and the complexation constant of FeSeO ₃ ⁺ . J. Solut. Chem., 24 735-752.
90RAI/FEL	RAI, D., FELMY, A. R. & RYAN, J. L. 1990. Uranium (IV) hydrolysis constants and solubility product of UO ₂ .xH ₂ O (am). Inorganic chemistry, 29, 260-264.
91RAI/FEL2	RAI, D., FELMY, A. R. & SZELMECZKA, R. W. 1991. Hydrolysis constants and ion-interaction parameters for Cd(II) in zero to high concentrations of NaOH-KOH, and the solubility product of crystalline Cd(OH) ₂ . Journal of Solution Chemistry, 20, 375-390.
98RAI/FEL	RAI, D., FELMY, A. R., HESS, N., MOORE, D. A. & YUI, M. 1998. A Thermodynamic Model for the Solubility UO ₂ (am) in the Aqueous K ⁺ - Na ⁺ - HCO ₃ ⁻ - CO ₃ ⁻² -OH ⁻ - H ₂ O System. Radiochim. Acta, 82 17-25.
95RAI/FEL	RAI, D., FELMY, A. R., MOORE, D. A. & MASON, M. J. 1995. The solubility of Th(IV) and U(IV) hydrous oxides in concentrated NaHCO ₃ and Na ₂ CO ₃ solutions. Mat. Res. Soc. Symp. Proc., 353 1143.
95RAI/FEL2	RAI, D., FELMY, A. R., MOORE, D. A. & MASON, M. J. 1995. The solubility of Th(IV) and U(IV) hydrous oxides in concentrated NaHCO ₃ and Na ₂ CO ₃ solutions. Mat. Res. Soc. Symp. Proc., 353 1143.

89RAI/FEL	RAI, D., FELMY, A. R., SCHRAMPKE, J. A. & J.L, R. 1989. The solubility of plutonium hydroxide in dilute solution and high-ionic-strength chloride brines. <i>Radiochimica Acta</i> , 48 29-35.
97RAI/FEL	RAI, D., FELMY, A. R., STERNER, S. M., MOORE, D. A. & MASON, M. J. 1997. The solubility of Th(IV) and U(IV) hydrous oxides in concentrated NaCl and MgCl ₂ solutions. <i>Radiochimica Acta</i> , 79 239-247.
02RAI/GOR	RAI, D., GORBY, Y. A., K., F. J., MOORE, D. A. & YUI, M. 2002. Reductive dissolution of PuO ₂ (am): The effect of Fe(II) and hydroquinone. <i>J. Solution. Chem.</i> , 31 433-453.
99RAI/HES	RAI, D., HESS, A. R., A., F. D., MOORE, M., YUI, M. & P., V. 1999. A thermodynamic model for the solubility of PuO ₂ (am) in the aqueous K ⁺ -HCO ₃ ⁻ -CO ₃ ²⁻ -OH ⁻ -H ₂ O system. <i>Radiochim. Acta</i> , 86 89-100.
99RAI/HES1	RAI, D., HESS, A. R., A., F. D., MOORE, M., YUI, M. & P., V. 1999. A thermodynamic model for the solubility of PuO ₂ (am) in the aqueous K ⁺ -HCO ₃ ⁻ -CO ₃ ²⁻ -OH ⁻ -H ₂ O system. <i>Radiochim. Acta</i> , 86 89-100.
99RAI/HES2	RAI, D., HESS, N. J., FELMY, A. R., MOORE, D. A., YUI, M. & VITORGE, P. 1999. A Thermodynamic Model for the Solubility of NpO ₂ (am) in the Aqueous K ⁺ -HCO ₃ ⁻ -CO ₃ ²⁻ -OH ⁻ -H ₂ O System. <i>Radiochimica Acta</i> , 84.
99RAI/HES1	Rai, D., Hess, N. J., Felmy, A. R., Moore, D. A., Yui, M. 1999a. A Thermodynamic Model for the Solubility of NpO ₂ (am) in the Aqueous K ⁺ -HCO ₃ ⁻ -CO ₃ ²⁻ -OH ⁻ -H ₂ O System. <i>Radiochimica acta</i> , 84(3), 159-170.
99RAI/HES2	Rai, D., Hess, N. J., Felmy, A. R., Moore, D. A., Yui, M., Vitorge, P. 1999b. A thermodynamic model for the solubility of PuO ₂ (am) in the aqueous K ⁺ -HCO ₃ ⁻ -CO ₃ ²⁻ -OH ⁻ -H ₂ O system. <i>Radiochimica Acta</i> , 86(3-4), 89-100.
02RAI/HES	RAI, D., HESS, N. J., RAO, L., ZHANG, Z., FELMY, A. R., MOORE, D. A., CLARK, S. B. & LUMETTA, G. J. 2002. Thermodynamic model for the solubility of Cr(OH) ₃ (am) in concentrated NaOH and NaOH-NaNO ₃ solutions. <i>Journal of Solution Chemistry</i> , 31, 343-367.
03RAI/HES	RAI, D., HESS, N. J., XIA, Y., RAO, L., CHO, H. M., MOORE, R. C. & VAN LOON, L. R. 2003. Comprehensive thermodynamic model applicable to highly acidic to basic conditions for isosaccharinate reactions with Ca (II) and Np (IV). <i>Journal of solution chemistry</i> , 32, 665-689.
16RAI/KIT	RAI, D., KITAMURA, A., ROSSO, K. M., SASAKI, T. & KOBAYASHI, T. 2016. Issues concerning the determination of solubility products of sparingly soluble crystalline solids: solubility of HfO ₂ (cr). <i>Radiochim. (Acta ahead of print)</i> .
10RAI/MOO	RAI, D., MOORE, D. A., FELMY, A. R., ROSSO, K. M. & BOLTON, H. 2010. PuPO ₄ (cr, hyd.) Solubility product and Pu ³⁺ complexes with phosphate and ethylenediaminetetraacetic acid. <i>Journal of Solution Chemistry</i> , 39, 778-807.
04RAI/MOO	RAI, D., MOORE, D. A., HESS, N. J., RAO, L. & CLARK, S. B. 2004. Chromium(III) hydroxide solubility in the aqueous Na ⁺ -OH ⁻ -H ₂ PO ₄ ⁻ -HPO ₄ ²⁻ -PO ₄ ³⁻ -H ₂ O system: A thermodynamic model. <i>Journal of Solution Chemistry</i> , 33, 1213-1242.
07RAI/MOO	RAI, D., MOORE, D. A., HESS, N. J., ROSSO, K. M., RAO, L. & HEALD, S. M. 2007. Chromium(III) hydroxide solubility in the aqueous K ⁺ , H ⁺ , OH ⁻ , CO ₂ , HCO ₃ ⁻ , CO ₃ ²⁻ , H ₂ O system: A thermodynamic model. <i>Journal of Solution Chemistry</i> , 36, 1261-1285.
00RAI/MOO	RAI, D., MOORE, D. A., OAKES, C. S. & YUI, M. 2000. Thermodynamic model for the solubility of thorium dioxide in the Na ⁺ -Cl ⁻ -OH ⁻ -H ₂ O system at 23° and 90°C. <i>Radiochim. Acta</i> , 88 297-306.

01RAI/MOO	RAI, D., MOORE, D. A., R., F. A., CHOPIN, G. R. & MOORE, R. C. 2001. Thermodynamics of the $\text{PuO}^{2+}\text{-Na}^+\text{-OH}^-\text{-ClO}_4^-\text{-H}_2\text{O}$ system: Use of NpO^{2+} Pitzer parameters for PuO^{2+} . <i>Radiochim. Acta</i> , 89 491-498.
98RAI/RAO	RAI, D., RAO, L. & MOORE, D. A. 1998. The influence of isosaccharinic acid on the solubility of Np (IV) hydrous oxide. <i>Radiochimica acta</i> , 83, 9-13.
98RAI/RAO1	RAI, D., RAO, L. & MOORE, D. A. 1998. The influence of isosaccharinic acid on the solubility of Np (IV) hydrous oxide. <i>Radiochimica acta</i> , 83, 9-13.
98RAI/RAO2	RAI, D., RAO, L. & XIA, Y. 1998. Solubility of crystalline calcium isosaccharinate. <i>Journal of solution chemistry</i> , 27, 1109-1122.
04RAI/RAO	RAI, D., RAO, L., MOORE, R. C., BONTCHEV, R. & HOLT, K. 2004. Development of biodegradable isosaccharinate-containing foams for decontamination of actinides: thermodynamic and kinetic reactions between isosaccharinate and actinides on metal and concrete surfaces.
99RAI/RAO	RAI, D., RAO, L., WEGER, H. T., FELMY, A. R., CHOPPIN, G. R. & YUI, M. 1999. Thermodynamic data for predicting concentrations of Th(IV), U(IV), Np(IV) and Pu(IV) in geologic environments JNC.
87RAI/SAS	RAI, D., SASS, B. M. & MOORE, D. A. 1987. Chromium(III) hydrolysis constants and solubility of chromium(III) hydroxide. <i>Inorganic Chemistry</i> , 26, 345-349.
80RAI/SER	RAI, D., SERNE, R. J. & MOORE, D. A. 1980. Solubility of plutonium compounds and their behaviour in soils. <i>Soil Sci soc. Am. J.</i> , 44 490-495.
83RAI/STR	RAI, D., STRICKERT, R. G., MOORE, D. A. & RYAN, J. L. 1983. Am(III) hydrolysis constants and solubility of Am(III) hydroxide. <i>Radiochim. Acta</i> , 33 201-206.
87RAI/SWA	RAI, D., SWANSON, J. L. & RYAN, J. L. 1987. Solubility of $\text{NpO}_2 \cdot x\text{H}_2\text{O}$ (am) in presence of Cu(I)/Cu(II) redox buffer. <i>Radiochim. Acta</i> , 42, 35-41., 42 35-41.
01RAI/XIA	RAI, D., XIA, Y., HESS, N., STRACHAN, D. & MCGRAIL, B. P. 2001. Hydroxo and chloro complexes/ion interactions of Hf^{4+} and the solubility product of $\text{HfO}_2(\text{am})$. <i>Journal of solution Chemistry</i> , 30 949-967.
05RAI/XIA	RAI, D., XIA, Y., RAO, L., HESS, N. J., FELMY, A., MOORE, D. A. & MCCREADY, D. E. 2005. Solubility of $(\text{UO}_2)_3(\text{PO}_4)_2 \cdot 4\text{H}_2\text{O}$ in $\text{H}^+\text{-Na}^+\text{-OH}^-\text{-H}_2\text{PO}_4^-\text{-PO}_4^{3-}\text{-H}_2\text{O}$ and its comparison to the analogous PuO_2^{2+} system. <i>J. Solution. Chem.</i> , 34 469-498.
03RAI/YUI	RAI, D., YUI, M. & A., M. D. 2003. Solubility and solubility product at 22°C of $\text{UO}_2(\text{c})$ precipitated from aqueous U(VI) solutions. <i>J. Solution Chem.</i> , 32 1-17.
09RAI/YUI	RAI, D., YUI, M. & MOORE, D. A. 2009. Thermodynamic model for $\text{ThO}_2(\text{am})$ solubility in isosaccharinate solutions. <i>J. Solution Chem.</i> , 38 1573-1587.
12RAI/YUI	Rai, D., Yui, M., & Kitamura, A. 2012. Thermodynamic Model for Amorphous $\text{Pd}(\text{OH})_2$ Solubility in the Aqueous $\text{Na}^+\text{-K}^+\text{-H}^+\text{-OH}^-\text{-Cl}^-\text{-ClO}_4^-\text{-H}_2\text{O}$ System at 25°C: A Critical Review. <i>Journal of solution chemistry</i> , 41(11), 1965-1985.
03RAI/YUI	Rai, D., Yui, M., Moore, D. A. 2003. Solubility and solubility product at 22 °C of $\text{UO}_2(\text{c})$ precipitated from aqueous U(VI) solutions, <i>J. Solution Chem.</i> , 32, 1-17.

08RAI/YUI	RAI, D., YUI, M., MOORE, D. A., LUMETTA, G. J., ROSSO, K. M., XIA, Y., FELMY, A. R. & SKOMURSKI, F. N. 2008. Thermodynamic model for ThO ₂ (am) solubility in alkaline silica solutions. <i>Journal of solution chemistry</i> , 37(12), 1725-1746.
67RAJ/MAR	RAJAN, K. S. & MARTELL, A. E. 1967. Equilibrium studies of uranyl complexes—IV Reactions with carboxylic acids. <i>Journal of Inorganic and Nuclear Chemistry</i> , 29, 523-529.
84RAM	RAMACHANDRAM, V. S. 1984. <i>Concrete Admixtures Handbook</i> , Noyes Publications, Park Ridge, NJ, USA
96RAM/ALL	RAMACHANDRAN, B. R., ALLEN, J. M. & HALPERN, A. M. 1996. Airwater partitioning of environmentally important organic compounds. An environmental chemistry or integrated laboratory experiment. <i>J. Chem. Educ.</i> , 73, 1058-1061.
68RAM/SAN	RAMAMOORTHY, S. & SANTAPPA, M. 1968. Spectrophotometric investigation of complexes involving Cu ²⁺ and some carboxylic acids. <i>J. Inorg. Nucl. Chem.</i> , 30 2393-2402.
73RAM/MAN	RAMAMOORTHY, S. & MANNING, P. G. 1973. Equilibrium studies of metal-ion complexes of interest to natural waters—VI Simple and mixed complexes of Fe (III) involving NTA as primary ligand and a series of oxygen-bonding organic anions as secondary ligands. <i>J. Inorg. Nucl. Chem.</i> , 35, 931.
69RAM/SAN	RAMAMOORTHY, S. & SANTAPPA, M. 1969. Stability constants of some uranyl complexes. II. <i>Bulletin of the Chemical Society of Japan</i> , 42 411-416.
98RAM/SKL	RAMEBAECK, H. & SKLLBERG, M. 1998. Separation of neptunium, plutonium, americium and curium from uranium with di-(2-ethylhexyl)-phosphoric acid (HDEHP) for radiometric and ICP-MS analysis. <i>Journal of radioanalytical and nuclear chemistry</i> , 235, 229-234.
86RAM	Ramette, R.W. (1986) Copper(II) complexes with chloride ion. <i>Inorg. Chem.</i> , 25, 2481-2482.
03RAM/JIM	RAMÍREZ-GARCÍA, J. J., JIMÉNEZ-REYES, M., SOLACHE-RÍOS, M., FERNÁNDEZ-RAMÍREZ, E., LÓPEZ-GONZÁLEZ, H. & A., R.-H. 2003. Solubility and first hydrolysis constant of europium at different ionic strength and 303 K. <i>J. Radioanal. Nucl. Ch.</i> , 257 299-303.
03RAM/SOL	RAMÍREZ-GARCÍA, J. J., SOLACHE-RÍOS, M., JIMÉNEZ-REYES, M. & ROJAS-HERNÁNDEZ, A. 2003. Solubility and hydrolysis of La, Pr, Eu, Er and Lu in 1 M NaCl ionic strength at 303 K. <i>J. Sol. Chem.</i> , 32 878-896.
00RAN/FUG	RAND, M. H. & FUGER, J. 2000. The thermodynamic properties of the transuranium halides. Part I: Neptunium and Plutonium Halides European Commission Joint Research Centre.
09RAN/FUG	RAND, M., FUGER, J., GRENTHE, I., NECK, V. & RAI, D. 2009. <i>Chemical thermodynamics 11: Chemical thermodynamics of thorium</i> , NEA North Holland Elsevier Science Publishers B. V., Amsterdam, The Netherlands
30RAN/MUR	RANDALL, M. & MURAKAMI, S. 1930. The free energy of stannous hydroxyl chloride and the activity coefficient of stannous chloride and stannous ion. <i>Journal of the American Chemical Society</i> , 52 3967-3971.
32RAN/FRA	Randall, M. and Frandsen, M. 1932. The standard electrode potential of iron and the activity coefficient of ferrous chloride. <i>J. Am. Chem. Soc.</i> , 54, 47.
94RAN/HEL	RANSOM, B. & HELGESON, H. C. 1994. A chemical and thermodynamic model of aluminous dioctahedral 2:1 layer clay minerals in diagenetic processes; regular solution representation of interlayer dehydration in smectite. <i>American Journal of Science</i> , 294, 449-484.
54RAO	RAO, D. V. R. J. 1954. No Title. <i>Sci. Ind. Res. India</i> , 13B 309.

08RAO/TIA	RAO, L. & TIAN, G. 2008. Thermodynamic study of the complexation of uranium(VI) with nitrate at variable temperatures. <i>The Journal of Chemical Thermodynamics</i> , 40, 1001-1006.
09RAO/TIA1	RAO, L. & TIAN, G. 2009. Complexation of lanthanides with nitrate at variable temperatures: Thermodynamics and coordination modes. <i>Inorganic Chemistry</i> , 48 964-970.
04RAO/GAR	RAO, L., GARNOV, A. Y., RAI, D., XIA, Y. & MOORE, R. C. 2004. Protonation and complexation of isosaccharinic acid with U(VI) and Fe(III) in acidic solutions: potentiometric and calorimetric studies. <i>Radiochim. Acta</i> , 92 575-581.
02RAO/JIA	RAO, L., JIANG, J., DI BERNARDO, P., ZANONATO, P. L., BISMONDO, A. & GARNOV, A. Y. 2002. Complexation of uranium(VI) with malonate at variable temperatures. <i>Radiochim. Acta</i> , 90 581-588.
96RAO/RAI	RAO, L., RAI, D. & FELMY, A. R. 1996. Solubility of Nd(OH) ₃ (cr) in 0.1M NaCl aqueous solution at 25°C and 90°C. <i>Radiochim. Acta</i> , 72 151-155.
96RAO/RAI1	RAO, L., RAI, D. & FELMY, A. R. 1996. Solubility of Nd(OH) ₃ (cr) in 0.1M NaCl aqueous solution at 25°C and 90°C. <i>Radiochim. Acta</i> , 72 151-155.
96RAO/RAI2	RAO, L., RAI, D., FELMY, A. R., FULTON, R. W. & NOVAK, C. F. 1996. Solubility of NaNd(CO ₃) ₂ •6H ₂ O (c) in concentrated Na ₂ CO ₃ and NaHCO ₃ solutions. <i>Radiochim. Acta</i> , 75 141-147.
04RAO/SRI	RAO, L., SRINIVASAN, T. G., GARNOV, A. Y., ZANONATO, P., DI BERNARDO, P. & BISMONDO, A. 2004. Hydrolysis of neptunium (V) at variable temperatures (10--85 °C). <i>Geochimica et cosmochimica acta</i> , 68, 4821-4830.
08RAO/TIA	Rao, L., Tian, G. 2008. Thermodynamic study of the complexation of uranium (VI) with nitrate at variable temperatures. <i>The Journal of Chemical Thermodynamics</i> , 40(6), 1001-1006.
06RAO/TIA	RAO, L., TIAN, G., XIA, Y. & FRIESE, J. 2006. Thermodynamics of neptunium(V) fluoride and sulfate at elevated temperatures LBNL.
09RAO/TIA2	RAO, L., TIAN, G., XIA, Y. & FRIESE, J. 2009. Spectrophotometric and calorimetric studies of Np(V) complexation with sulfate at 10-70°C. <i>Journal of Thermal Analysis and Calorimetry</i> , 95(2) 409-413.
09RAO/TIA	Rao, L., Tian, G., Xia, Y., Friese, J. I. 2009. Spectrophotometric and calorimetric studies of Np(V) complexation with sulfate at 10-70 °C, <i>J. Therm. Anal. Calorim.</i> , 95, 409-413.
05RAO/ZAN	RAO, L., ZANONATO, P. L. & DI BERNARDO, P. 2005. Interaction of actinides with carboxylates in solution: Complexation of U(VI), Th(IV), and Nd(III) with acetate at variable temperatures. <i>J. Nucl. Radiochem. Sci</i> , 6 31-37.
78RAO/BAG	RAO, P. R. V., BAGAWDE, S. V., RAMAKRISHNA, V. V. & PATIL, S. K. 1978. Sulphate complexing of some trivalent actinides. <i>J. Inorg. Nuc. Chem.</i> , 40 123-127.
79RAO/GUD	RAO, P. R., GUDI, N. M., BAGAWDE, S. V. & PATIL, S. K. 1979. The complexing of Np(V) by some inorganic ligands. <i>J. Inorg. Nucl. Chem.</i> , 41 235-239.
91RAO/CHA	RAO, R. R. & CHATT, A. 1991. Studies on stability constants of europium (III) carbonate complexes and application of SIT and ion-pairing models. <i>Radiochim Acta</i> , 54 181-188.
88RAO/MAH	RAO, V. K., MAHAJAN, G. R. & NATARAJAN, P. R. 1988. The thermodynamics of complexation of trivalent americium by phosphate and carbonate in neutral aqueous solutions. <i>Lanthanide Actinide Res.</i> , 2 347-361.

86RAO/MAH	Rao, V. K., Mahajan, G. R., Natarajan, P. R. 1986. Phosphate complexation of americium(III), <i>Radiochim. Acta</i> , 40, 145-149.
06RAP/OLA	RAPOSO, J. C., OLAZABAL, M. A. & MADARIAGA, J. M. 2006. Complexation and precipitation of arsenate and iron species in sodium perchlorate solutions at 25°C. <i>Journal of Solution Chemistry</i> , 35, 79-94.
02RAP/SAN	RAPOSO, J. C., SANZ, J., ZULOAGA, O., OLAZABAL, M. A. & MADARIAGA, J. M. 2002. The thermodynamic model of inorganic arsenic species in aqueous solutions. Potentiometric study of the hydrolytic equilibrium of arsenic acid. <i>Talanta</i> , 57, 849-857.
04RAP/ZUL	RAPOSO, J. C., ZULOAGA, O., OLAZABAL, M. A. & MADARIAGA, J. M. 2004. Study of the precipitation equilibria of arsenate anion with calcium and magnesium in sodium perchlorate at 25°C. <i>Applied geochemistry</i> , 19, 855-862.
07RAR/WOL	RARD, J. A. & WOLERY, T. J. 2007. The standard chemical-thermodynamic properties of phosphorus and some of its key compounds and aqueous species: An evaluation of differences between the previous recommendations of NBS/NIST and CODATA. <i>J. Solution Chem.</i> , 36 1585-1599.
83RAR	RARD, J. A. 1983. Critical review of the Chemistry and Thermodynamics of Technetium and Some of its Inorganic Compounds and Aqueous Species In: LLNL (ed.). Lawrence Livermore National Laboratory (LLNL).
85RAR	RARD, J. A. 1985. Chemistry and thermodynamics of europium and some of its simpler inorganic compounds and aqueous species. <i>Chemical Reviews</i> , 85, 555-582.
87RAR	RARD, J. A. 1987. Update of the europium data base LLNL.
99RAR/RAN	Rard, J. A., Rand, M. A., Anderegg, G., Wanner, H. 1999. Chemical Thermodynamics of Technetium. NEA-OECD Chemical thermodynamics 3.
19RAS/AMI	Rasche, B., Amin, H. M., Clarke, S. J., & Compton, R. G. (2019). Polyselenides on the route to electrodeposited selenium. <i>Journal of Electroanalytical Chemistry</i> , 835, 239-247.
68RAS/JOR	RASMUSSEN, L. & JORGENSEN, C. K. 1968. Palladium (II) complexes. I. Spectra and formation constants of ammonia and ethylenediamine complexes. <i>Acta. Chem. Scand.</i> , 22 2313-2323.
76RAU	RAU, H. 1976. Energetics of defect formation and interaction in pyrrhotite $Fe_{1-x}S$ and its homogeneity range. <i>Journal of Physics and Chemistry of Solids</i> , 37 425-429.
11RAW/SHA	RAWAT, N., SHARMA, R. S., NISHAD, A., TOMAR, B. S. & MANCHADA, V. K. 2011. Thermodynamic study of Th (IV) complexes with dicarboxylates by potentiometry and calorimetry. <i>Radiochim. Acta</i> , 99, 341-347.
10RAW/SHA	RAWAT, N., SHARMA, R. S., TOMAR, B. S. & MANCHANDA, V. K. 2010. Thermodynamic study of complexation of Eu(III) with carboxylates by potentiometry and calorimetry. <i>Thermochimica Acta</i> , 501 13-18.
95RAY	RAYNER-CANHAM, G. 1995. Descriptive inorganic chemistry.
81REA	READ, A. J. 1981. Ionisation constants of benzoic acid from 25 to 250°C and to 2000 bar. <i>J. Sol. Chem.</i> , 10, 437-450.
74REA/LAN	REARDON, E. J. & LANGMUIR, D. 1974. Thermodynamic properties of the ion pairs $MgCO_3(aq)$ and $CaCO_3(aq)$ from 10 to 50°C. <i>Amer. J. Sci</i> , 274 599-612.
49REA	REAS, W. H. 1949. Identification of plutonium(IV) oxalate complexes in oxalic acid solutions. In: SEABORG, G. T., KATZ, J. J. & MANNING, W. M. (eds.) <i>The transuranium elements: Research papers McGraw-Hill, New York, USA.</i> .

87REE/GRA	REEDER, R. J. & GRAMS, J. C. 1987. Sector zoning in calcite cement crystals: implications for trace elements distributions in carbonates. <i>Geochimica et Cosmochimica Acta</i> , 51, 187-194.
01REE/NUG1	REEDER, R. J., NUGENT, M., BECK, K. M. & HEALD, S. 2001. Micro-XRF/XAS study of uranyl incorporation on calcite 1014 growth surfaces Argonne National Laboratory.
00REE/NUG	REEDER, R. J., NUGENT, M., LAMBLE, G. M., TAIT, C. D. & MORRIS, D. E. 2000. Uranyl incorporation into calcite and aragonite: XAFS and luminescence studies. <i>Environmental science & technology</i> , 34, 638-644.
01REE/NUG2	REEDER, R. J., NUGENT, M., TAIT, C. D., MORRIS, D. E., HEALD, S. M., BECK, K. M., HESS, W. P. & LANZIROTTI, A. 2001. Coprecipitation of uranium (VI) with calcite: XAFS, micro-XAS, and luminescence characterization. <i>Geochimica et Cosmochimica Acta</i> , 65, 3491-3503.
68REE/KEL	REESMAN, A. L. & KELLER, W. D. 1968. Aqueous solubility of highalumina and clay minerals. <i>American Mineralogist</i> , 53, 929-941.
93REF/GEN	REFAIT, P. & GÉNIN, J. M. R. 1993. The oxidation of ferrous hydroxide in chloride-containing aqueous media and Pourbaix diagrams of Green Rust one. <i>Corrosion Science</i> , 34 797-819.
97REF/GEN	REFAIT, P. & GÉNIN, J. M. R. 1997. The mechanisms of oxidation of ferrous hydroxychloride beta-Fe ₂ (OH) ₃ Cl in aqueous solution: the formation of akaganeite vs. goethite. <i>Corrosion Science</i> , 39 539-553.
98REF/ABD	REFAIT, P., ABDELMOULA, M. & GÉNIN, J. M. R. 1998. Mechanisms of formation and structure of Green Rust one in aqueous corrosion of iron in the presence of chloride ions. <i>Corrosion Science</i> , 40 1547-1560.
99REF/BON	Refait, P., Bon, C., Simon, L., Bourrié, G., Trolard, F., Bessière, J., & Génin, J. M. 1999. Chemical composition and Gibbs standard free energy of formation of Fe(II)-Fe(III) hydroxysulphate green rust and Fe (II) hydroxide. <i>Clay Minerals</i> , 34(3), 499-510
04REG/BRA	Regenspurg, S., Brand, A., & Peiffer, S. (2004). Formation and stability of schwertmannite in acidic mining lakes. <i>Geochimica et Cosmochimica Acta</i> , 68(6), 1185-1197.
69REI/QUI	REID, D. S., QUICKENDEN, M. A. J. & FRANKS, F. 1969. Direct calorimetric measurements of the heats of solution of some liquid hydrocarbons in water. <i>Nature</i> , 224, 1293-1294.
12REI/VER	REILLER, P. E., VERCOUTER, T., DURO, L. & EKBERG, C. 2012. Thermodynamic data provided through the FUNMIG project: Analyses and prospective. <i>Applied Geochemistry</i> , 27 414-426.
06REI/NEU	Reilly, S. D., Neu, M. P. 2006. Pu(VI) hydrolysis: further evidence for a dimeric plutonyl hydroxide and contrasts with U(VI) chemistry, <i>Inorg. Chem.</i> , 45, 1839-1846.
07REI/RUN	Reilly, S. D., Runde, W., Neu, M. P. 2007. Solubility of plutonium(VI) carbonate in saline solutions, <i>Geochim. Cosmochim. Acta</i> , 71, 2672-2679.
81REI/GAM	Reiterer F., Johannes W., Gamsjager H. (1981) Semimicro Determination of Solubility Constants: Copper(II) Carbonate and Iron(II) Carbonate. <i>Mikrochim. Acta</i> p.63.
80REI	REITERER, F. 1980. Löslichkeitskonstanten und freie bildungsenthalpien neneutral übergagsmetallcarbonate. Montanuniversität Leoben, Austria.
81REI/JOH	REITERER, F., JOHANNES, W. & GAMSJAGER, H. 1981. Semimicrodetermination of solubility constants: copper (II) carbonate and iron (II) carbonate. <i>Mikrochimica Acta</i> , 1, 63-72.

89REN/SEW	RENDERS, P. J. & SEWARD, T. M. 1989. The stability of hydrosulphido-and sulphido-complexes of Au(I) and Ag(I) at 25 °C. <i>Geochim. et Cosmochim. Acta</i> , 53 245-253.
78REN	RENDELMAN, J. A. 1978. Metal-polysaccharide complexes—Part I. <i>Food Chemistry</i> , 3, 47-79.
21RIB/BEG	Riba, O., Begg, J., Colàs, E., Duro, L. 2021. Update of ThermoChimie: Iron. First progress report. TCIII-2021-04E_vs1
15RIB/CAM	RIBA, O., CAMPOS, I., COLÀS, E. & GRIVÉ, M. 2015. Update of ThermoChimie. Thermodynamic data of Np(VI) in alkaline pH. Project ANDRA TC1-Task E. Technical note. Amphos 21.
15RIB/CAM1	RIBA, O., CAMPOS, I., COLÀS, E. & GRIVÉ, M. 2015. Update of ThermoChimie. Thermodynamic data of Np(VI) in alkaline pH. Project ANDRA TC1-Task E. Technical note. Amphos 21.
15RIB/CAM2	RIBA, O., CAMPOS, I., PERRONE, J., COLÀS, E. & GRIVÉ, M. 2015. Update of ThermoChimie. Thermodynamic data of Iron species. Project ANDRA TC1-Task D. Technical Note.: Amphos 21.
21RIB/COL	Riba, O., Colàs, E. and Druo, L. 2021. Polyselenides: update. TCIII-2021-08E_vs1
20RIB/COL	Riba, O., Colàs, E. and Duro, L. 2020. Palladium oxides, hydroxides and chlorides: update. TCIII-2020-06E_vs1
21RIB/COL	Riba, O., Colàs, E. and Duro, L. 2021. Thermodynamic data selection for copper. TCIII-2021-02E_vs1
17RIB/COL	Riba, O., Colàs, E., Grivé, M. (2017) Update of ThermoChimie: thermodynamic data for Copper. Project TC2 Task I' - 1st progress report. June 2017.
18RIB/COL	Riba, O., Colàs, E., Grivé, M. 2018. Adsorption of RN/TC on clays. GL-CTEC Temperatures. Chimie et transfert des RN/TC sur les pôles argileux et le Cox en fonction de la température. Modèle généralisé. (Objectif 3 - CG.PE.ASTR.14.0029). December 2018.
20RIB/PER	Riba, O., Pérez, D., Colàs, E., Duro, L. 2020. Extraction of ThermoChimie: Verification tests. ThermoChimie report TCIII-2020-03E_vs1
11RIC/GAO	RICHARD, L. & GAONA, X. 2011. Thermodynamic properties of organic iodine compounds. <i>Geochimica et Cosmochimica Acta</i> , 75, 7304-7350.
98RIC/HEL	RICHARD, L. & HELGESON, H. C. 1998. Calculation of the thermodynamic properties at elevated temperatures and pressures of saturated and aromatic high molecular weight solid and liquid hydrocarbons in kerogen, bitumen, petroleum, and other organic matter of biogeochemical interest. <i>Geochimica et Cosmochimica Acta</i> , 62, 3591-3636.
06RIC	RICHARD, L. 2006. Development of ThermoChimie with respect to endogenic organic compounds. . <i>Environ.</i>
09RIC/GRI	RICHARD, L., GRIVÉ, M. & DURO, L. 2009. Contribution to Nancy-Université: NOM effect on the mobilization of radionuclides. Project ANDRA-TDB6-Task 6, . Amphos 21.
11RIC/GRI	RICHARD, L., GRIVÉ, M. & DURO, L. 2011. Andra-TDB7 Task 3 – Organics. Selection of formation constants for acetate complexes of Ca and radionuclides. May 2011 Amphos 21.
10RIC/SAB1	RICHARD, L., SABATER, C., COLÀS, E., GRIVÉ, M. & DURO, L. 2010. Task 3. Organics. December 2010 Amphos 21.
10RIC/SAB	RICHARD, L., SABATER, C., GAONA, X., GRIVÉ, M. & DURO, L. 2010. Contribution to Nancy-Université: NOM effect on the mobilization of radionuclides. Project ANDRA-TDB6-Task 6 Amphos 21.
10RIC/SAB2	RICHARD, L., SABATER, C., GAONA, X., GRIVÉ, M. & DURO, L. 2010. Contribution to Nancy-Université: NOM effect on the mobilization of radionuclides. Project ANDRA-TDB6-Task 6 Amphos 21.

29RIC/MAI	RICHARDS, T. W. & MAIR, B. J. 1929. The heat of neutralization of acetic acid. <i>J. Am. Chem. Soc.</i> , 51, 737-740.
08RIC	RICHARDSON, I. G. 2008. The calcium silicate hydrates. <i>Cement and Concrete Research</i> , 38, 137-158.
82RIC/BOT	RICHET, P., BOTTINGA, Y., DENIELOU, L., PETITET, J. P. & TEQUI, C. 1982. Thermodynamic properties of quartz, cristobalite and amorphous SiO ₂ : drop calorimetry measurements between 1000 and 1800 K and a review from 0 to 2000 K. <i>Geochimica et Cosmochimica Acta</i> , 46, 2639-2658.
91RIC/ROB	RICHET, P., ROBIE, R. A. & HEMINGWAY, B. S. 1991. Thermodynamic properties of wollastonite, pseudowollastonite and CaSiO ₃ glass and liquid. <i>European Journal of Mineralogy</i> , 3 475-485.
79RIC/VRE	RICHTER, J. & VREULS, W. 1979. Estimation of the molar entropies of solid salts and their melts basing on the linear dependence of the cation radius entropy. <i>Berichte der Bunsen-Gesellschaft. Phys. Chem.</i> , 83 1023-1026.
05RIC/MOR	RICKARD, D. & MORSE, J. W. 2005. Acid volatile sulphide (AVS). <i>Marine Chemistry</i> , 97 141-197.
06RIC	Rickard, D. (2006) The solubility of FeS, <i>Geochim. Cosmochim. Acta</i> , 70, 5779-5789.
78RIC/NRI	RICKARD, D. T. & NRIAGU, J. O. 1978. Aqueous environmental chemistry of lead. The biochemistry of lead in the environment. Part A. Ecological Cycles. J.O. Nriagu, Elsevier/North-Holland Biomedical Press.
79RIC/NRI	RICKARD, D. T. & NRIAGU, J. O. 1979. Aqueous environmental chemistry of lead. In: NRIAGU, J. O. (ed.) The biochemistry of Lead in the Environment. Elsevier/North Holland Biomedical Press
82RIE	RIESE, A. C. 1982. Adsorption of radium and thorium onto quartz and kaolinite: A comparison of solution/surface equilibria models., Colorado School of Mines, Golden, CO.
85RIG/DER	Rigano, C., De Robertis, A. and Sammartano, S. (1985). Computer analysis of equilibrium data in solution. A method for computing the formation constants of two mass balance systems, from potentiometric measurements, applied to the hydrolysis of copper 2+. <i>Transit. Met. Chem.</i> , 10, 1-4.
99RIG/CAP	RIGLET-MARTIAL, C. & CAPDEVILA, H. 1999. Solubilité des actinides (IV) en milieu hydroxo-carbonate: Bibliographie sur le Thorium et l'Uranium CEA.
00RIH/CON	RIHS, S., CONDOMINES, M. & SIGMARSSON, O. 2000. U, Ra and Ba incorporation during precipitation of hydrothermal carbonates: implications for ²²⁶ Ra-Ba dating of impure travertines. <i>Geochimica et Cosmochimica Acta</i> , 64, 661-671.
04RIH/STU	RIHS, S., STURCHIO, N. C., ORLANDINI, K., CHENG, L., TENG, H., FENTER, P. & BEDZYK, M. J. 2004. Interaction of Uranyl with Calcite in the presence of EDTA. <i>Environmental science & technology</i> , 38, 5078-5086.
87RIM/DOV	RIMSTIDT, J. & DOVE, P. 1987. Solubility and stability of scorodite , FeAsO ₄ · 2H ₂ O: Reply. <i>American Mineralogist</i> , 72 852-855.
97RIM	RIMSTIDT, J. D. 1997. Quartz solubility at low temperatures. <i>Geochimica et Cosmochimica Acta</i> , 61, 2553-2558.
98RIM/BAL	RIMSTIDT, J. D., BALOG, A. & WEBB, J. 1998. Distribution of trace elements between carbonate minerals and aqueous solutions. <i>Geochimica et Cosmochimica Acta</i> , 62, 1851-1863.
90RIN/SAC	RINALDI, R., SACERDOTI, M. & PASSAGLIA, E. 1990. Straetlingite; crystal structure, chemistry, and a reexamination of its polytype vertumnite. <i>European Journal of Mineralogy</i> , 2, 841-849.
63RIN	RINGBOM, A. 1963. <i>Complexation in Analytical Chemistry</i> , John Wiley & Sons.

05RIN/CAR	RINNERT, E., CARTERET, C., HUMBERT, B., FRAGNETO-CUSANI, G., RAMSAY, J. D. F., DELVILLE, A., ROBERT, J.-L., BIHANNIC, I., PELLETIER, M. & MICHOT, L. J. 2005. Hydration of a synthetic clay with tetrahedral charges: a multidisciplinary experimental and numerical study. The journal of physical chemistry. B, 109, 23745-23759.
67RJA/MAR	RJAN, K. S. & MARTELL, A. E. 1967. Equilibrium studies of uranyl complexes – IV. Reactions with carboxylic acids. J. Inorg. Nucl. Chem., 29 523-529.
84ROB/HEM	ROBBIE, R. A. & HEMINGWAY, B. S. 1984. Heat capacity and entropy of Ni ₂ SiO ₄ -olivine from 5 to 1000K and heat capacity of Co ₂ SiO ₄ from 360 to 1000K. Am. Mineral., 69p 1096-1101.
84ROB/HEM1	ROBBIE, R. A. & HEMINGWAY, B. S. 1984. Heat capacity and entropy of Ni ₂ SiO ₄ -olivine from 5 to 1000K and heat capacity of Co ₂ SiO ₄ from 360 to 1000K. Am. Mineral., 69p 1096-1101.
94ROB/WAN	ROBBINS, G. A., WANS, S. & STUART, J. D. 1994. Ionization thermodynamics of weak acids in water/DMF mixtures at 298.15 K. Thermochim. Acta, 247, 315-319.
96ROB/SIL	ROBERTS, K. E., SILBER, H. B., TORRETTO, P. C., PRUSSIN, T., BECRAFT, K., HOBART, D. E. & NOVAK, C. F. 1996. The Experimental. Determination of the Stability Product for NpO ₂ OH in NaCl Solutions. Radiochim. Acta, 74 27-30.
95ROB	Robie R. A. and Hemingway B. S. (1995) Thermodynamic properties of minerals and related substances at 298.15 K and 1 bar (105 Pascals) pressure and at higher temperatures, USGS Bull. 2131, U.S. Geological Survey. 461 p.
78ROB/AND	Robie R. A., Hemingway B. S., and Fisher J. R. (1978) Thermodynamic properties of minerals and related substances at 298.15 K and 1 bar (105 Pascals) pressure and at higher temperatures, USGS Bull. 1452, U.S. Geological Survey. 456 p.
72ROB/HEM	ROBIE, R. A. & HEMINGWAY, B. S. 1972. The heat capacities at low-temperatures and entropies at 298.15 K of nesquehonite, MgCO ₃ · 3H ₂ O, and hydromagnesite. American Mineralogist, 57, 1768-1781.
73ROB/HEM	ROBIE, R. A. & HEMINGWAY, B. S. 1973. The enthalpies of formation of nesquehonite, MgCO ₃ · 3H ₂ O, and hydromagnesite, 5MgO · 4CO ₂ · 5H ₂ O. J. Res. US Geol. Survey, 1, 543-547.
84ROB/HEM2	ROBIE, R. A. & HEMINGWAY, B. S. 1984. Heat capacities and entropies of phlogopite (KMg ₃ [AlSi ₃ O ₁₀](OH) ₂) and paragonite (NaAl ₂ [AlSi ₃ O ₁₀](OH) ₂) between 5 and 900 K and estimates of the enthalpies and Gibbs free energies of formation. American Mineralogist, 69, 858-868.
91ROB/HEM	ROBIE, R. A. & HEMINGWAY, B. S. 1991. Heat capacities of kaolinite from 7 to 380 K and of DMSO-intercalated kaolinite from 20 to 310 K; the entropy of kaolinite Al ₂ Si ₂ O ₅ (OH) ₄ . Clays and Clay Minerals, 39, 362-368.
95ROB/HEM	ROBIE, R. A. & HEMINGWAY, B. S. 1995. Thermodynamic properties of minerals and related substances at 298.15 K and 1 bar (10 ⁵ pascals) pressure and at higher temperatures, Washington and Denver, CO, U.S. G. P. O.
63ROB/STO	ROBIE, R. A. & STOUT, J. W. 1963. HEAT CAPACITY FROM 12 TO 305°K. AND ENTROPY OF TALC AND TREMOLITE. The Journal of Physical Chemistry, 67, 2252-2256.
95ROB/HEM	Robie, R. A. and Hemingway, B. S. 1995. Thermodynamic properties of minerals and related substances at 298.15 K and 1 bar (105 pascals) pressure and at higher temperatures, U.S. Geological Survey Bulletin 2131.

82ROB/HAS	ROBIE, R. A., HASELTON, H. T. & HEMINGWAY, B. S. 1982. Heat capacity and entropy of fayalite (Fe ₂ SiO ₄) between 5,1 and 383K, comparison of calorimetric and equilibrium values for the QFM buffer reaction. American Mineralogist, 67 463-469.
84ROB/HAS	ROBIE, R. A., HASELTON, H. T. & HEMINGWAY, B. S. 1984. Heat capacities and entropies of rhodochrosite (MnCO ₃) and siderite (FeCO ₃) between 5 and 600 K. American Mineralogist, 69 349-357.
79ROB/HEM	ROBIE, R. A., HEMINGWAY, B. S. & FISHER, J. R. 1979. Thermodynamic properties of minerals and related substances at 298.15 K and 1 bar and at higher temperatures. Geol. Sur. Amer. Bull, 1452.
76ROB/HEM	ROBIE, R. A., HEMINGWAY, B. S. & WILSON, W. H. 1976. Heat capacities of Calorimetry Conference copper and of muscovite KAl ₂ (AlSi ₃)O(OH) ₂ /, pyrophyllite Al ₂ Si ₄ O ₁₀ (OH) ₂ , and illite K ₃ Al ₇ Mg(Si ₁₄ Al ₂)O ₄₀ (OH) ₈ between 15 and 375K and their standard entropies at 298. 15K. J. Res. U.S. Geol. Surv.; (United States), 4:6.
78ROB/HEM	ROBIE, R. A., HEMINGWAY, B. S. & WILSON, W. H. 1978. Low-temperature heat capacities and entropies of KAlSi ₃ O ₈ , NaAlSi ₃ O ₈ and CaAl ₂ Si ₂ O ₈ glasses and of anorthite. Am. Mineralogist, 63 110-123.
94ROB/SEA	Robie, R.A., Seal II, R.R., Hemingway, B.S. (1994) Heat capacity and entropy of bornite (Cu ₅ FeS ₄) between 6 and 760 K and the thermodynamic properties of phases in the Cu-Fe-S system. Can. Mineral. 32, 945-956.
87ROB	ROBINS, R. 1987. Solubility and stability of scorodite, FeAsO ₄ · 2H ₂ O: Discussion. American Mineralogist, 72 842-844.
83ROB/HAA	ROBINSON, JR. & HAAS, JR. 1983. Heat capacity, relative enthalpy, and calorimetric entropy of silicate minerals: an empirical method of prediction. American Mineralogist, 68, 541-553.
59ROB/STO	ROBINSON, R. A. & STOKES, R. H. 1959. Electrolyte solutions, Butterworths
89ROB	ROBOUCH, P. 1989. Contribution a la prevision du comportement de l'americium, du plutonium et du neptunium dans la geosphere; donnees chimiques CEA.
77ROC/WIL	ROCHESTER, H. & WILSON, N. 1977. Enthalpies and entropies of ionization of 2- and 3-substituted phenols in methanol + water mixtures. J. Chem. Soc., Faraday Trans. 1, 73, 569-581.
21ROD/COL	Rodríguez, J., Colàs, E. and Duro, L. Update of ThermoChimie: Iron Modifications to Fe-citrate and Fe-EDTA thermodynamic data. TCIII-2021-19E_vs1
07ROE/SON	ROELOFS, F., SONNEFELD, J. & VOGELSBERGER, W. 2007. Solubility kinetics of a synthetic uranium (VI) oxide at different pH and controlled O ₂ partial pressure and evaluation of substantial interface properties. Radiochim. Acta., 95 381-389.
40ROL/ERV	ROLLER, P. S. & ERVIN, G. 1940. The System Calcium Oxide-Silica-Water at 30°. The Association of Silicate* Ion in Dilute Alkaline Solution. Journal of the American Chemical Society, 62, 461-471.
70ROM/BAR	Romberger, S. B. and Barnes, H. L. (1970) Ore solution chemistry III: Solubility of covellite in sulfide solutions. Econ. Geo. 65,901-919.
11RON/ROD	RONCAL-HERRERO, T., RODRÍGUEZ-BLANCO, J. D., OELKERS, E. H. & BENNING, L. G. 2011. The direct precipitation of rhabdophane (RE ₂ PO ₄ •nH ₂ O) nano-rods from acidic aqueous solutions at 5-100°C. Journal of Nanoparticle Research, 13 4049-4062.
05ROR/FUG	RORIF, F., FUGER, J. & DESREUX, J. F. 2005. Thermochemistry of selected trivalent lanthanide and americium compounds: orthorhombic and hexagonal hydroxycarbonates. Radiochim. Acta, 93 103-110.

04ROR/VAL	RORIF, F., VALCKE, E. & GLAUS, M. A. 2004. The effect of cellulose degradation products on the solubility and sorption of Pu and Am in alkaline-plume-affected and in unaffected Boom Clay. <i>Mat. Res. Soc. Symp. Proc.</i> , 807 633-638.
89ROS	Rose A. W. (1989) Mobility of copper and other heavy metals in sedimentary environments. In <i>Sediment-hosted Stratiform Copper Deposits</i> (eds. R. W. Boyle, A. C. Brown, C. W. Jefferson, E. C. Jowett, and R. V. Kirkhams), pp. 97-110. Geol. Assoc. Can. Special Paper 36.
90ROS/KIT	ROSENBERG, P. E., KITTRICK, J. A. & AJA, S. U. 1990. Mixed-layer illite/smectite; a multiphase model. <i>American Mineralogist</i> , 75, 1182-1185.
54ROS	ROSENQVIST, T. 1954. A thermodynamic study of iron, cobalt, and nickel sulfides: Iron and Steel. <i>Inst. Jour.</i> , 176 37-57.
81ROS/THO	ROSSI, S. S. & THOMAS, W. H. 1981. Solubility behaviour of three aromatic hydrocarbons in distilled water and natural seawater. <i>Environ. Sci. Technol.</i> , 15, 715-716.
65ROS/ROS	ROSSOTTI, F. J. C. & ROSSOTTI, H. 1965. Potentiometric titrations using Gran plots: a textbook omission. <i>Journal of Chemical Education</i> , 42, 375.
61ROS/ROS	ROSSOTTI, F. J. C., ROSSOTTI, H. & ROSSOTTI, H. 1961. The determination of stability constants: and other equilibrium constants in solution, McGraw-Hill New York
34ROT/WIE	Roth, W. A., Wienert, F. 1934. Beiträge zur Thermochemie des Eisens, <i>Arch. Eisenhüttenwes.</i> , 7, 455-460, in German.
96ROU/HOV	ROUX, J. & HOVIS, G. L. 1996. Thermodynamic Mixing Models for Muscovite—Paragonite Solutions Based on Solution Calorimetric and Phase Equilibrium Data. <i>Journal of Petrology</i> , 37, 1241-1254.
57ROY/ROM	ROY, R. & ROMO, L. A. 1957. Weathering Studies. 1. New Data on Vermiculite. <i>The Journal of Geology</i> , 65, 603-610.
08ROZ/HUE	ROZALÉN, M. L., HUERTAS, F. J., BRADY, P. V., CAMA, J., GARCÍA-PALMA, S. & LINARES, J. 2008. Experimental study of the effect of pH on the kinetics of montmorillonite dissolution at 25 °C. <i>Geochimica et Cosmochimica Acta</i> , 72, 4224-4253.
09ROZ/BRA	ROZALÉN, M., BRADY, P. V. & HUERTAS, F. J. 2009. Surface chemistry of K-montmorillonite: Ionic strength, temperature dependence and dissolution kinetics. <i>Journal of Colloid and Interface Science</i> , 333, 474-484.
88RUA	RUAYA, J. R. 1988. Estimation of instability constants of metal chloride complexes in hydrothermal solutions up to 300°C. <i>Geochim. Cosmochim. Acta.</i> , 52, 1983– 1996.
94RUN/KIM	RUNDE, W. & KIM, J. I. 1994. Chemical behaviour of trivalent and pentavalent americium in saline NaCl-solutions. Studies of transferability of laboratory data to natural conditions Technische Universität München.
93RUN	RUNDE, W. 1993. Chemisches Verhalten von drei- und fünfwertigem Americium in salinen NaCl-Lösungen. Universität München
92RUN/MEI	RUNDE, W., MEINRATH, G. & KIM, J. I. 1992. A study of solid-liquid phase equilibria of trivalent lanthanide and actinide ions in carbonate systems. <i>Radiochim. Acta</i> , 58-59 93-100.
96RUN/NEU	RUNDE, W., NEU, M. P. & CLARK, D. L. 1996. Neptunium(V) hydrolysis and carbonate complexation: Experimental and predicted neptunium solubility in concentrated NaCl using the Pitzer approach. <i>Geochim. Cosmochim. Acta</i> , 60 2065-2073.
04RUS/HÖN	RUSSELL, A. D., HÖNISCH, B., SPERO, H. J. & LEA, D. W. 2004. Effects of seawater carbonate ion concentration and temperature on shell U, Mg, and Sr in cultured planktonic foraminifera. <i>Geochimica et Cosmochimica Acta</i> , 68, 4347-4361.
97RUT/GEI	RUTSCH, M., GEIPEL, G., BRENDLER, V., BERNHARD, G. & NITSCHKE, H. 1997. Studies of the complex formation between uranyl and arsenate by time-resolved laser-induced fluorescence spectroscopy (TRLFS) HZDR.

99RUT/GEI	RUTSCH, M., GEIPEL, G., BRENDLER, V., BERNHARD, G. & NITSCHKE, H. 1999. Interaction of uranium(VI) with arsenate (V) in aqueous solution studied by time-resolved laser - Induced fluorescence spectroscopy (TRMFS). <i>Radiochimica acta</i> , 86, 135-141.
64RYA/MAR	RYABCHIKOV, D. I., MAROV, I. N., ERMAKOV, A. N. & BELYAEVA, V. K. 1964. Stability of some inorganic and organic complex compounds of zirconium and hafnium. <i>Journal of Inorganic and Nuclear Chemistry</i> , 26, 965-980.
62RYA/ERM	RYABCHIKOV, D., ERMAKOV, A., BELYAEVA, V. K., MAROV, I. N. & K'O-MIN, Y. 1962. Ion exchange study of complex formation by zirconium and hafnium with sulphate ions. <i>Russ. J.Inorg. Chem</i> , 7 34-37.
83RYA/RAI	RYAN, J. L. & RAI, D. 1983. The solubility of uranium(IV) hydrous oxide in sodium hydroxide solutions under reducing conditions. <i>Polyhedron</i> , 2 947-952.
87RYA/RAI	RYAN, J. L. & RAI, D. 1987. Thorium(IV) hydrous oxide solubility. <i>Inorg. Chem.</i> , 26 4140.
59RYD/SUL	RYDBERG, J. C. & SULLIVAN, J. C. 1959. Least squares computer calculations of equilibrium constants from solvent extraction data. <i>Acta Chemica Scandinava</i> , 13 2057-2069.
93SAB/LE	SABBAH, R. & LE, T. H. D. 1993. Étude thermodynamique des trois isomères de l'acide hydroxybenzoïque. <i>Canadian journal of chemistry</i> , 71, 1378-1383.
07SAC/BRE	SACHS, S., BRENDLER, V. & GEIPEL, G. 2007. Uranium (VI) complexation by humic acid under neutral pH conditions studied by laser-induced fluorescence spectroscopy. <i>Radiochimica Acta</i> , 95, 103-110.
75SAD/KIT	SADA, E., KITO, S. & Y., I. 1975. Solubility of toluene in aqueous salt solutions. <i>J. Chem. Eng. Data</i> , 20, 373-375.
01SAI/CUA	SAINZ-DÍAZ, C. I., CUADROS, J. & HERNÁNDEZ-LAGUNA, A. 2001. Analysis of cation distribution in the octahedral sheet of dioctahedral 2:1 phyllosilicates by using inverse Monte Carlo methods. <i>Physics and Chemistry of Minerals</i> , 28, 445-454.
03SAI/PAL	SAINZ-DÍAZ, C. I., PALIN, E. J., DOVE, M. T. & HERNÁNDEZ-LAGUNA, A. 2003. Monte Carlo simulations of ordering of Al, Fe, and Mg cations in the octahedral sheet of smectites and illites. <i>American Mineralogist</i> , 88, 1033-1045.
73SAK	SAKURAI, M. 1973. Apparent molal volumes of some organic electrolytes in a dilute aqueous solution at 5, 25 and 45°C. <i>Bulletin of the Chemical Society of Japan</i> , 46, 1596-1602.
10SAL/BIL	SALLES, F., BILDSTEIN, O., DOUILLARD, J. M., JULLIEN, M., RAYNAL, J. & VAN DAMME, H. 2010. On the Cation Dependence of Interlamellar and Interparticular Water and Swelling in Smectite Clays. <i>Langmuir</i> , 26, 5028-5037.
90SAL/VAS	Salvatore, F. and Vasca, E. 1990. Formation constants of FeOH ²⁺ , Fe(OH) ²⁺ and Fe ₂ (OH) ₂ ⁴⁺ at zero ionic strength, <i>Ann. Chim.(Rome)</i> , 80, 515-521.
97SAL/FER	SALVATORE, F., FERRI, D., TRIFUOGGI, M., MANFREDI, C. & VASCA, E. 1997. On the hydrolysis of the tin(II) ion. <i>Annali di Chimica</i> , 87 477-481.
03SAM/BOU	SAMMARTINO, S., BOUCHET, A., PRÊT, D., PARNEIX, J. C. & TEVISSSEN, E. 2003. Spatial distribution of porosity and minerals in clay rocks from the Callovo-Oxfordian formation (Meuse/Haute-Marne, Eastern France)-implications o ionic species diffusion and sorption capability. <i>Appl. Clay Sci.</i> , 23 157-166.
06SÁN/PIN	SÁNCHEZ-PASTOR, N., PINA, C. M. & FERNANDEZ-DIAZ, L. 2006. Relationships between crystal morphology and composition in the (Ba,Sr)SO ₄ -H ₂ O solid solution-aqueous solution system. <i>Chemical Geology</i> , 225 266- 277.

91SAN	Sandino, A. 1991. Processes affecting the mobility of uranium in natural waters, Ph.D. thesis in inorganic chemistry, The Royal Institute of Technology, Stockholm, Sweden.
92SAN/BRU	SANDINO, M. C. & BRUNO, J. 1992. The solubility of $(\text{UO}_2)_3(\text{PO}_4)_2 \cdot 4\text{H}_2\text{O}(\text{s})$ and the formation of (VI) phosphate complexes: their influence in uranium speciation in natural waters. <i>Geochim. Cosmochim. Acta.</i> , 56 4135-4145.
84SAN/ARA	SANEMASA, I., ARAKAWA, S., ARAKI, M. & DEGUGHI, T. 1984. The effect of salts on the solubilities of benzene, toluene, ethylbenzene, and propylbenzene in water. <i>Bull. Chem. Soc. Jpn.</i> , 57, 1539-1544.
81SAN/ARA	SANEMASA, I., ARAKI, M., DEGUCHI, T. & NAGAI, H. 1981. Solubilities of benzene and the alkylbenzenes in water—method for obtaining aqueous solutions saturated with vapours in equilibrium with organic liquids. <i>Chem. Lett.</i> , 225-228.
82SAN/ARA	SANEMASA, I., ARAKI, M., DEGUCHI, T. & NAGAI, H. 1982. Solubility measurements of benzene and the alkylbenzenes in water by making use of solute vapor. <i>Bull. Chem. Soc. Jpn.</i> , 55, 1054-1062.
89SAN/KUM	SANEMASA, I., KUMAMARU, M., ISHIBASHI, K. & DEGUCHI, T. 1989. The solubility of (biphenyl, naphthalene)-(benzene, cyclohexane, 1-octanol) binary mixtures in water. <i>Bull. Chem. Soc. Jpn.</i> , 62, 1061-1064.
87SAN/MIY	SANEMASA, I., MIYAZAKI, Y., ARAKAWA, S., KUMAMARU, M. & DEGUCHI, T. 1987. The solubility of benzene-hydrocarbon binary mixtures in water. <i>Bull. Chem. Soc. Jpn.</i> , 60, 517-523.
83SAN/BAR	SANGAMESHWAR, S. R. & BARNES, H. L. 1983. Supergene processes in zinc-lead-silver sulfide ores in carbonates. <i>Economic Geology</i> , 78, 1379-1397.
05SAN/WOO	SANTERRE, J. P., WOODHOUSE, K., LAROCHE, G. & LABOW, R. S. 2005. Understanding the biodegradation of polyurethanes: from classical implants to tissue engineering materials. <i>Biomaterials</i> , 26, 7457-7470.
74SAN/SCH	SANTSCHI, P. H. & SCHINDLER, P. W. 1974. Complexformation in the ternary system $\text{Ca}(\text{II})\text{-H}_4\text{SiO}_4\text{-H}_2\text{O}$ and $\text{Mg}(\text{II})\text{-H}_4\text{SiO}_4\text{-H}_2\text{O}$. <i>J. Chem Soc., Dalton Transactions</i> , 181-184.
77SAP/PAT	Sapieszko, R. S., Patel R. C., and Matijevi, E. 1977. Ferric hydrous oxide sols. 2. Thermodynamics of aqueous hydroxo and sulfato ferric complexes, <i>J. Phys. Chem.</i> , 81, 1061-1068.
05SAR/COV	SARI, H. & COVINGTON, K. A. 2005. Comparative measurements of calcium stability constants of some dicarboxylic acids by titrimetry with pH glass and calcium ion-selective electrodes. <i>J. Chem. Eng.</i> , 50 1620-1623.
95SAR/SPI	SAROTT, F. A., SPIELER, P. & PANDOLFO, P. 1995. Artificial ageing of hardened cement paste discs: compilation of experimental data records.
06SAS/KOB	SASAKI, T., KOBAYASHI, T., TAKAGI, I. & MORIYAMA, H. 2006. Solubility measurement of zirconium(IV) hydrous oxide. <i>Radiochim. Acta</i> , 94, 489-494.
08SAS/TAK	SASAKI, T., TAKAOKA, Y., KOBAYASHI, T., FUJII, T., TAKAGI, I. & MORIYAMA, H. 2008. Hydrolysis constants and complexation of Th(IV) with carboxylates. <i>Radiochim. Acta</i> , 96 799-803.
68SAS/SIL1	SASAKI, Y. & SILLÉN, I. G. 1968. Equilibrium studies of polyanions. 16. Equilibria of molybdates in 3 (M) $\text{Na}(\text{ClO}_4)$ medium at 25°C. <i>Ark., Kemi.</i> , 29 253.

68SAS/SIL2	SASAKI, Y., SILLÉN, I. G. & ARK, K. 1968. In: CRUYWAGE, J. J., HEYNS, J. B. B. & ROHWER, E. F. C. H. (eds.) Spectrophotometric investigation of the protonation of monomeric molybdcic acid in sodium perchlorate medium J.Inorg. Nucl. Chem. .
68SAS/SIL	SASAKI, Y., SILLÉN, I. G. & ARK, K. 1968. In: CRUYWAGE, J. J., HEYNS, J. B. B. & ROHWER, E. F. C. H. (eds.) Spectrophotometric investigation of the protonation of monomeric molybdcic acid in sodium perchlorate medium. J.Inorg. Nucl. Chem. .
87SAS/RAI	SASS, B. M. & RAI, D. 1987. Solubility of amorphous chromium (III)-iron (III) hydroxide solid solutions. Inorganic Chemical, 26 2228-2232.
87SAS/ROS	SASS, B. M., ROSENBERG, P. E. & KITTRICK, J. A. 1987. The stability of illite/smectite during diagenesis: An experimental study. Geochimica et Cosmochimica Acta, 51, 2103-2115.
92SAS/SHO	SASSANI, D. C. & SHOCK, E. L. 1992. Estimation of standard partial molal entropies of aqueous ions at 25°C and 1 Bar. Geochimica et Cosmochimica Acta, 56 3895-3908.
98SAS/SHO	SASSANI, D. C. & SHOCK, E. L. 1998. Solubility and transport of platinum-group elements in supercritical fluids: Summary and estimates of thermodynamic properties for ruthenium, rhodium, palladium, and platinum solids, aqueous ions, and complexes to 1000°C and 5Kbar. Geochimica et Cosmochimica Acta, 62(15) 2643-2671.
75SAT/SAH	SATYANARAYANA, D., SAHU, G. & DAS, R. C. 1975. Studies on ion association: thermodynamics of formation of monoselenocyanato-complexes of cobalt (II), nickel (II), and cadmium (II). Journal of the Chemical Society, Dalton Transactions, 21, 2236-2239.
07SAV/WAL	SAVAGE, D., WALKER, C., ARTHUR, R., ROCHELLE, C., ODA, C. & TAKASE, H. 2007. Alteration of bentonite by hyperalkaline fluids: A review of the role of secondary minerals. Physics and Chemistry of the Earth, Parts A/B/C, 32, 287-297.
01SAW/NAG	SAWAMURA, S., NAGAOKA, K. & MACHIKAWA, T. 2001. Effects of Pressure and Temperature on the Solubility of Alkylbenzenes in Water: Volumetric Property of Hydrophobic Hydration. J. Phys. Chem. B, 105, 2429-2436.
90SAW/CHA	SAWANT, R. M., CHAUDHURI, N. K. & PATIL, S. K. 1990. Potentiometric studies on aqueous fluoride complexes of actinides: stability constants of Th(VI)-, U(VI)-, and Pu(VI)-fluorides. J. Radioanal. Nucl., Chem., 143 295-306.
85SAW/CHA	SAWANT, R. M., CHAUDHURI, N. K., RIZVI, G. H. & PATIL, S. K. 1985. Studies on fluoride complexing of hexavalent actinides using a fluoride ion selective electrode. J. Radioanal. Nucl. Chem, 91 41-58.
03SAW/SHA	SAWANT, R. M., SHARMA, R. S., CHAUDHURI, N. K. & RAMAKUMAR, K. L. 2003. A study on the hydrolytic behavior of thorium(IV) and dioxo-uranium(VI) in the absence and presence of fluoride ions. J. Radioanal. Nucl. Chem., 256 263-271.
05SAW/THA	SAWANT, R. M., THAKUR, U. K. & RAMAKUMAR, K. L. 2005. Potentiometric investigation of fluoride complexes of zirconium (IV) and hafnium (IV) in 1M (H, Na)ClO ₄ medium using a fluoride ion selective electrode. J. Solution Chem., 34 113-135.
03SAW/VER	SAWANT, R. M., VERMA, P., MHATRE, H. R., CHAUDHURI, N. K. & RAMAKUMAR, K. L. 2003. Stability constant of the aqueous mono-fluoride complexes of Pu(III) and Am(III) and their correlation with other metal ions. J. Radional. Nucl. Chem., 256 387-394.
59SAW/BAG	SAWYER, D. T. & BAGGER, J. B. 1959. The lactone-acid-salt equilibria for d-glucono-g-lactone and the hydrolysis kinetics for this lactone. Journal of the American Chemical Society, 81, 5302-5306.
62SAW/KUL	SAWYER, D. T. & KULA, R. J. 1962. Uranium (VI) gluconate complexes. Inorganic Chemistry, 1, 303-309.
64SAW	SAWYER, D. T. 1964. Metal-gluconate complexes. Chemical Reviews, 64, 633-643.

06SAY/VIL	SAYED HASSAN, M., VILLIERAS, F., GABORIAUD, F. & RAZAFITIANAMAHARAVO, A. 2006. AFM and low-pressure argon adsorption analysis of geometrical properties of phyllosilicates. <i>Journal of Colloid and Interface Science</i> , 296, 614-623.
00SCH/WIE	SCHEIDEGGER, A. M., WIELAND, E., SCHEINOST, A. C., DÄHN, R. & SPIELER, P. 2000. Spectroscopic evidence for the formation of layered Ni-Al double hydroxides in cement. <i>Environmental Science and Technology</i> , 34 4545-4548.
01SCH/WIE	SCHEIDEGGER, A., WIELAND, E., SCHEINOST, A. C., DAHN, R., TITS, J. & SPIELER, P. 2001. Ni phases formed in cement and cement systems under highly alkaline conditions: an XAFS study. <i>Journal of synchrotron radiation</i> , 8, 916-918.
08SCH/CHA	SCHEINOST, A. C. & CHARLET, L. 2008. Selenite reduction by mackinawite, magnetite and siderite: XAS characterization of nanosized redox products. <i>Environ. Sci.Technol.</i> , 42, 1984-1989.
08SCH/KIR	SCHEINOST, A. C., KIRSCH, R., BANERJEE, D., FERNEZ-MARTINEZ, A., ZAENKER, H., FUNKE, H. & CHARLET, L. 2008. X-ray absorption and photoelectron spectroscopy investigation of selenite reduction by FeII-bearing minerals. <i>Journal of Contaminant Hydrology</i> , 102, 228-245.
04SCH/POI	SCHELEGEL, M. L., POINTEAU, I., COREAU, N. & REILLER, P. 2004. Mechanism of europium retention by calcium silicate hydrates: an EXAFS study. <i>Environ. Sci. Technol.</i> , 38 4423-4431.
19SCH/YAL	Schepperle, J., Yalcintas, E., Fellhauer, D., Cevirim, N., Gaona, X., Altmaier, M., Geckeis. 2019. Impact of hydroxo-carbonate complex formation on the solubility of tetravalent actinides. VI Actinide Brine Chemistry in a Salt-Based repository (ABC-Salt) Workshop, Karlsruhe (Germany)
99SCH	SCHERBAUM, F. J. 1999. Part 2. Thermodynamic database for radium in: Solution chemistry of actinides and Radium. Lot2: Cement water environment Final Report FZK-INE.
01SCH/BYR	SCHIFT, J. & BYRNE, R. H. 2001. Stability constants for mono- and dioxalato complexes of Y and the REE, potentially important species in groundwaters and surface freshwaters. <i>Geochim. Cosmochim. Acta</i> , 65 1037-1046.
99SCH/BYR	SCHIJF, J. & BYRNE, R. H. 1999. Determination of stability constants for the mono- and difluoro-complexes of Y and the REE using a cation-exchange resin and ICP-MS. <i>Polyhedron</i> , 18 2839-2844.
04SCH/BYR	SCHIJF, J. & BYRNE, R. H. 2004. Determination of SO ₄ beta1 for yttrium and the rare earth elements at I= 0.66 m and T= 25°C — Implications for YREE solution speciation in sulfate-rich waters. <i>Geochimica et Cosmochimica Acta</i> , 68, 2825-2837.
67SCH	SCHINDLER, P. W. 1967. Heterogeneous equilibria involving oxides, hydroxides, carbonates and hydroxide carbonates. <i>Equilibrium concepts in natural waters systems</i> , 67 196-221.
63SCH/MIC	SCHINDLER, P., MICHAELIS, W. & FEITKNECHT, W. 1963. Solubility products of metal oxides and hydroxides. VIII. The solubility of aged iron (III) hydroxide precipitates. <i>Helvetica Chimica Acta (In German)</i> , 46 444-449.
63SHI/MIC	Schindler, P., Michaelis, W., Feitknecht, W. 1963. Solubility products of metal oxides and hydroxides. VIII. The solubility of aged iron (III) hydroxide precipitates. <i>Helvetica Chimica Acta</i> 46, 444-449 (in German).
68SCH/REI	Schindler, P., Reinert, M., Gamsjäger, H. (1968). <i>Helv. Chim. Acta</i> 51, 1845.
65SCH/ALT	Schindler, P.; Althaus, H.; Hofer, F.; Minder, W. (1965) <i>Helv. Chim. Acta.</i> , 48, 1204.
61SCH/MAR	SCHLYTER, K. & MARTIN, D. L. 1961. Thermochemical studies of reactions between acetate and hydrogen ions. <i>Trans. Roy. Inst. Technol., Stockholm</i> , 175, 21.

80SCH	SCHOCK, M. R. 1980. Response of Lead solubility to dissolved carbonate in drinking water. AWWA Journal, 72(12) 695-704.
99SCH/NAV	SCHOENITZ, M. & NAVROTSKY, A. 1999. Enthalpy of formation of katoite $\text{Ca}_2\text{Al}_2[(\text{OH})_4]_3$; energetics of the hydrogarnet substitution. American Mineralogist, 84, 389-391.
95SCH/OEL	SCHOTT, J. & OELKERS, E. H. 1995. Dissolution and crystallization rates of silicate minerals as a function of chemical affinity. Pure and Applied Chemistry, 67, 903-910.
89SCH/BRA	SCHOTT, J., BRANTLEY, S., CRERAR, D., GUY, C., BORCSIK, M. & WILLAIME, C. 1989. Dissolution kinetics of strained calcite. Geochimica et Cosmochimica Acta, 53, 373-382.
82SCH/KWA	SCHRAMM, L. L. & KWAK, J. C. T. 1982. Influence of exchangeable cation composition on the size and shape of montmorillonite particles in dilute suspension. CLAYS CLAY MINER. Clays Clay Miner., 30.
82SCH/KWA1	SCHRAMM, L. L. & KWAK, J. C. T. 1982. Influence of exchangeable cation composition on the size and shape of montmorillonite particles in dilute suspension. CLAYS CLAY MINER. Clays Clay Miner., 30.
82SCH/KWA2	SCHRAMM, L. L. & KWAK, J. C. T. 1982. Interactions in clay suspensions: The distribution of ions in suspension and the influence of tactoid formation. Colloids and Surfaces, 4, 43-60.
52SCH/LIN	SCHUBERT, J. & LINDENBAUM, A. 1952. Stability of Alkaline Earth—Organic Acid Complexes Measured by Ion Exchange 1. Journal of the American chemical society, 74, 3529-3532.
52SCH	SCHUBERT, J. 1952. Ion exchange studies of complex ions as a function of temperature, ionic strength, and presence of formaldehyde. J. Phys. Chem. B, 56, 113.
50SCH/RUS	SCHUBERT, J., RUSSELL, E. R. & MYERS, L. S. 1950. Dissociation constants of radium-organic acid complexes measured by ion exchange. Journal of Biological Chemistry, 185, 387-398.
78SCH/FUE	SCHUCKMANN, W., FUESS, H. & BATS, J. W. 1978. Refinement of the structure of calcium phthalate monohydrate. Acta Crystallographica Section B: Structural Crystallography and Crystal Chemistry, 34, 3754-3756.
24SCH	SCHUHMANN, R. 1924. The free energy and heat content of arsenic trioxide and the reduction potential of arsenic. Journal of the American Chemical Society, 46,52, 1444-1449.
76SCH/VER	SCHUILING, R. D., VERGOUWEN, L. & VAN DER RIJST, J. 1976. Gibbs energies of formation of zircon (ZrSiO_4), thorite (ThSiO_4) and phenacite (Be_2SiO_4). Am. Mineralogist, 61 161-168.
43SCH/SCH	SCHULMAN, J. H. & SCHUMB, W. C. 1943. The polymorphism of arsenious oxide. Journal of the American Chemical Society, 65, 878-883.
01SCH/SHO	SCHULTE, M. D., SHOCK, E. L. & WOOD, R. H. 2001. The temperature dependence of the standard-state thermodynamic properties of aqueous nonelectrolytes. Geochimica et Cosmochimica Acta, 65, 3919-3930.
50SCH/LAR	SCHULTZ, B. G. & LARSEN, E. M. 1950. The fractional separation of zirconium and hafnium by extraction with trifluoroacetylacetone. J. Am. Chem. Soc., 72 3610-3614.
37SCH/SHE	Schumb, W. C., Sherrill, M. S. and Sweetser, S. B. 1937. The measurement of the molal ferric-ferrous electrode potential, J. Am. Chem. Soc., 59, 2360-2365.

00SCH/ART	SCHÜSSLER, W., ARTINGER, R., KIENZLER, B. & KIM, J. I. 2000. Conceptual modeling of the humic colloid-borne Americium(III) migration by a Kinetic approach. <i>Environmental Science and Technology</i> , 34 2608-2611.
01SCH/ART	SCHÜSSLER, W., ARTINGER, R., KIM, J. I., BRYAN, N. D. & GRIFFIN, D. 2001. Numerical modelling of humic colloid borne Americium (III) migration in column experiments using the transport/speciation code K1D and the KICAM model. <i>Journal of Contaminant Hydrology</i> , 47 311-322.
62SCH/NEB	SCHWABE, K. & NEBEL, D. 1962. Potentiometrische untersuchungen an plutonium. <i>Z. Phys. Chem.</i> , 220 339-354.
76SCH/CRO	SCHWARTZ, E. P. & CRONAU, T. C. 1976. Study of the fluoride complexes of tin(II) using a fluoride ion specific electrode. <i>Proc. - Indian Acad. Sci., Section A</i> , 85 140-145.
66SCH/WID	SCHWARZENBACH, G. & WIDMER, M. 1966. Die löslichkeit von metallsulfiden II. Silbersulfid [1]. <i>Helvetica Chimica Acta</i> , 49, 111-123.
60SCH/FIS	Schwarzenbach, G. and Fischer, A. 1960. Die Acidität der Sulfane und die Zusammensetzung wässriger Polysulfidlösungen. <i>Helvetica Chimica Acta</i> , 43: 1365-1390.
51SCH/HEL	Schwarzenbach, G., & Heller, J. 1951. Komplexe XVIII. Die Eisen (II) und Eisen (III) komplexe der Äthylendiamintetraessigsäure und ihr Redoxgleichgewicht. <i>Helvetica Chimica Acta</i> , 34(2), 576-591.
69SCH/WEN	Schwarzenbach, G., Wenger, H., 1969. Die Deprotonierung von Metall?Aquoionen I.: Be-aq+2. <i>Helvetica Chimica Acta</i> 52, 644-665.
82SCH	Schweingruber, M. 1982. User's guide for extended Mineql (EIR version)- Standard subroutine/data library package. Würenlinger, Switzerland, EIR TM-45-82-38.
94SCH/FEC	SCHWERTMANN, U. & FECHTER, H. 1994. The formation of green rust and its transformation to lepidocrocite. <i>Clay Minerals</i> , 29 87-92.
00SCH/COR	Schwertmann, U. and Cornell, R. M. 2000. <i>Iron oxides in the laboratory</i> , 2nd. Edition, Wiley,-VCH, 188 pp.
77SCH/TAY	Schwertmann, U. and Taylor, R. M. 1977. <i>Minerals in soil environments</i> ; Dixon, J. B.; Weed, S. B., Eds.; Soil Science Society of America: Madison, Wisconsin, 145-180.
71SCH/LOW	SCHWITZGEBEL, K., LOWELL, P. S., PARSONS, T. B. & SLADEK J., K. 1971. Estimation of Heats of formation of binary oxides. <i>Journal of Chemical and Engineering Data</i> , 16 418-423.
99SEB/DON	SEBY, F. & DONART, O. 1999. Stockage des dechets nucleaires en profondeur. Etude des procedes d'inmobilisation du selenium et chimie de l'etain Andra.
97SÉB/DON	SÉBY, F., DONARD, O. & POTIN, M. 1997. Selenium au sein d'un site de stockage de déchets radioactifs, données thermodynamiques associées aux équilibres chimiques Andra.
01SÉB/POT1	SÉBY, F., POTIN-GAUTIER, M., GIFFAUT, E. & DONARD, O. F. X. 2001. A critical review of thermodynamic data for inorganic tin species. <i>Geochimica et Cosmochimica Acta</i> , 65(18) 3041-3054.
01SÉB/POT	SÉBY, F., POTIN-GAUTIER, M., GIFFAUT, E., BORGE, G. & DONARD, O. F. X. 2001. A critical review of thermodynamic data for selenium species at 25°C. <i>Chem. Geol.</i> , 171 173-194.
01SÉB/POT2	SÉBY, F., POTIN-GAUTIER, M., GIFFAUT, E., BORGE, G. & DONARD, O. F. X. 2001. A critical review of thermodynamic data for selenium species at 25°C. <i>Chem. Geol.</i> , 171 173-194.

01SEB/POT	Seby, F., Potin-Gautier, M., Giffaut, E., Borge, G., & Donard, O. F. X. (2001). A critical review of thermodynamic data for selenium species at 25 C. <i>Chemical Geology</i> , 171(3), 173-194.
65SEK	SEKINE, T. 1965. Solvent extraction study of trivalent actinide and lanthanide complexes in aqueous solutions. III. Oxalate complexes of La(III), Eu(III), Lu(III), and Am(III) in 1 (M) Na(ClO ₄). <i>Acta Chemica Scandinavica</i> , 19 1476-1482.
59SEL/SHN1	SELINOVA, N. M. & SHNEIDER, V. A. 1959. Physico-chemical properties of selenium:VI. Thermodynamic properties of calcium selenate. <i>Izv. VUZ Khim.</i> , 2 651-656.
59SEL/KAP1	SELINOVA, N. M., KAPUSTINSKII, A. F. & ZUBOVA, G. A. 1959. Thermodynamic properties of lead selenate and entropy determination of biselenate ion. <i>Izc. Akad. Nauk SSSR. Otd. Khim</i> , 2 187-194.
59SEL/SHN2	SELIVANOVA, N. M. & SHNEIDER, V. A. 1959. Physico-chemical properties of selenium: VI. Thermodynamic properties of calcium selenate. <i>Izv. VUZ Khim</i> , 2 651-656.
58SEL/ZUB	SELIVANOVA, N. M. & ZUBOVA, G. A. 1958. Physico-chemical constants of strontium selenate (In Russian). <i>Izv. VUZ Khim</i> , 3 27-33.
59SEL/ZUB	SELIVANOVA, N. M. & ZUBOVA, G. A. 1959. The thermodynamic properties of strontium selenate. <i>Zhur. Fiz. Khim.</i> , 33
59SEL/KAP2	SELIVANOVA, N. M., KAPUSTINSKII, A. F. & ZUBOVA, G. A. 1959. Thermodynamic properties of lead selenate and entropy determination of biselenate ion. <i>Izv. Akad. Nauk SSSR, Otd. Khim</i> , 2 187-194.
69SER/KHO	SERGEYEVA, E. I. & KHODAKOVSKIY, I. L. 1969. Physicochemical conditions of formation of native arsenic in hydrothermal deposits. <i>Geokhim.</i> , 7 846-859.
96SER/RAI	SERNE, R. J., RAI, D., MARTIN, P. F., FELMY, A. R., RAO, L. & UETA, S. 1996. Leachability of Nd, U, Th and Sr from cementitious in a CO ₂ free atmosphere. <i>Mat. Res. Soc. Symp. Pro.</i> .
74SEW	SEWARD, T. M. 1974. Determination of the first ionization constant of silicic acid from quartz solubility in borate buffer solutions to 350°C. <i>Geochimica et Cosmochimica Acta</i> , 38, 1651-1664.
58SHA	SHAFIZADEH, F. 1958. Formation and cleavage of the oxygen ring in sugars. <i>Adv. Carbohydr. Chem</i> , 13 10.
72SHA	SHALINETS, A. B. 1972. Investigation of the complex formation of trivalent actinide and lanthanide elements by the method of electromigration. XVI. Ethylenediaminetetraacetic acid. <i>Sov. Radiochem</i> , 14 285-289.
82SHA/CHO	SHANBHAG, S. M. & CHOPPIN, G. R. 1982. Determination of the stability constant for MHL formation by a tracer method. <i>Inorganic Chemistry</i> , 21, 1696-1697.
21SHA	Shang, C., 2021. Formation des complexes ternaires alcalino-terreux/uranium/carbonate. Données thermodynamiques et influence sur la spéciation et la solubilité de l'uranium dans différents contextes géochimiques. Université Paris-Saclay.
20SHA/REI	Shang, C., Reiller, P.E., 2020a. Determination of formation constants and specific ion interaction coefficients for CanUO ₂ (CO ₃) ₃ (4-2n) complexes in NaCl solution by time-resolved laser-induced luminescence spectroscopy. <i>Dalton Transactions</i> 49, 466-481.
21SHA/REI1	Shang, C., Reiller, P.E., 2021a. The determination of the thermodynamic constants of MgUO ₂ (CO ₃) ₃ ²⁻ complex in NaClO ₄ and NaCl media by time-resolved luminescence spectroscopy, and applications in different geochemical contexts. <i>Dalton Transactions</i> 50, 4363-4379.
21SHA/REI2	Shang, C., Reiller, P.E., 2021b. Effect of temperature on the complexation of triscarbonatouranyl (VI) with calcium and magnesium in NaCl aqueous solution. <i>Dalton Transactions. Dalton Trans.</i> 50, 17165-17180.

76SHA	SHANNON, R. D. 1976. Revised effective ionic radii and systematic studies of interatomic distances in halides and chalcogenides. Acta Crystallographica Section A: Crystal Physics, Diffraction, Theoretical and General Crystallography, 32, 751-767.
69SHA/UEH	SHARMA, M. L., UEHARA, G. & MANN, J. A. 1969. Thermodynamic Properties of Water Adsorbed on Dry Soil Surfaces. Soil Science, 107, 86-93.
90SHA/MIL	Sharma, V.K. and Millero, F.J. (1990) Equilibrium constants for the formation of Cu(I) halide complexes. J. Solut. Chem., 19, 375-390.
96SHA/RED	SHARMASARKAR, S., REDDY, K. J. & VANCE, G. F. 1996. Preliminary quantification of metal selenite solubility in aqueous solutions. Chem. Geol., 132 165-170.
93SHA	SHARPE, A. G. 1993. Inorganic chemistry second edition, Reverté
61SHC/LOB	Shchukarev, S.A., Lobaneva, O.A., Ivanova, M.A., Kononova, M.A. 1961. Spectrophotometric investigations of the chloride complexes of bivalent palladium in aqueous solutions. Vestnik Leningrad Univ. 16,152-155.
88SHE	Shea D. and Helz G. R. (1988) The solubility of copper in sulfidic waters: Sulfide and polysulfide complexes in equilibrium with covellite. Geochim. Cosmochim. Acta 52, 1815-1825.
89SHE	Shea D. and Helz G. R. (1989) Solubility product constants of covellite and poorly crystalline copper sulfide precipitate at 298 K. Geochim. Cosmochim. Acta 53, 229-236.
60SHE/PEV	SHEKA, I. A. & PEVZNER, T. V. 1960. Solubility of zirconium and hafnium hydroxides in sodium hydroxide solutions. Russ. J. Inorg. Chem, 5 1119-1121.
76SHE/JAH	SHELKE, D. N. & JAHAGIRDAR, D. V. 1976. Ternary Complexes: Equilibrium Studies of Mixed-ligand Complexes of Neodymium Ion with Carboxylic and Phenolic Acids in Aqueous Medium. Bull. Chem. Soc. Japan, 49, 2142.
81SHE/JAH	SHELKE, D. N. & JAHAGIRDAR, D. V. 1981. Ternary complexes: Equilibrium study of mixed complexes of uranyl ion with thiodicarboxylic and simple dicarboxylic acids in aqueous medium. Journal of Inorganic and Nuclear Chemistry, 43, 757-760.
00SHE/BAR	SHERMAN, L. A. & BARAK, P. 2000. Solubility and dissolution kinetics of Dolomite in Ca–Mg–HCO ₃ /CO ₃ solutions at 25°C and 0.1 MPa carbon dioxide. Soil Sci. Soc. Am. J., 64 1959-1968.
98SHI/YUI	SHIBUTANI, S. & YUI, M. 1998. Status of PNC-TDB Development for performance assessment PNC.
96SHI	SHIBUTANI, S. 1996. Solubility measurement of trivalent lanthanide for performance assessment PNC.
98SHI/SHI1	SHIBUTANI, T. & SHIBUTANI, S. 1998. Database Development of Chemical Thermodynamics of Plutonium for Performance Assessment of HLW Geological Disposal System PNC.
98SHI/SHI	SHIBUTANI, T. & SHIBUTANI, S. 1998. Database Development of Chemical Thermodynamics of Protactinium for Performance Assessment of HLW Geological Disposal System. . PNC.
98SHI/SHI2	SHIBUTANI, T. & SHIBUTANI, S. 1998. Database Development of Chemical Thermodynamics of Protactinium for Performance Assessment of HLW Geological Disposal System. . PNC.
90SHI/ZOT	SHIKINA, N. D. & ZOTOV, A. V. 1990. Thermodynamic parameters of Sb(OH) ₃ (sol) up to 723.15K and 100 bar. Geochem. Intern., 28 97-103.
03SHI/FED	SHILOV, V. P. & FEDOSEEV, A. M. 2003. Solubility of Pu(IV) in Weakly Alkaline Solutions (pH 9–14) containing Silicate Anions. Radiochemistry, 45, 491-494.

04SHI/FED	SHILOV, V. P., FEDOSEEV, A. M., YUSOV, A. B. & DELEGARD, C. H. 2004. Behavior of Np(VII, VI, V) in silicate solutions. <i>Radiochemistry</i> , 46 574-577.
99SHI/NAV	SHIM, S.-H., NAVROTSKY, A., GAFFNEY, T. R. & MACDOUGALL, J. E. 1999. Chabazite; energetics of hydration, enthalpy of formation, and effect of cations on stability. <i>American Mineralogist</i> , 84, 1870-1882.
88SHO/HEL	SHOCK, E. L. & HELGESON, H. C. 1988. Calculation of the thermodynamic and transport properties of aqueous species at high pressures and temperatures: Correlation algorithms for ionic species and equation of state predictions to 5 kb and 1000°C. <i>Geochimica et Cosmochimica Acta</i> , 52, 2009-2036.
90SHO/HEL	SHOCK, E. L. & HELGESON, H. C. 1990. Calculation of the thermodynamic and transport properties of aqueous species at high pressures and temperatures: Standard partial molal properties of organic species. <i>Geochim. Cosmochim. Acta</i> , 54 915-945.
93SHO/KOR	SHOCK, E. L. & KORETSKY, C. M. 1993. Metal-organic complexes in geochemical processes: Calculation of standard partial molal thermodynamic properties of aqueous acetate complexes at high pressures and temperatures. <i>Geochim. Cosmochim. Acta</i> , 57 4899-4922.
95SHO/KOR	SHOCK, E. L. & KORETSKY, C. M. 1995. Metal-organic complexes in geochemical processes: Estimation of standard partial molal thermodynamic properties of aqueous complexes between metal cations and monovalent organic acid ligands at high pressures and temperatures. <i>Geochimica et Cosmochimica Acta</i> , 59, 1497-1532.
95SHO	SHOCK, E. L. 1995. Organic acids in hydrothermal solutions: Standard molal thermodynamic properties of carboxylic acids and estimates of dissociation constants at high temperatures and pressures. <i>Amer. J. Sci.</i> , 295 496-580.
89SHO/HEL	SHOCK, E. L., HELGESON, H. C. & SVERJENSKY, D. A. 1989. Calculation of the thermodynamic and transport properties of aqueous species at high pressures and temperatures: Standard partial molal properties of inorganic neutral species. <i>Geochimica et Cosmochimica Acta</i> , 53, 2157-2183.
97SHO/SAS1	SHOCK, E. L., SASSANI, D. C. & BETZ, H. 1997. Uranium in geologic fluids: Estimates of standard partial molal properties, oxidation potentials, and hydrolysis constants at high temperatures and pressures. <i>Geochimica et Cosmochimica Acta</i> , 61, 4245-4266.
97SHO/SAS	SHOCK, E. L., SASSANI, D. C., WILLIS, M. & SVERJENSKY, D. A. 1997. Inorganic species in geologic fluids: Correlations among standard molal thermodynamic properties of aqueous ions and hydroxide complexes. <i>Geochimica et Cosmochimica Acta</i> , 61, 907-950.
97SHO/SAS2	SHOCK, E. L., SASSANI, D. C., WILLIS, M. & SVERJENSKY, D. A. 1997. Inorganic species in geologic fluids: Correlations among standard molal thermodynamic properties of aqueous ions and hydroxide complexes. <i>Geochimica et Cosmochimica Acta</i> , 61, 907-950.
97SHO/SAS	Shock, E.L., Sassani, D.C., Willis, M., Sverjensky, D.A., 1997. Inorganic species in geologic fluids: Correlations among standard molal thermodynamic properties of aqueous ions and hydroxide complexes. <i>Geochimica et Cosmochimica Acta</i> 61, 907-950.
74SHO/MAB	SHOJI, H., MABUCHI, H. & SAITO, N. 1974. Solvent extraction studies of the hydrolysis of antimony(III) in tracer concentrations. <i>Bull. Chem. Soc. Jpn.</i> , 47 2502.
11SHV/MAZ	Shvareva, T. Y., Mazeina, L., Gorman-Lewis, D., Burns, P. C., Szymanowski, J. E. S., Fein, J. B., Navrotsky, A. 2011. Thermodynamic characterization of boltwoodite and uranophane: Enthalpy of formation and aqueous solubility, <i>Geochim. Cosmochim. Acta</i> , 75, 5269-5282.

72SIE/HOS	SIEBERT, R. M. & HOSTETLER, P. B. 1972. The stability of the magnesium carbonate ion pair from 10 degrees to 90 degrees C. Am. J. Sci, 277 697-715.
77SIE/HOS	SIEBERT, R. M. & HOSTETLER, P. B. 1977. The stability of the magnesium bicarbonate ion pair from 10 degrees to 90 degrees C. Am. J. Sci, 277 716-734.
89SIJ/VAN	SIJPKES, A. H., VAN ROSSUM, P., RAAD, J. S. & SOMSEN, G. 1989. Heat capacities and volumes of some polybasic carboxylic acids in water at 298.15K. Journal of chemical thermodynamics, 21, 1061-1067.
64SIL/MAR	SILLÉN, L. G. & MARTELL, A. E. 1964. Stability constants of metal-ion complexes, Chemical Society London
71SIL/MAR	SILLEN, L. G. & MARTELL, A. E. 1971. Stability constants of metal-ion complexes. Supplement No. 1, Burlington house, London, Chemical Society London.
71SIL	SILLÉN, L. G. 1971. Stability constants of metal-ion complexes. Part I: Inorganic ligands. Special Publication N° 25, Chemical Society London
64SIL/MAR	Sillén, L. G. and Martell, A. E. 1964. Stability constants of metal-ion complexes. Chem. Soc. (London) Spec. Publi. No. 17.
58SIL	Silman, J. F. B. (1958) Ph.D Thesis, Harvard University.
82SIL	SILVA, R. J. 1982. The solubilities of crystalline Neodymium and Americium trihydroxides Lawrence Berkeley Laboratory.
95SIL/BID	SILVA, R., BIDOGLIO, G., RAND, M. H., ROBOUCH, P. B., WANNER, H. & PUIGDOMÈNECH, I. 1995. Chemical thermodynamics vol. 2: Chemical thermodynamics of americium, NEA North Holland Elsevier Science Publishers B. V., Amsterdam, The Netherlands
72SIM/IVI	SIMEON, V., IVICIC, N. & TKALCEC, M. 1972. Construction of a simple reaction calorimeter and heats of some standard reactions at 20°C. Zeitschrift fuer Physikalische Chemie, 78, 1-12.
03SIM/FRA	SIMON, L., FRANÇOIS, M., REFAIT, P., RENAUDIN, G., LELAURAIN, M. & GÉNIN, J. M. R. 2003. Structure of the Fe(II-III) layered double hydroxysulphate green rust two from Rietveld analysis. Solid State Sciences, 5 327-334.
70SIN/STU	SINGER, P. C. & STUMM, W. 1970. The solubility of ferrous ion in carbonate-bearing waters. Journal of American Water Works Association, 62 198-202.
03SIN/MIS	SINGH, H., MISHRA, S. L., ANITHA, M., GIRIYALKER, A. B., VIJAYALAKSHMI, R. & KOTEKAR, M. K. 2003. Uranium extraction from partially neutralised and diluted phosphoric acid using a synergistic organophosphorous solvent mixture. Hydrometallurgy, 70, 197-203.
80SIN/SIR	SINGH, R. K. P., SIRCAR, J. K., KHELAWAN, R. & YADAVA, K. L. 1980. Stability constants of phthalate complexes of copper (II), nickel (II), zinc (II), cobalt (II), uranyl (II) and throrium (IV) by paper electrophoresis. Chromatographia, 13, 709-711.
81SIN/SIR	SINGH, R. K. P., SIRCAR, K. K., YADAVA, J. R., YADAVA, P. C. & YADAVA, K. L. 1981. Stability constants of adipate complexes of copper(II), nickel(II), zinc(II), cobalt(II), uranyl(II) and thorium(IV) determined by electrophoresis. Electrochimica Acta, 26 399-408.
56SIR/PARA	Sircar, S. C. and Prasad, B. J. (1956) Indian Chem. Soc., 33, 361.
98SIV/ERE	Siva, O., Erel, Y., Mandler, D. and Nishri, A. 1998. The dynamic redox chemistry of iron in the epilimnion of lake Kinneret (Sea of Galilee. Geochim. Cosmochim. Acta, 62, 565-576.
02SIV/SUB	SIVARAMAN, N., SUBRAMANIAM, S., SRINIVASAN, T. G. & VASUDEVA RAO, P. R. 2002. Burn-up measurements on nuclear reactor fuels using high performance liquid chromatography. Journal of radioanalytical and nuclear chemistry, 253, 35-40.

77SJO	Sjöberg, S. (1977) Metal complexes with mixed ligands. 13. A combined potentiometric and spectrophotometric study of the systems Cu ²⁺ -imidazole, Cu ²⁺ -OH--imidazole and Cu ²⁺ -Cl--imidazole in 3.0 M (Na)ClO ₄ , Cl ⁻ media. Acta Chem. Scand., 31A, 729-738.
83SJÖ/HÄG1	SJÖBERG, S., HÄGGLUND, Y., NORDIN, A. & INGRI, N. 1983. Equilibrium and structural studies of silicon (IV) and aluminium (III) in aqueous solution: II. Formation constants for the monosilicate ions SiO(OH) ₃ ⁻ and SiO ₂ (OH) ₂ ⁻² . A precision study at 25°C in a simplified seawater medium. Marine Chemistry, 10, 521-532.
83SJÖ/HÄG	SJÖBERG, S., HÄGGLUND, Y., NORDIN, A. & INGRI, N. 1983. Equilibrium and structural studies of silicon (IV) and aluminium (III) in aqueous solution: V. Acidity constants of silicic acid and the ionic product of water in the medium range 0.05-2.0M Na(Cl) at 25°C. Marine Chemistry, 13, 35-44.
83SJÖ/HÄG2	SJÖBERG, S., HÄGGLUND, Y., NORDIN, A. & INGRI, N. 1983. Equilibrium and structural studies of silicon (IV) and aluminium (III) in aqueous solution: V. Acidity constants of silicic acid and the ionic product of water in the medium range 0.05-2.0M Na(Cl) at 25°C. Marine Chemistry, 13, 35-44.
85SJO/OHM	SJOBERG, S., OHMAN, L. O. & INGRI, N. 1985. Equilibrium and structural studies of silicon (IV) and aluminium (III) in aqueous solution: 11. Polysilicate formation in alkaline aqueous solution. A combined potentiometric and ²⁹ Si NMR study. Acta Chem. Scand. A, 39, 93-107.
85SKE/MAI	SKEAFF, J. M., MAINWARING, P. R. & SPEELMAN, J. L. 1985. Thermochemical arsenide-oxide equilibria in the system Ni-As-O: Determined electrochemically between 438 and 866°C. Canadian Metallurgical Quarterly, 24, 349-382.
12SKE/PAN	SKERENCAK, A., PANAK, P. & FANGHANEL, T. 2012. Complexation and thermodynamics of Cm(III) at high temperatures: the formation of [Cm(SO ₄) _n] _{3-2n} (n=1, 2, 3) complexes at T=25 to 200°C. Dalton Transactions.
13SKE/PAN	Skerencak, A., Panak, P. J., Fanghänel, Th. 2013. Complexation and thermodynamics of Cm(III) at high temperatures: the formation of [Cm(SO ₄) _n] _{3-2n} (n = 1, 2, 3) complexes at T = 25 to 200°C, Dalton Trans., 42, 542-549.
09SKE/PAN	SKERENCAK, A., PANAK, P. J., HAUSER, W., NECK, V., KLENZE, R., LINDQVIST-REIS, P. & FANGHÄNEL, T. 2009. TRLFS study on the complexation of Cm(III) with nitrate in the temperature range from 5 to 200°C. Radiochim. Acta, 97 385-393.
14SKE/FRÖ	Skerencak-Frech, A., Fröhlich, D. R., Rothe, J., Dardenne, K., Panak, P. J. 2014. Combined time-resolved laser fluorescence spectroscopy and extended X-ray absorption fine structure spectroscopy study on the complexation of trivalent actinides with chloride at T = 25-200 °C, Inorg. Chem., 53, 1062-1069.
10SLA	Sladkov, V. 2010. Interaction of uranyl with Se(IV) and Se(VI) in aqueous acid solutions by means of capillary electrophoresis, Electrophoresis, 31, 3482-3491.
12SLA	Sladkov, V. 2012. Effect of non-thermostated capillary inlet in affinity capillary electrophoresis: uranyl-selenate system at variable temperatures, J. Chromatogr., A, 1263, 189-193.
13SLA	Sladkov, V. 2013. Uranyl complexation with selenate at variable temperatures studied by affinity capillary electrophoresis, J. Chromatogr., A, 1276, 120-125.
93SLA/POP	SLAVTSHEVA, J., POPOVA, E. & GOSPODINOV, G. 1993. Untersuchung der löslichkeit und bestimmung des löslichkeitsproduktes von kupfer- und silberselenit. Monatsh. Chem., 124 1115-1118.

75SLO/MIL	SLOBODIN, B. V., MILLER, I. I. & FOTIEV, A. A. 1975. Thermodynamics of Iron(III), Chromium(III) and Ni(III) Orthovanadates. Russian Journal of Physical Chemistry, 49 511-514.
92SLO/KRI	SLOBODOV, A. A., KRITSKII, A. V., ZAREMBO, V. I. & PUTCHKOV, L. V. 1992. Thermodynamics Analysis of the Chemical reactions of Zirconium with aqueous solutions. Journal Appl. Chem, USSR, 21 843-852.
98SME	SMELLIE, J. A. 1998. Maqarin natural analogue study: Phase III. . SKB.
16SMI/COL	Smith, A. L., Colle, J.-Y., Beneš, O., Konings, R. J. M., Sundman, B., Guéneau, C. (2016) Thermodynamic assessment of the neptunium-oxygen system: mass spectrometric studies and thermodynamic modelling, J. Chem. Thermodyn., 103, 257-275.
15SMI/COL	Smith, A. L., Colle, J.-Y., Raison, P. E., Beneš, O., Konings, R. J. M. 2015. Thermodynamic investigation of Na ₂ U ₂ O ₇ using Knudsen effusion mass spectrometry and high temperature X-ray diffraction, J. Chem. Thermodyn., 90, 199-208.
06SMI/HUD	Smith, A. M., Hudson-Edwards, K. A., Dubbin, W. E., & Wright, K. (2006). Dissolution of jarosite [KFe ₃ (SO ₄) ₂ (OH) ₆] at pH 2 and 8: Insights from batch experiments and computational modelling. Geochimica et Cosmochimica Acta, 70(3), 608-621.
23SMI/WOO	SMITH, D. F. & WOODS, H. K. 1923. The free energy and heat of formation of lead monoxide. J. Am. Chem. Soc., 46 52-59.
18SMI	SMITH, H. J. 1918. On equilibrium in the system: ferrous carbonate, carbon dioxide and water. Journal of the American Chemical Society, 40 879-883.
04SMI/MAR	Smith, R. M., Martell, A. E, Motekaitis, R. (2004). NIST Critically Selected Stability Constants of Metal Complexes Database.
76SMI/MAR	SMITH, R. M. & MARTELL, A. E. 1976. Critical stability constants: Inorganic complexes. Plenum Press., 4
77SMI/MAR	SMITH, R. M. & MARTELL, A. E. 1977. Critical stability constants: Other organic ligands. Plenum Press., 3
82SMI/MAR	SMITH, R. M. & MARTELL, A. E. 1982. Critical stability constants. Plenum Press., 5 (First supplement)
89SMI/MAR	SMITH, R. M. & MARTELL, A. E. 1989. Critical stability constants. Plenum Press., 6
85SMI/MAR	SMITH, R. M., MARTELL, A. & MOTEKAITIS, R. 1985. Prediction of stability constants. I. Protonation constants of carboxylates and formation constants of their complexes with class A metal ions. Inorganica Chimica Acta, 99 207-216.
98SMI/MAR	SMITH, R. M., MARTELL, A. E. & MOTEKAITIS, R. J. 1998. NIST critically selected stability constants of metal complexes database, National Institute of Standards & Technology
04SMI/MAR	SMITH, R. M., MARTELL, A. E., MOTEKAITIS, R. J. & STANDARD REFERENCE DATA, P. 2004. NIST critically selected stability constants of metal complexes database. Standard Reference Data Program, National Institute of Standards and Technology, U.S. Dept. of Commerce.
76SMI/MAR	Smith, R. M.; Martell, A. E. (1976). Critical Stability Constants; Plenum Press: New York; Vol. 4
83SMI/CHA	SMITH, R. R., CHARON, N. W. & CANADY, W. J. 1983. Thermodynamics of solution of aromatic hydrocarbons in water and in waterethanol solutions: Comparison of some methodologies. J. Phys. Chem., 93, 5938-5943.
96SMI/BAS	SMITH-BRIGGS, J. L., BASTON, G. M. N., BROWNSWORD, M. & SMITH, A. J. 1996. Solubility studies 1989 to 1992 Nirex.
84SOB/TUG	SOBOLEVA, G. I., TUGARINOV, I. A., GOLITSINA, N. S. & KHODAKOVSKIY, I. L. 1984. The behaviour of beryllium in fluorine-bearing hydrothermal solutions at 150-250°C. Geochem. Int., 20-30.
83SOL/BON	Solomon, L. R., Bond, A. M., Bixler, J. W., Hallenbeck, D. R., Logsdon, K. M. 1983. Stability of monofluoride complexes of the Irving-Williams series acceptors in methanol, Inorg. Chem., 22, 1644-1648.

57SOL	SOLOVKIN, A. S. 1957. Determination of hydrolysis constants and of formation constants of Zr^{4+} with nitrate and chloride ions by extraction methods. J.Inorg. Chem.USSR, 2 216-236.
74SOL	SOLOVKIN, A. S. 1974. Association and structure of ion pairs of lithium and sodium nitrate in water and sodium nitrate in heavy water at 25°C (translated from Russian). Zhur. Fiz. Khim., 48 2655.
53SOU/HES	SOUCHAY, R. & HESSABY, A. 1953. Confirmation et nature des faibles acidités des acides periodique et tellurique. Bull. Soc. Chem. France, 614
68SOU/CHA	Sousa-Alonsa, A., Chadwick, and Irving, R J. 1968, J. Chem. Soc. (A), 2364.
95SPA/BRU	SPAHIU, K. & BRUNO, J. 1995. A selected thermodynamic database for REE to be used in HLNW performance assessment exercises SKB.
01SPA	SPAHIU, K. 2001. The use of SIT in the NEA TDB project. Advantages, drawbacks and comparison with the approaches used in some geochemical codes. In: The use of Thermodynamic databases in performance assessment, 61-70. ENRESA Workshop Proceedings. Barcelona.
95SPA/BRU	Spahiu, K., Bruno, J. 1995. A selected thermodynamic database for REE to be used in HLNW performance assessment exercises, Swedish Nucl. Fuel Waste Manag. Co., Tech. Rep. SKB-TR-95-35.
68SPE	SPEAKMAN, K. 1968. The Stability of Tobermorite in the System CaO-SiO ₂ -H ₂ O at Elevated Temperatures and Pressures. Mineralogical Magazine, 36, 1090-1103.
54SPE/JAF	SPEDDING, F. H. & JAFFE, S. 1954. Conductances, solubilities and ionization constants of some rare earth sulphates in aqueous solutions at 25°C. J. Am. Chem. Soc., 76 882-884.
66SPI/MIK	SPITZIN, V. I., MIKHEEV, N. B. & HERMANN, A. 1966. No Title. Doklady Akad. Nauk. S.S.S.R., 166 685.
81SPO	SPOSITO, G. 1981. The thermodynamics of soil solutions, Oxford University Press.
86SPO	SPOSITO, G. 1986. The polymer model of thermochemical clay mineral stability. Clays and clay minerals, 34, 198-203.
93SPO	SPOSITO, G. 1993. Characterization of particle surface charge, Lewis Publishers.
89SPY/REE	SPYCHER, N. F. & REED, M. H. 1989. As(III) and Sb(III) sulphide complexes: an evaluation of stoichiometry and stability from existing experimental data. Geochim. Cosmochim. Acta, 53 2185.
88STA/KIM1	STADLER, S. & KIM, J. I. 1988. Chemisches Verhalten von Americium in natürlichen wässrigen Lösungen: Hydrolyse, Radiolyse und Redoxreaktionen Inst. Für Radiochemie der Technischen Universität, München.
88STA/KIM	STADLER, S. & KIM, J. I. 1988. Hydrolysis reactions of Am(III) and Am(V). Radiochim. Acta., 44/45 39-44.
88STA/KIM2	STADLER, S. & KIM, J. I. 1988. Hydrolysis reactions of Am(III) and Am(V). Radiochim. Acta., 44/45 39-44.
73STA/AND	STAGG, W. R. & ANDREWS, B. L. 1973. No Title. Proceedings of the tenth rare earth research conference
97STA/PET	STAPLES, C. A., PETERSON, D. R., PARKERTON, T. F. & ADAMS, W. J. 1997. The environmental fate of phthalate esters: A literature review. Chemosphere, 35 667-749.
59STA/SHE	STARIK, I. E., SHEIDINA, L. D. & ILMENKOVA, L. I. 1959. Radiochimia, 1.
74STE/OPP	STEARNS, R. S., OPPENHEIMER, H., SIMON, E. & HARKINS, W. D. 1974. Solubilization by solutions of long-chain colloidal electrolytes. J. Phys. Chem., 15, 495-507.

09STE	STEEFEL, C. I. 2009. CrunchFlow. Software for modeling multicomponent reactive flow and transport. USER'S MANUAL. Lawrence Berkeley National Laboratory, available only at http://www.csteefel.com/CrunchFlowManual.pdf .
07STE	Stefansson, A. 2007. Iron (III) hydrolysis and solubility at 25 °C, Environ. Sci. Technol., 41, 6117-6123.
08STE/SEW	Stefansson, A. and Seward, T. M. 2008. A spectrophotometric study of iron(III) hydrolysis in aqueous solutions to 200°C. Chem. Geol., 249, 227-235.
97STE/FAN	STEINLE, E., FANGHAENEL, T. & KLENZE, R. 1997. Complexing of Cm(III) with monosilicic acid Wiss. Ber. - Forschungszent. Karlsruhe.
79STE/GAN	Stella, R. and Ganzerli-Valentini, M.T. (1979) Copper ion-selective electrode for determination of inorganic copper species in fresh water. Anal. Chem., 51, 2148-2151.
84STE/BOR	STELLA, VALENTINI & BORRONI. 1984. The use of cadmium ion selective electrode and voltametric techniques in the study of cadmium complexes with inorganic ligands. 4 th symposium on ion-selective electrodes. .
98STE/SAV	STENHOUSE, M., SAVAGE, D., DURO, L. & J., B. 1998. Critical Review of the Influence of Organics on Radionuclide Behaviour in a Cementitious Repository Andra.
03STE/MAR	STENSON, A. C., MARSHALL, A. G. & COOPER, W. T. 2003. Exact masses and chemical formulas of individual Suwannee River fulvic acids from ultrahigh resolution electrospray ionization Fourier transform ion cyclotron resonance mass spectra. Analytical chemistry, 75, 1275-1284.
61STE/GAL	STEPANOV, M. A. & GALKIN, N. P. 1961. The solubility product of the hydroxide of tetravalent uranium. At. Energ., 9 817-821.
88STE/BRA	Stevenson, K.S., Braun, J.L., Davis, D.D., Kurtz, K.S. and Sparks, R.I. (1988) Luminescence and ultraviolet photoinduced electron transfer in chlorocuprate(I) complexes in aqueous solution at room temperature. Inorg. Chem., 27, 3472-3476..
10STE/MAY	STEWART, B., MAYES, M. & FENDORF, S. 2010. Impact of Uranyl-Calcium-Carbonato Complexes on Uranium(VI) Adsorption to Synthetic and Natural Sediments Environ. Sci. Technol., 44, 928-934.
91STI	STIPP, S. L. 1991. A study of the processes that affect the surface of calcite both in the absence and in the presence of aqueous solution that may contain cadmium. Stanford University
06STI/CHR	STIPP, S. L. S., CHRISTENSEN, J. T., LAKSHTANOV, L. Z., BAKER, J. A. & WAIGHT, T. E. 2006. Rare earth element (REE) incorporation in natural calcite: Upper limits for actinide uptake in a secondary phase. Radiochimica Acta, 94, 523-528.
02STI/HAN	STIPP, S. L. S., HANSEN, M., KRISTENSEN, R., HOCELLA, M. F., BENNEDSEN, L., DIDERIKSEN, K., BALIC-ZUNIC, T., LEONARD, D. & MATHIEU, H.-J. 2002. Behaviour of Fe-oxides relevant to contaminant uptake in the environment. Chemical Geology, 190, 321-337.
03STI/LAK	STIPP, S. L. S., LAKSHTANOV, L. Z., JENSEN, J. T. & BAKER, J. A. 2003. Eu ³⁺ uptake by calcite: Preliminary results from coprecipitation experiments and observations with surface-sensitive techniques. Journal of contaminant hydrology, 61, 33-43.
93STI/PAR	STIPP, S. L. S., PARKS, G. A., NORDSTROM, D. K. & LECKIE, J. O. 1993. Solubility-product constant and thermodynamic properties for synthetic otavite, CdCO ₃ (s), and aqueous association constants for the Cd(II)-CO ₂ -H ₂ O system. Geochimica et Cosmochimica Acta, 57 2699-2713.

92STI/HOC	STIPP, S. L., HOHELLA JR., M. F., PARKS, G. A. & LECKIE, J. O. 1992. Cd ²⁺ uptake by calcite, solid-state diffusion, and the formation of solid-solution: Interface processes observed with near-surface sensitive techniques (XPS, LEED, and AES). <i>Geochim. Cosmochim. Ac.</i> , 56 1941-1954.
49STO/DAV	STOCK, D. I. & DAVIES, C. W. 1949. The colorimetric measured of pH, and the dissociation constants of the malonates of some bivalent metals. <i>J. Chem. Soc.</i> , 1317-1374.
95STO/CHR	STOILOVA, D., CHRISTOV, C. & OJKOVA D., T. A. S. 1995. Thermodynamical study on the magnesium selente-nickel selenatewater system at 25°C. <i>Monatsh. Chem.</i> , 126 535-541.
54STO/CAT	Stout, J. W., Catalano, E. 1954. Thermal anomalies associated with the antiferromagnetic ordering of FeF ₂ , CoF ₂ , and NiF ₂ , <i>Phys. Rev.</i> , 92, 1575.
58STR/PLI	STRANSKI, I. N., PLIETH, K. & ZOLL, I. 1958. Über die auflösung, die loslichkeit und die umvandlung der beiden arsenik modifikationen in wasser und wäBrigen lösugen. <i>Zeit. Electrochem.</i> , 62 366-372.
92STR	STROES-GASCOYNE, S. 1992. Trends in the short-term release of fission products and actinides to aqueous solution from used CANDU fuels at elevated temperatures. <i>J. Nucl. Mat.</i> , 190 87.
97STR/GLA	STRONACH, S. A. & GLASSER, F. P. 1997. Modelling the impact of abundant geochemical components on phase stability and solubility of the CaO—SiO ₂ —H ₂ O system at 25°C: Na ⁺ , K ⁺ , SO ₄ ²⁻ , Cl ⁻ and CO ₃ ²⁻ . <i>Advances in Cement Research</i> , 9, 167-181.
85STR/BLU	STRONG, L. E., BLUBAUGH, D. J., KALLMYER, J. B. & TAYLOR, S. P. 1985. Ionisation of multiply substituted methylbenzoic acids in water: conductance and thermodynamics. <i>J. Phys. Chem.</i> , 89, 1318-1326.
79STR/KIN	STRONG, L. E., KINNEY, T. & FISCHER, P. 1979. Ionization of aqueous benzoic acid: conductance and thermodynamics. <i>J. Sol. Chem.</i> , 8, 239-345.
89STR/NEF	STRONG, L. E., NEFF, R. M. & WHITESEL, I. 1989. Thermodynamics of dissolving and salvation processes for benzoic acid and the toluic acids in aqueous solution. <i>J. Sol. Chem.</i> , 18, 101-114.
01STU/MIK	STUER-LAURIDSEN, F., MIKKELSEN, S., HAVELUND, S., BIRKVED, M. & HANSEN, L. P. 2001. Environmental and Health Assessment of alternatives to phthalates and to flexible PVC. . Miljøprojekt, Danish Environmental Protection Agency.
71STU/PRO	STULL, D. R. & PROPHET, H. 1971. JANAF thermochemical tables, 37. Supplements NSRDS-NBS, Washington.
69STU/WES	STULL, D. R., WESTRUM, E. F. & SINKE, G. C. 1969. <i>The Chemical Thermodynamics of Organic Compounds</i> , New York.
81STU/MOR	STUMM, W. & MORGAN, J. J. 1981. <i>Aquatic chemistry: chemical equilibria and rates in natural waters</i> , John Wiley & Sons
96STU/MOR	STUMM, W. & MORGAN, J. J. 1996. <i>Aquatic chemistry. Chemical equilibria and rates in natural waters.</i>
02STU/FAN	STUMPF, T. & FANGHÄNEL, T. 2002. A time-resolved laser fluorescence spectroscopy (TRLFS) study of the interaction of trivalent actinides (Cm (III)) with calcite. <i>Journal of colloid and interface science</i> , 249, 119-122.
06STU/MAR	STUMPF, T., MARQUES FERNANDES, M., WALTHER, C., DARDENNE, K. & FANGHÄNEL, T. 2006. Structural characterization of Am incorporated into calcite: A TRLFS and EXAFS study. <i>Journal of colloid and interface science</i> , 302, 240-245.
04STU/TIT	STUMPF, T., TITS, J., WALTHER, C., WIELAND, E. & FANGHÄGEL, T. 2004. Uptake of trivalent actinides (curium(III)) by hardened cement paste: a time-resolved laser fluorescence spectroscopy study. <i>Journal of colloid and interface science</i> , 276 118-124.

83STU/MAR	STUNZI, H. & MARTY, W. 1983. Early stages of the hydrolysis of chromium(III) in aqueous solution. 1. Characterization of a tetrameric species. <i>Inorganic Chemistry</i> , 22 2145-2150.
89STU/SPI	STUNZI, H., SPICCIA, L., ROTZINGER, P. & MARTY, W. 1989. Early stages of the hydrolysis of chromium(III) in aqueous solution. 4. Stability constants of the hydrolytic dimer, trimer, and tetramer at 25°C and I = 1.0 M. <i>Inorganic chemistry</i> , 28 66-71.
98STU/ANT	STURCHIO, N. C., ANTONIO, M. R., SODERHOLM, L., SUTTON, S. R. & BRANNON, J. C. 1998. Tetravalent uranium in calcite. <i>Science</i> , 281, 971-973.
78STU/FER	STUVE, J. M., FERRANTE, M. J. & KO, H. E. 1978. Thermodynamic properties of NiBr ₂ and NiSO ₄ from 10 to 1,200 K. <i>Rep. Invest</i> , 8271.
75SUC/CAD	SUCHA, L., CADEK, J., HRABEK, K. & VESELY, J. 1975. The stability of the chloro complexes of magnesium and of the alkaline earth metals at elevated temperatures. <i>Coll. Czeck. Chem. Comm</i> , 40 2020-2024.
97SUG/SAT1	SUGANUMA, H., SATOH, I., OMORI, T. & YAGI, M. 1997. Am ³⁺ -F ⁻ interaction in mixed system of dimethyl sulphoxide and water. <i>Radiochim. Acta</i> , 77 211-214.
97SUG/SAT	SUGANUMA, H., SATOH, I., OMORI, T. & YAGI, M. 1997. Am ³⁺ -F ⁻ interaction in mixed system of methanol and water. <i>Radiochim. Acta</i> , 77 207-209.
97SUG/SAT2	SUGANUMA, H., SATOH, I., OMORI, T. & YAGI, M. 1997. Am ³⁺ -F ⁻ interaction in mixed system of methanol and water. <i>Radiochim. Acta</i> , 77 207-209.
76SUG/FUJ	Sugasaka, K. and Fujii, A. (1976) A spectrophotometric study of copper(1) chloro-complexes in aqueous 5 M Na(Cl,CIO ₄) solutions. <i>Bull. Chem. Soc. Jpn.</i> , 49, 82-86.
07SUL/SEW	Suleimenov, O. M., Seward, T. M., Hovey, J. K. 2007. Aspectrophotometric study on uranyl nitrate complexation to 150 °C, <i>J. Solution Chem.</i> , 36, 1093-1102.
59SUL/HIN	SULLIVAN, J. C. & HINDMAN, J. C. 1959. The hydrolysis of neptunium(IV). <i>J. Phys. Chem.</i> , 63 1332-1333.
97SUN/CHE	SUN, D., CHEN, J., LU, W. & ZHENG, X. 1997. Solubilization of benzene and several benzene derivatives in dilute aqueous solution of 18-crown-6. <i>J. Solut. Chem.</i> , 27, 1097-1107.
98SUN/WAN	SUN, T. S., WANG, F. L. & XIAO, Y. M. 1998. A thermochemical study of rare-earth bromide hydrates. <i>TermoChim. Acta</i> , 311 21-27.
79SUN/HAN	Sunda, W. G., Hanson, P. J. (1979) <i>ACS Symposium Series</i> 93, 147.
75SUT/CAL	SUTTON, C. & CALDER, J. A. 1975. Solubility of alkylbenzenes in distilled water and seawater at 25°C. <i>J. Chem. Eng. Data</i> , 20, 320-322.
99SUT/WAR	SUTTON, M., WARWICK, P., HALL, A. & JONES, C. 1999. Carbonate induced dissolution of uranium containing precipitates under cement leachate conditions. <i>J. Environ. Monit.</i> , 1, 177-182.
05SUT/SPO	SUTTON, R. & SPOSITO, G. 2005. Molecular structure in soil humic substances: the new view. <i>Environmental Science & Technology</i> , 39, 9009-9015.
11SUZ/VAN	SUZUKI-MURESAN, T., VANDENBORRE, J., ABDELOUAS, A. & GRAMBOW, B. 2011. Solution controls for dissolved silica at 25, 50 and 90 °C for quartz, Callovo-Oxfordian claystone, illite and MX80 bentonite. <i>Physics and Chemistry of the Earth, Parts A/B/C</i> , 36, 1648-1660.
97SVE/SHO	Sverjensky D. A., Shock E. L., and Helgeson H. C. (1997) Prediction of the Thermodynamic Properties of Aqueous Metal Complexes to 1000° and 5 kb. <i>Geochim. Cosmochim. Acta</i> 61, 1359-1412.

92SVE/MOL	SVERJENSKY, D. A. & MOLLING, P. A. 1992. A linear free energy relationship for crystalline solids and aqueous ions. <i>Nature</i> , 356 231-234.
87SVE	SVERJENSKY, D. A. 1987. Calculation of the thermodynamic properties of aqueous species and the solubilities of minerals in supercritical electrolyte solutions. <i>Reviews in Mineralogy and Geochemistry</i> , 17, 177-209.
97SVE/SHO	SVERJENSKY, D. A., SHOCK, E. L. & HELGESON, H. C. 1997. Prediction of the thermodynamic properties of aqueous metal complexes to 1000 degrees C and 5 kb. <i>Geochimica et cosmochimica acta</i> , 61, 1359-1412.
70SWE/BAE	SWEETON, F. H. & BAES, C. F. J. 1970. The solubility of magnetite and hydrolysis of ferrous ion in aqueous solutions at elevated temperatures. <i>Journal of Chemical Thermodynamics</i> , 2 479-500.
79SYL/DAV	Sylva, R.N. and Davidson, M.R. (1979). The hydrolysis of metal ions, Part 1. Copper 2+. <i>J. Chem. Soc. Dalton Trans.</i> , 232-235.
20SZE/ALB	Szenknect, S., Alby, D., García, M. L., Wang, C., Podor, R., Miserque, F., Mesbash, A., Duro, L., Zetterström Evins, L., Dacheux, N., Bruno, J., Ewing, R. C. 2020. Coffinite formation from UO ₂ +x. <i>Scientific reports</i> , 10(1), 1-10.
13SZE/COS	SZENKNECT, S., COSTIN, D. T., CLAVIER, N., MESBAH, A., POINSSOT, C., VITORGE, P. & DACHEUX, N. 2013. From uranothorites to coffinite: A solid solution route to the thermodynamic properties of USiO ₄ . <i>Inorganic chemistry</i> , 52(12), 6957-6968.
17SZE/DAC	Szenknect, S., Dacheux, N., Ewing, R. C., & Navrotsky, A. 2017. Reply to comment by Konings and Plyasunov on "First experimental determination of the solubility constant of coffinite"[<i>Geochim. Cosmochim. Acta</i> 181 (2016) 36-53]. <i>Geochimica et Cosmochimica Acta</i> , 212, 374-376.
16SZE/MES	SZENKNECT, S., MESBAH, A., CORDARA, T., CLAVIER, N., BRAU, H. P., LE GOFF, X., POINSSOT, C., EWING, R. C. & DACHEUX, N. 2016. First experimental determination of the solubility constant of coffinite. <i>Geochimica et Cosmochimica Acta</i> , 181, 36-53.
01TAG/SCH	TAGIROV, B. & SCHOTT, J. 2001. Aluminum speciation in crustal fluids revisited. <i>Geochimica et Cosmochimica Acta</i> , 65, 3965-3992.
00TAG/DIA	Tagirov, B. R., Diakonov, I. I., Devina, O. A. and Zotov, A. V. 2000. Standard ferric-ferrous potential and stability of FeCl ₂ + to 90°C. Thermodynamic properties of Fe ³⁺ (aq) and ferric-chloride species, <i>Chem. Geol.</i> , 162, 193-219.
97TAG/ZOT	TAGIROV, B. R., ZOTOV, A. V. & AKINFIEV, N. N. 1997. Experimental study of dissociation of HCl from 350 to 500°C and from 500 to 2500 bars: Thermodynamic properties of HCl°(aq). <i>Geochimica et Cosmochimica Acta</i> , 61, 4267-4280.
66TAH/GRI	TAHA, A. A., GRIGSBY, R. D., JOHNSON, J. R., CHRISTIAN, S. D. & AFFSPRUNG, H. E. 1966. Manometric apparatus for vapor and solution studies. <i>J. Chem. Educ.</i> , 43, 432-435.
91TAI/JAN	Tait, C.D., Janecky, D.R., Rogers, P.S.Z. 1991. Speciation of aqueous palladium(II) chloride solutions using optical spectroscopies. <i>Geochim. Cosmochim. Acta</i> 55, 1253-1264
91TAI/STR	TAIT, J. C., STROES-GASCOYNE, S., HOCKING, W. H., DUCLOS, A. M., PORTH, R. J. & WILKIN, D. L. 1991. Dissolution behaviour of used CANDU fuel under disposal conditions. <i>Mater. Res. Soc. Symp. Proceed</i>
14TAJ/GAI	TAJEDDINE, L., GAILHANOU, H., BLANC, P., LASSIN, A., GABOREAU, S. & VIEILLARD, P. 2014. Hydration-dehydration behavior and thermodynamics of MX-80 montmorillonite studied using thermogravimetric analysis. <i>Langmuir</i> .
09TAK/TAK	TAKAO, K., TAKAO, S., SCHEINOST, A. C., BERNHARD, G. & HENNIG, C. 2009. Complex Formation and Molecular Structure of Neptunyl (VI) and-(V) Acetates. <i>Inorganic chemistry</i> , 48, 8803-8810.

95TAK/SHI	TAKEDA, S., SHIMA, S., KIMURA, H. & MATSUZURA 1995. The aqueous solubility and speciation analysis for the uranium, neptunium, and selenium by geochemical code (EQ3/6). . Jaeri.
04TAL/OCH	TALERICO, C., OCHS, M. & GIFFAUT, E. 2004. Solubility of niobium(V) under cementitious conditions: importance of Ca-niobate. Mat. Res. Soc. Symp. Proc. .
59TAN/KAT	TANAKA, N. & KATO, K. 1959. The formation constants of metal acetate complexes. I. Polarographic determination of the formation constants of acetatonickel (II) complexes. Bulletin of the Chemical Society of Japan, 32, 516-521.
63TAN/SAI	TANAKA, N., SAITO, Y. & OGINO, H. 1963. Polarographic determination of the formation constants of sulfato, acetato and sulfatoacetato complexes of nickel (II) at ionic strength 1.0. Bulletin of the Chemical Society of Japan, 36, 794-796.
03TAN/JOH	TANG, J. & JOHANNESSON, K. H. 2003. Speciation of rare earth elements in natural terrestrial waters: Assessing the role of dissolved organic matter from the modelling approach. Geochimica et Cosmochimica Acta, 67 2321-2339.
03TAN/LAB	TANG, Y. W., LABOW, R. S. & SANTERRE, J. P. 2003. Isolation of methylene dianiline and aqueous-soluble biodegradation products from polycarbonate-polyurethanes. Biomaterials, 24, 2805-2819.
88TAN/HEL	TANGER, J. C. & HELGESON, H. C. 1988. Calculation of thermodynamic and transport properties of aqueous species at high pressures and temperatures: Revised equations of state for the standard partial molal properties of ions and electrolytes. Am. J. Sci, 288 19-98.
68TAN/WAL	TANNER, S. P., WALKER, J. B. & CHOPPIN, G. R. 1968. Thermodynamic parameters of the alkaline earth monofluorides. J.Inorg. Nucl. Chem, 30 2067-2070.
05TAR/FOU	TARAPCIK, P., FOUREST, B. & GIFFAU, E. 2005. Comparative approach of the solubility of protactinium oxy/hydroxides. Radiochim. Acta, 93 27-33.
74TAR/GAR	TARDY, Y. & GARRELS, K. M. 1974. A method of estimating the Gibbs energies of formation of layer silicates. Geochimica et Cosmochimica Acta, 38, 1101-1116.
77TAR/GAR	TARDY, Y. & GARRELS, R. M. 1977. Predictions of Gibbs energy of formation of compounds from the elements: II. Monovalent and divalent metal silicates. Geochim. Cosmochim. Acta, 41 87-92.
77TAR/VIE	TARDY, Y. & VIEILLARD, P. 1977. Relationships among Gibbs free energies and enthalpies of formation of phosphates, oxides and aqueous ions, contrib. Mineral. Petrol, 63 75-88.
97TAR/SCH	TARDY, Y., SCHAUL, R. & DUPLAY, J. 1997. Domaines de stabilite thermodynamiques des humus, de la microflore et des plantes. Comptes Rendus de l'Académie des Sciences-Series IIA-Earth and Planetary Science, 324, 969-976.
18TAS/GAO	Tasi, A., Gaona, X., Fellhauer, D., Böttle, M., Rothe, J., Dardenne, K., Schild, D., Grivé, M., Colàs, E., Bruno, J., Källström, K., Altmaier, M., Geckeis, H. 2018 Redox behavior and solubility of plutonium under alkaline, reducing conditions. Radiochimica Acta 106, 259-279.
63TAY/FRA	TAYLOR, A. W., FRAZIER, A. W., GURNEY, E. L. & SMITH, J. P. 1963. Solubility products of di- and trimagnesium phosphates and the dissociation of magnesium phosphate solutions. Transactions of the Faraday Society, 59, 1585-1589.
68TAY	TAYLOR, H. F. W. (ed.) 1968. The heat of formation of xonotlite, tobermorite, hillebrandite and afwillite.
50TAY	TAYLOR, H. F. W. 1950. Hydrated calcium silicates. Part I. Compound formation at ordinary temperatures. Journal of the Chemical Society (Resumed), 3682-3690.

97TAY	TAYLOR, H. F. W. 1997. Cement chemistry, Thomas Telford
84TAY/LOP	TAYLOR, P. & LOPATA, V. J. 1984. Stability and solubility relationships between some solids in the system PbO–CO ₂ –H ₂ O. Canadian Journal of Chemistry, 62, 395-402.
76TAY/DIE	TAYLOR, R. S. & DIEBLER, H. 1976. Kinetic and equilibrium studies of the binding of nickel(II) to 5'-adenosine monophosphate and related compounds. Bioinorg. Chem., 6 247-264.
72TED/ANO	TEDESCO, P. H. & ANON, M. C. 1972. Thorium-acetate and thorium-propionate complexes. J. Inorg. Nucl. Chem., 34 2271-2276.
71TED/DER	TEDESCO, P. H., DE RUMI, V. B. & GONZALEZ QUINTANA, J. A. 1971. Polarographic and spectrophotometric study on nickel-acetate and nickel-propionate complexes. J. Inorg. Nucl. Chem., 33 3839-3846.
02TEK/VAR	TEKIN, E., VAROL, B., SAYILI, S. & ELERMAN, Y. 2002. Indications of intermediate compositions in the BaSO ₄ -SrSO ₄ solid-solution series from the Bahceciktepe celestine deposit, Sivas, east-central Anatolia, Turkey. The Canadian Mineralogist, 40, 895-908.
09TEK/ACA	Teksoz, S., Acar, Ç., Unak, P. 2009. Hydrolytic behavior of Th ⁴⁺ , UO ₂ ²⁺ and Ce ³⁺ ions at various temperatures, J. Chem. Eng. Data, 54, 1183-1188.
60TEM	TEMPLETON, C. C. 1960. Solubility of barium sulfate in sodium chloride solutions from 25°C to 95°C. Journal of Chemical and Engineering Data, 5, 514-516.
43TEM/WAT	TEMPLETON, D. H., WATT, G. W. & GARNER, C. S. 1943. The Formal Electrode Potentials of Palladium in Aqueous Hydrochloric and Perchloric Acid Solutions. Stability of Chloropalladite Ion. Journal of the American Chemical Society, 65, 1608-1612.
96TES/PAN	TESORIERO, A. J. & PANKOW, J. F. 1996. Solid solution partitioning of Sr ²⁺ , Ba ²⁺ , and Cd ²⁺ to calcite. Geochimica et Cosmochimica Acta, 60, 1053-1063.
76TEW/CAM	TEWARI, P. H. & CAMPBELL, A. B. 1976. Dissolution of iron sulphide (troilite) in aqueous sulphuric acid. Journal of Physical Chemistry, 80 1844-1848.
78TEW/WAL	TEWARI, P. H., WALLACE, G. & CAMPBELL, A. B. 1978. The solubility of iron sulphides and their role in mass transport in Girdler-Sulphide heavy water plants. . Energy Can. Ltd., (AECL).
82TEW/MAR	TEWARI, Y. B., MARTIRE, D. E., WASIK, S. P. & MILLER, M. M. 1982. Aqueous solubilities and octanol-water partition coefficients of binary liquid mixtures of organic compounds at 25°C. J. Solut. Chem., 11, 435-445.
06THA/MAT	THAKUR, P., MATHUR, J. N., DODGE, C. J., FRANCIS, A. J. & CHOPPIN, G. R. 2006. Thermodynamics and the structural aspects of the ternary complexes of Am (III), Cm (III) and Eu (III) with Ox and EDTA + Ox. Dalton Trans., 40 4829-4837.
09THA/PAT	THAKUR, P., PATHAK, P. N., GEDRIS, T. & CHOPPIN, G. R. 2009. Complexation of Eu (III), Am (III) and Cm (III) with dicarboxylates: thermodynamics and structural aspects of the binary and ternary complexes. J. Solution Chem., 38 256-287.
07THA/SIN	THAKUR, P., SINGH, D. K. & CHOPPIN, G. R. 2007. Polymerization study of o-Si(OH) ₄ and complexation with Am(III), Eu(III) and Cm(III). Inorg. Chim. Acta, 360 3705-3711.
05THI/KON	Thiriet, C., Konings, R. J. M., Wastin, F. 2005. Low temperature heat capacity of PuPO ₄ , J. Nucl. Mater., 344, 56-60.
99THO	THOENEN, T. 1999. Pitfalls in the use of solubility limits for radioactive waste disposal: the case of nickel sulfidic groundwaters. Nucl. Technol., 126 75-87.

14THO/HUM	THOENEN, T., HUMMEL, W., BERNER, U. & CURTI, E. 2014. The PSI/Nagra Chemical Thermodynamic database 12/07. National Cooperative for the Disposal of Radioactive Waste (Nagra).
03THO/ROT	THOMAS, J. J., ROTHSTEIN, D., JENNINGS, H. M. & CHRISTENSEN, B. J. 2003. Effect of hydration temperature on the solubility behavior of Ca-, S-, Al-, and Si-bearing solid phases in Portland cement pastes. <i>Cement and Concrete Research</i> , 33, 2037-2047.
92THO/WIL	THOMASON, H. P. & WILLIAMS, S. J. 1992. Near field solubility studies Nirex.
64THO	THOMPSON, G. 1964. Hydrolytic polymerization in Cr(III) solution Lawrence Radiation Laboratory.
77THO/PLU	THORSTENSON, D. C. & PLUMMER, L. N. 1977. Equilibrium criteria for two-component solids reacting with fixed composition in an aqueous phase - example: the magnesian calcites. <i>Am. J. Sci.</i> , 277 1203-1223.
70THO	THORSTENSON, D. C. 1970. Equilibrium distribution of small organic molecules in natural waters. <i>Geochimica et Cosmochimica Acta</i> , 34, 745-770.
09TIA/RAO	TIAN, G. & RAO, L. 2009. Spectrophotometric and calorimetric studies of U(VI) complexation with sulphate at (25 to 20)°C. <i>J. Chem. Thermodyn.</i> , 41 569.
09TIA/RAO1	Tian, G., Rao, L. 2009. Effect of temperature on the complexation of uranium(IV) with fluoride in aqueous solutions, <i>Inorg. Chem.</i> , 48, 6748-6754.
09TIA/RAO2	Tian, G., Rao, L., Xia, Y., Friese, J. I. 2009. Complexation of neptunium(V) with fluoride in aqueous solutions at elevated temperatures, <i>J. Therm. Anal. Calorim.</i> , 95, 415-419.
92TIP/HUR	TIPPING, E. & HURLEY, M. A. 1992. A unifying model of cation binding by humic substances. <i>Geochimica et Cosmochimica Acta</i> , 56 3629-3641.
96TIP	TIPPING, E. 1996. Hydrochemical modelling of the retention and transport of metallic radionuclides in the soils of an upland catchment. <i>Environmental Pollution</i> , 94 105-116.
98TIP	TIPPING, E. 1998. Humic Ion-Binding model VI: an improved description of the interactions of protons and metal ions with humic substances. <i>Aquatic Geochemistry</i> , 4 3-48.
02TIP/REY	TIPPING, E., REY-CASTRO, C., BRYAN, S. E. & HAMILTON-TAYLOR, J. 2002. Al(III) and Fe(III) binding by humic substances in freshwaters, and implications for trace metal speciation. <i>Geochimica et Cosmochimica Acta</i> , 66 3211-3224.
01TIT/WIE	TITS, J. & WIELAND, E. 2001. Radionuclide uptake by calcium silicate hydrates (CSH) phases CRIEPI-PSI joint research project-1 st annual report Paul Scherrer Institute.
98TIT/BRA	TITS, J., BRADBURY, M. H., WIELAND, E. & MANTOVANI, M. 1998. The uptake of Cs, Sr, Ni, Eu and Th by CSH phases under high pH cement pore water conditions PSI.
08TIT/FUJ	TITS, J., FUJITA, T., TSUKAMOTO, M. & WIELAND, E. 2008. Uranium(VI) uptake by synthetic calcium silicate hydrates. <i>Mater. Res. Soc. Symp. Proc.</i> , 1107 467-474.
06TIT/IJ	TITS, J., IJIMA, K., WIELAND, E. & KAMEI, G. 2006. The uptake of radium by calcium silicate hydrates and hardened cement paste. <i>Radiochim. Acta</i> , 94 637-643.

03TIT/SUM	TITS, J., SUMPFF, T., RABUNG, T., WIELAND, E. & FANGHÄNEL, T. 2003. Uptake of Cm(III) and Eu(III) by calcium silicate hydrates: a solution chemistry and time resolved laser fluorescence spectroscopy study. <i>Environ. Sci. Technol.</i> , 37 3568-3573.
05TIT/WIE	TITS, J., WIELAND, E. & BRADBURY, M. H. 2005. The effect of isosaccharinic acid and gluconic acid on the retention of Eu(III), Am(III) and Th(IV) by calcite. <i>Applied Geochemistry</i> , 20, 2082-2096.
02TIT/WIE	TITS, J., WIELAND, E., BRADBURY, M. H., ECKERT, P. & SCHAIBLE, A. 2002. The uptake of Eu(III) and Th(IV) by calcite under hyperalkaline conditions. . Paul Scherrer Insitut, Villigen, Switzerland.
06TIT/WIE	TITS, J., WIELAND, E., MÜLLER, C. J., LANDESMAN, C. & BRADBURY, M. H. 2006. Strontium binding by calcium silicate hydrates. <i>Journal of colloid and interface science</i> , 300, 78-87.
58TOB/GAR	TOBIAS, R. S. & GARRETT, A. B. 1958. The thermodynamic properties of neodymium hydroxide Nd(OH) ₃ , in acid, neutral and alkaline solutions at 25 °C, the hydrolysis of the neodymium and praseodymium ions Nd ³⁺ , Pr ³⁺ . <i>J. Am. Chem. Soc.</i> , 80 3532-3537.
58TOB	TOBIAS, T. S. 1958. Studies on the hydrolysis of metal ions. 21. The hydrolysis of the tin (II) ion Sn ²⁺ . <i>Acta Chemica Scandinavica</i> , 12 198-223.
50TOD	TODD, S. S. 1950. Heat Capacities at Low Temperatures and Entropies of Zirconium, Zirconium Nitride, and Zirconium Tetrachloride. <i>Journal of the American Chemical Society</i> , 72, 2914-2915.
53TOD	TODD, S. S. 1953. Heat capacities at low temperatures and entropies at 298.16 K of hafnium dioxide and hafnium tetrachloride. <i>Journal of American Chemical Society</i> , 75 3035.
66TON/JOH	TONG, J. V. & JOHNSON, R. L. 1966. The dissociation equilibria of trioxochlorochromate (VI) and chromic acid. <i>Inorg. Chem</i> , 5, 1902-1906.
53TON/KIN	TONG, J. Y. & KING, E. L. 1953. A spectrophotometric investigation of the equilibria existing in acidic solutions of chromium(VI). <i>Journal of the American Chemical Society</i> , 75, 6180-6186.
09TOP/AUP	Topin, S., Aupiais, J., Baglan, N., Vercouter, T., Vitorge, P., Moisy, P. 2009. Trace metal speciation by capillary electrophoresis hyphenated to inductively coupled plasma mass spectrometry: sulfate and chloride complexes of Np(V) and Pu(V), <i>Anal. Chem.</i> , 81, 5354-5363.
40TOP/DAV	TOPP, N. E. & DAVIES, C. W. 1940. 18. The extent of dissociation of salts in water. Part IX. Calcium and barium salts of dicarboxylic acids. <i>J. Chem. Soc.</i> , 87-93.
09TOR/RAD	TORAPAVA, N., RADKEVICH, A., DAVYDOV, D., TITOV, A. & PERSSON, I. 2009. Composition and structure of polynuclear chromium(III) hydroxo complexes. <i>Inorganic chemistry</i> , 48, 10383-10388.
57TOR	TOROPOVA, V. F. 1957. Investigation of the stability of complex compounds with addenda containing selenium. <i>Zh. Neorg. Khim. SSSR</i> , 2 515-522.
95TOR	TORRERO, M. E. 1995. Estudio de la disolución del UO ₂ como análogo Químico de la matriz del combustible nuclear gastado. Influencia de los principales parámetros fisicoquímicos que definen los repositorios en medios salino y granítico. <i>Universitat de Barcelona</i>
08TOS/ZIM	TOSSELL, J. A. & ZIMMERMANN, M. D. 2008. Calculation of the structures, stabilities, and vibrational spectra of arsenites, thioarsenites and thioarsenates in aqueous solution. <i>Geochimica et Cosmochimica Acta</i> , 72, 5232-5242.
02TOS	TOSSELL, J. A. 2002. Calculation of the UV absorption spectra of As(III) oxo- and thio-acids and anions in aqueous solution and of PF ₃ in the gas-phase. <i>Aquatic Geochemistry</i> , 7, 239-254.

64TOU/BAR	TOULMIN, P. & BARTON, P. B. 1964. A thermodynamic study of pyrite and pyrrhotite. <i>Geochimica et Cosmochimica Acta</i> , 28 641-671.
48TOU/MOU	TOURKY, A. R. & MOUSA, A. A. 1948. Studies on some metal electrodes. Part V. The amphoteric properties of antimony tri- and pent- oxide. <i>J. Chem. Soc.</i> , 2 759-763.
08TOU/BLA	TOURNASSAT, C., BLANC, P. & E.C., G. 2008. Estimation de la composition de l'eau porale du Callovo-Oxfordien à 50, 70, 80 et 90 °C. BRGM.
09TOU/GAI	TOURNASSAT, C., GAILHANOU, H., CROUZET, C., BRAIBANT, G., GAUTIER, A. & GAUCHER, E. C. 2009. Cation exchange selectivity coefficient values on smectite and mixed-layer illite/smectite minerals. <i>Soil Science Society of America Journal</i> , 73, 928-942.
98TOU/GAI	TOURNASSAT, C., GAILHANOU, H., CROUZET, C., BRAIBANT, G., GAUTIER, A., LASSIN, A., BLANC, P. & GAUCHER, E. C. Two cation exchange models for direct and inverse modelling of solution major cation composition in equilibrium with illite surfaces. <i>Geochimica et Cosmochimica Acta</i> , 71, 1098-1114.
03TOU/NEA	TOURNASSAT, C., NEAMAN, A., VILLIERAS, F., BOSBACH, D. & CHARLET, L. 2003. Nanomorphology of montmorillonite particles: estimation of the clay edge sorption site density by low-pressure gas adsorption and AFM observations. <i>American mineralogist</i> , 18 (11-12) Part 2, 1989-1995.
86TOW/LON	TOWNSEND, M. G., LONGWORTH, G. & KODAMA, H. 1986. Magnetic interaction at low temperature in chlorite and its products of oxidation: A Mössbauer investigation. <i>Canadian Mineralogist</i> , 24, 105-115.
80TRE/LEB2	TREMAINE, P. R. & LEBLANC, J. C. 1980. The solubility of magnetite and the hydrolysis and oxidation of Fe ²⁺ in water to 300°C. <i>J. Solution Chem</i> , 9, 415-442.
80TRE/LEB	TREMAINE, P. R. & LEBLANC, J. C. 1980. The solubility of nickel oxide and hydrolysis of Ni ²⁺ in water to 573 K. <i>J. Chem. Thermodyn</i> , 12 521-538.
81TRE/CHE	TREMAINE, P. R., CHEN, J. D., WALLACE, G. J. & BOIVIN, W. A. 1981. Solubility of uranium (IV) oxide in alkaline aqueous solution to 300°C. <i>J. Solution Chem</i> , 10 221-230.
80TRE/LEB	Tremaine, P.R., Leblanc, J.C., 1980. The solubility of nickel oxide and hydrolysis of Ni ²⁺ in water to 573 K. <i>The Journal of Chemical Thermodynamics</i> 12, 521-538.
72TRI/SCH	TRIBALAT, S. & SCHRIVER, L. 1972. Le complexe thiocyanate de zirconium (IV), son utilisation comme indicateur de thiocyanate ou de zirconium (IV) libre. <i>Compt. rend.</i> , 274C 849-852.
76TRI/SCH	TRIBALAT, S. & SCHRIVER, L. 1976. Étude de quelques complexes du zirconium (IV) et du hafnium (IV) au moyen de l'extraction des isopropyltropolonates par le chloroforme. <i>J.Inorg. Nucl.Chem.</i> , 38 145-148.
12TRI/DOM	TRINCHERO, P., DOMÈNECH, C., NARDI, A., GARCÍA, D., PEKALA, M., GRIVÉ, M. & MOLINERO, J. 2012. Evaluation of the chemical evolution and related radionuclide migration in a HLW cell in the Callovo-Oxfordian formation.: <i>Amphos</i> 21.
08TRO/KUL	TROFIMOV, T. I., KULYAKO, Y. M., PEREVALOV, S. A., MALIKPV, D. A. & MYASOEDOV, B. F. 2008. Solubility of uranium, neptunium and plutonium dioxides in simulated groundwater under various conditons. <i>Radiochemistry</i> , 50 147-151.
95TRO	TROTIGNON, L. 1995. Critique et selection de donnees thermodynamiques en vue de modeliser les equilibres mineral-solution In: CEA (ed.). CEA.

02TRU/LEN	TRUBERT, D., LE NAOUR, C. & JAUSSAUD, C. 2002. Hydrolysis of Protactinium(V). I. Equilibrium Constants at 25°C: A Solvent Extraction Study with TTA in the Aqueous System Pa(V)/H ₂ O/H ⁺ /Na ⁺ /ClO ₄ ⁻ . J. Sol. Chem., 31 261-277.
03TRU/LEN	TRUBERT, D., LE NAOUR, C., JAUSSAUD, C. & MRAD, O. 2003. Hydrolysis of Protactinium(V). III. Determination of Standard Thermodynamic Data. J. Sol. Chem., 32 505-517.
68TRU/HOS	TRUESDELL, A. H. & HOSTETLER, P. B. 1968. Dissociation constants of KSO ₄ ⁻ from 10°–50°C. Geochimi. Cosmochim. Acta, 32 1019-1022.
90TSA/GVE	TSAGAREISHVILI, D. S., GVELESIANI, G. G., BARATASHVILI, I. B., MOISEEV, G. K. & VATOLIN, N. A. 1990. Thermodynamic functions of YBa ₂ Cu ₃ O ₇ , YBaCu ₃ O ₆ , Y ₂ BaCuO ₅ and BaCuO ₂ . Russian Journal of Physical Chemistry, 64 1404-1406.
76TSO/COU	TSONOPOULOS, C., COULSON, D. M. & INMAN, L. B. 1976. Ionization constants of water pollutants. J. Chem. Eng. Data, 21, 190-193.
72TSV/SEL	TSVETKOV, A. A., SELEZNEV, V. P., SUDARIKOV, B. N. & GROMOV, B. V. 1972. Equilibrium diagram of the uranyl fluoride-water system. Russ. J. Inorg. Chem., 17, 1048-1050.
81TUC/LAN	TUCKER, E. E., LANE, E. H. & CHRISTIAN, S., D. 1981. Vapor pressure studies of hydrophobic interactions. Formation of benzene-benzene and cyclohexane-cyclohexanol dimers in dilute aqueous solution. J. Sol. Chem., 10, 1-20.
81TUR/WHI	TURNER, D. R., WHITFIELD, M. & DICKSON, A. G. 1981. The equilibrium speciation of dissolved components in freshwater and sea water at 25°C and 1 atm pressure. Geochimica et Cosmochimica Acta, 45, 855-881.
93TUR/CHI	TURNER, L. H., CHIEW, Y. C., AHLERT, R. C. & KOSSON, D. S. 1993. Partitioning of organic chemicals at the air-water interface in environmental systems. Environm. Sci. Technol., 27, 2174-2180.
63UDO/ALE	UDOVENKO, V. V. & ALEKSANDROVA, L. P. 1963. Vapour pressure in three-component systems. IV. Formic acid– benzene–water system. Russ. J. Phys. Chem., 37, 25-27.
84UHL/HEL	UHLER, A. D. & HELZ, G. R. 1984. Solubility product of galena at 298 K: A possible explanation for apparent supersaturation in nature. Geochim. Cosmochim. Acta, 48 1155-1160.
76ULB/WAL	ULBRICH, H. H. & WALDBAUM, D. R. 1976. Structural and other contributions to the third-law entropies of silicates. Geochimica et Cosmochimica Acta, 40, 1-24.
86ULL/SCH	ULLMAN, W. J. & SCHREINER, F. 1986. Calorimetric determination of the stability of U(VI)-, Np(VI)- and Pu(VI)-SO ₄ ⁻² complexes in aqueous solution at 25°C. Radiochim. Acta, 40 179-183.
74UND/YUN	UNDERDOWN, D. R., YUN, S. S. & BEAR, J. L. 1974. The thermodynamics of nickel malonate formation in water-dioxane mixtures. Journal of Inorganic and Nuclear Chemistry, 36, 2043-2046.
01VAL/SNE	VALCKE, E., SNEYERS, A. & VAN ISEGHEM, P. 2001. The effect of radiolytic degradation products of Eurobitum on the solubility and sorption of Pu and Am in Boom Clay. Mat. Res. Soc. Symp. Proc. .
07VAL/GAR	VALLE-FUENTES, F.-J., GARCIA-GUINEA, J., CREMADES, A., CORRECHER, V., SANCHEZ-MORAL, S., GONZALEZ-MARTIN, R., SANCHEZ-MUÑOZ, L. & LOPEZ-ARCE, P. 2007. Low-magnesium uranium--calcite with high degree of crystallinity and gigantic luminescence emission. Applied radiation and isotopes, 65, 147-154.
68VAL/KOG	VALYASHKO, V. M., KOGARKO, L. N. & KHODAKOVSKY, I. L. 1968. Stability of fluorapatite, chlorapatite, and hydroxylapatite in aqueous solutions at different temperature. Geoch. Inter, 5, 21-30.

04VAN/REY	VAN BEEK, P., REYSS, J.-L., DEMASTER, D. & PATERNE, M. 2004. 226Ra-in marine barite: relationship with carbonate dissolution and sediment focusing in the equatorial pacific. <i>Deep Sea Research Part I: Oceanographic Research Papers</i> , 51, 235-261.
02VAN/DEW	VAN DER LEE, J. & DE WINDT, L. 2002. CHESS Tutorial and Cookbook. Updated for Version 3.0. Users Manual Nr. LHM/RD/02/13. Ecole des Mines de Paris, Fontainebleau, France.
97VAN/COR	VAN DER VIS, M. G. M., CORDFUNKE, E. H. P. & KONINGS, R. J. M. 1997. Thermochemical properties of zirconium halides: a review. <i>Thermochimica Acta</i> , 302 93-108.
89VAN/PET	VAN DUIN, M., PETERS, J. A., KIEBOOM, A. P. G. & VAN BEKKUM, H. 1989. A general coordination-ionization scheme for polyhydroxy carboxylic acids in water. <i>Recueil des Travaux Chimiques des Pays-Bas</i> , 108, 57-60.
05VAN/VRI	VAN HINSBERG, V. J., VRIEND, S. P. & SCHUMACHER, J. C. 2005. A new method to calculate end-member thermodynamic properties of minerals from their constituent polyhedra I: enthalpy, entropy and molar volume. <i>Journal of Metamorphic Geology</i> , 23, 165-179.
05VAN/VRI1	VAN HINSBERG, V. J., VRIEND, S. P. & SCHUMACHER, J. C. 2005. A new method to calculate end-member thermodynamic properties of minerals from their constituent polyhedra I: enthalpy, entropy and molar volume. <i>Journal of Metamorphic Geology</i> , 23, 165-179.
05VAN/VRI2	VAN HINSBERG, V. J., VRIEND, S. P. & SCHUMACHER, J. C. 2005. A new method to calculate end-member thermodynamic properties of minerals from their constituent polyhedra II: heat capacity, compressibility and thermal expansion. <i>Journal of Metamorphic Geology</i> , 23, 681-693.
99VAN/GLA	VAN LOON, L. R., GLAUS, M. A. & VERCAMMEN, K. 1999. Solubility products of calcium isosaccharinate and calcium gluconate. <i>Acta Chem. Scand</i> , 53 235-240.
96VAN/GLA	VAN LOON, L. R., GLAUS, M. A., LAUBE, A. & STALLONE, S. 1996. Degradation of cellulosic materials under alkaline conditions: characterisation and quantification of the degradation products and their interaction with radionuclides. . PSI.
97VAN/GLA	VAN LOON, L. R., GLAUS, M. A., STALLONE, S. & LAUBE, A. 1997. Sorption of isosaccharinic acid, a cellulose degradation product, on cement. <i>Environmental Science and Technology</i> , 31 1243-1245.
98VAN/GLA	VAN LOON, V. R. & GLAUS, M. A. 1998. Experimental and theoretical studies on alkaline degradation of cellulose and its impact on the sorption of radionuclides PSI.
99VAN/WOO	van Middlesworth, J. M., & Wood, S. A. 1999. The stability of palladium (II) hydroxide and hydroxy-chloride complexes: an experimental solubility study at 25-85° C and 1 bar. <i>Geochim. Cosmochim. Acta</i> , 63(11), 1751-1765.
65VAN	VAN OLPHEN, H. 1965. Thermodynamics of interlayer adsorption of water in clays. I.—Sodium vermiculite. <i>Journal of Colloid Science</i> , 20, 822-837.
54VAN/HEN	VANDENBELT, J. M., HENRICH, C. & VANDENBERG, S. G. 1954. Comparison of pK'a values determined by electrometric titration and ultraviolet absorption methods. <i>Anal. Chem.</i> , 26, 726-727.
52VAN/RHO	VANDERZEE, C. E. & RHODES, D. E. 1952. Thermodynamic data on the stannous chloride complexes from electromotive force measurements. <i>J. Am. Chem. Soc.</i> , 74 3552-3555.

82VAN	VANDERZEE, C. E. 1982. Thermodynamic relations and equilibria in (Na ₂ CO ₃ + NaHCO ₃ + H ₂ O): standard Gibbs energies of formation and other properties of sodium hydrogen carbonate, sodium carbonate heptahydrate, sodium carbonate decahydrate, trona: (Na ₂ CO ₃ ·NaHCO ₃ ·2H ₂ O), and Wegscheider's salt: (Na ₂ CO ₃ ·3NaHCO ₃). The Journal of Chemical Thermodynamics, 14, 219-238.
95VAN/HUM	VANLOON, L. & HUMMEL, W. 1995. The radiolytic and chemical degradation of organic ion exchange resins under alkaline conditions: Effect on radionuclide speciation Nagra.
69VAN/OST	VANNI, A., OSTACOLLI, G. & ROLETTO, E. 1969. Complessi formati dallo ione uranile in soluzione acquosa con acidi bicabossilici della serie satura. Ann. Chim., 59 847-859.
62VAN/ISA	VANYUKOVA, L. L. V., ISAEVA, M. M. & KABANOVA, B. N. 1962. Dokl. Akad. Nauk SSSR, 143 377.
85VAR	Var'ash, L.N. (1985). Hydrolysis of bivalent copper at temperatures of 25-350°C. Geochemistry (Russia), 1003-1013.
63VAR/HUM	VARGA, L. P. & HUME, D. 1963. Computer analysis of potentiometric and thenoyltrifluoroacetone (TTA) solvent extraction studies on the fluoride complexes of hafnium. Inorg. Chem., 2 201-206.
64VAR/HUM	VARGA, L. P. & HUME, D. 1964. A computer analysis and dynamic models of the hafnium fluoride complexes extracted by tri-n-octylphosphine oxide. Inorg. Chem., 3 77-80.
86VAR	Var'yash, L. N. (1986). Geochem. Int., 23, 82.
89VAR	Var'yash, L.N. (1989). Equilibria in the Cu-Cu ₂ O-H ₂ O system at 150-450°C. Geochem. Int. 26, 80-90.
72VAS/SHO	VASIL'EV, V. P. & SHOROKHOVA, V. I. 1972. Determination of the standard thermodynamic characteristics of the antimonyl ion SbO ⁺ and antimony oxide by potentiometric method. Soviet Electrochem., 8 178.
79VAS/GLA	VASIL'EV, V. P., GLAVINA, S. R. & SHOROKHOVA, V. I. 1979. Potentiometric determination of normal Gibbs energy of formation of tin(IV) ion in an aqueous solution. Izv. Vyssh. Uchebn. Zaved., Khim. Khim. Tekhnol., 22 1082-1085.
75VAS/KOC	VASIL'EV, V. P., KOCHERGINA, L. A. & LYTKIN, A. I. 1975. Standard isobaric potential of hafnium(4+) ion formation in an aqueous solution. Zhurnal Neorganicheskoi Khimii, 20 18-21.
99VAS/LYT	VASIL'EV, V. P., LYTKIN, A. I. & CHERNYAVSKAYA, N. V. 1999. Thermodynamic characteristics of zirconium and hafnium hydroxides in aqueous solution. Journal of thermal analysis and calorimetry, 55 1003-1009.
85VAS/DMI	Vasil'ev, V. P., Dmitrieva, N. G., Vorob'ev, P. N., Vasil'eva, V. N. and Yashkova, V. I. 1985. Standard enthalpy of formation of crystalline iron(II) sulfate hemihydrate (sic) at 298.15 K. Russ. J. Inorg. Chem., 30, 959-961.
73VAS/KOK	VASIL'EV, V. P., KOKURIN, N. I. & VASIL'EVA, V. N. 1973. Enthalpies of formation of SnCl ₄ in hydrochloric acid solutions. Zh. Neorg. Khim., 18 300-304.
73VAS/VAS	VASIL'EV, V. P., VASIL'EVA, V. N. & KOKURIN, N. I. 1973. Standard enthalpies of solution for tin(II) chloride in perchloric acid solutions. Izv. Vyssh. Uchebn. Zaved., Khim. Khim. Tekhnol., 16 1019-1022.
76VAS/VAS	VASIL'EV, V. P., VASIL'EVA, V. N. & KOKURIN, N. I. 1976. Enthalpies of formation of Sn ²⁺ and SnCl ⁺ ions in aqueous solution. Zh. Neorg. Khim., 21 407-412.
78VAS/VAS	VASIL'EV, V. P., VASIL'EVA, V. N. & RASKOVA, O. G. 1978. Standard enthalpy of formation of the crystalline KCr(SO ₄) ₂ ·12 H ₂ O and of Cr ³⁺ ion in aqueous solution at 25°C. Russ. J. Inorg. Chem, 23 546-549.

99VAS/ZAI	VASILEV, V. P., ZAITSEVA, G. A., TUKUMOVA, M. V. & BUKUSHIMA, G. V. 1999. Russ. J. Inorg. Chem., 44, 1557.
75VAS/KUN	Vasil'ev, V.P. and Kunin, B.T. (1975) Thermodynamic characteristics of reactions of formation of chloro complexes of copper(I) in aqueous solution. Zh. Neorg. Khim., 20, 1881 - 1886 (in Russian).
76VAT/MOI	VATOLIN, N. A. & MOISEEV, G. K. 1976. Dependence of the entropy and heat capacity of inorganic substances in a condensed state on the number of atoms in the molecule. VINITI, 4435-76
78VAU/CRA	VAUGHAN, D. J. & CRAIG, J. R. 1978. Mineral Chemistry of metals sulfides, Cambridge University Press, New York
95VAU/PAT	VAUGHAN, D. J. & PATTRICK, R. A. D. 1995. Mineral surfaces, Springer
08VAZ/DOD	VAZQUEZ, G. J., DODGE, C. J. & FRANCIS, A. J. 2008. Interaction of Uranium (VI) with Phthalic Acid. Inorganic chemistry, 47, 10739-10743.
90VEL	VELBEL, M. A. 1990. Influence of Temperature and Mineral Surface Characteristics on Feldspar Weathering Rates in Natural and Artificial Systems: A First Approximation. Water Resources Research, 26, 3049-3053.
00VER	VERCAMMEN, K. 2000. Complexation of Calcium, Thorium and Europium by alpha-Isosaccharinic Acid under Alkaline Conditions., Swiss Federal Institute of Technology
99VER/GLA	VERCAMMEN, K., GLAUS, M. & VAN LOON, L. 1999. Evidences for the existence of complexes between Th(IV) and alpha-isosaccharinic acid under alkaline conditions. Radiochim. Acta, 84 221-224.
99VER/GLA1	VERCAMMEN, K., GLAUS, M. & VAN LOON, L. 1999. Evidences for the existence of complexes between Th(IV) and alpha-isosaccharinic acid under alkaline conditions. Radiochim. Acta, 84 221-224.
99VER/GLA2	VERCAMMEN, K., GLAUS, M. A. & VAN LOON, L. R. 1999. Complexation of calcium by alpha-isosaccharinic acid under alkaline conditions. Acta Chemica Scandinavica, 53 241-246.
01VER/GLA	VERCAMMEN, K., GLAUS, M. A. & VAN LOON, L. R. 2001. Complexation of Th(IV) and Eu(III) by a-isosaccharinic acid under alkaline conditions. Radiochim. Acta, 89 393-401.
09VER/AME	VERCOUTER, T., AMEKRAZ, B. & MOULIN, C. 2009. Silicate complexation of trivalent lanthanides and actinides. In: BUCKAU, G., DURO, L., KIENZLER, B., MONTOYA, V. & DELOS, A. (eds.) 4th Annual Workshop Proceeding of integrated project "Fundamental processes of Radionuclide Migration" (6th EC FP IP FUNMIG). Forschungszentrum Karlsruhe Report.
05VER/AME	VERCOUTER, T., AMEKRAZ, B., MOULIN, C., GIFFAUT, E. & VITORGE, P. 2005. Sulphate complexation of trivalent lanthanides probed by nanoelectrospray mass spectrometry and time-resolved laser-induced luminescence. Inorg. Chem., 44 7570-7581.
09VER/CAS	VERCOUTER, T., CASANOVA, F., CALVO, A., AMEKRAZ, B. & MOULIN, C. 2009. Influence of silicate ions on Eu(III) aqueous speciation. In: BUCKAU, G., DURO, L., KIENZLER, B., MONTOYA, V. & DELOS, A. (eds.) 4th Annual Workshop Proceeding of integrated project "Fundamental processes of Radionuclide Migration" (6th EC FP IP FUNMIG), . Forschungszentrum Karlsruhe Report.
15VER/REI	VERCOUTER, T., REILLER, P. E., ANSOBORLO, E., LAURELINE, F., GILBIN, R., LOMENECH, C. & PHILIPPINI, V. 2015. A modelling exercise on the importance of ternary alkaline earth carbonate species of uranium (VI) in the inorganic speciation of natural waters. Applied geochemistry International, 55, 192-198.
08VER/VIT	VERCOUTER, T., VITORGE, P., AMEKRAZ, B. & MOULIN, C. 2008. Stoichiometries and thermodynamic stabilities for aqueous sulphate complexes of U(VI). Inorganic Chemistry, 47 2180-2189.

09VER/VIT	VERCOUTER, T., VITORGE, P., AMEKRAZ, B. & MOULIN, C. 2009. Complexation constant update: carbonate and sulphate complexes of actinides and lanthanides. 4th Ann. Workshop Proceedings of the integrated project "Fundamental processes of Radionuclide Migration" (6th EC FP IP FUNMIG). . FZKA.
05VER/VIT1	VERCOUTER, T., VITORGE, P., AMEKRAZ, B., GIFFAUT, E., HUBERT, S. & MOULIN, C. 2005. Stabilities of the aqueous complexes $\text{Cm}(\text{CO}_3)_3^{3-}$ and $\text{Am}(\text{CO}_3)_3^{3-}$ in the temperature range 10-70°C. <i>Inorganic Chem.</i> , 44 5833-5843.
08VER/VIT	Vercouter, T., Vitorge, P., Amekraz, B., Moulin, C. 2008. Stoichiometries and thermodynamic stabilities for aqueous sulfate complexes of U(VI), <i>Inorg. Chem.</i> , 47, 2180-2189.
05VER/VIT	VERCOUTER, T., VITORGE, P., TRIGOULET, N., GIFFAUT, E. & MOULIN, C. 2005. $\text{Eu}(\text{CO}_3)_3^{3+}$ and the limiting carbonate complexes of other M^{3+} f-elements in aqueous solutions: a solubility and TRLFS study. <i>New. J. Chem.</i> , 29, 544-553.
05VER/VIT2	VERCOUTER, T., VITORGE, P., TRIGOULET, N., GIFFAUT, E. & MOULIN, C. 2005. $\text{Eu}(\text{CO}_3)_3^{3+}$ and the limiting carbonate complexes of other M^{3+} f-elements in aqueous solutions: a solubility and TRLFS study. <i>New. J. Chem.</i> , 29, 544-553.
74VES	VESALA, A. 1974. Thermodynamics of transfer of nonelectrolytes from light to heavy water. I. Linear free energy correlations of free energy of transfer with solubility and heat of melting of a nonelectrolyte. <i>Acta Chem.Scand.</i> , 28A, 839-845.
65VES/PEK	Veselý, V., Pekárek, V., Abbrent, M. 1965. A study of uranyl phosphates: III. Solubility products of uranyl hydrogen phosphate, uranyl orthophosphate and some alkali uranyl phosphates, <i>J. Inorg. Nucl. Chem.</i> , 27, 1159-1166.
06VES/DÄH1	VESPA, M., DÄHN, R., GALLUCCI, E., GROLIMUND, D., WIELAND, E. & SCHEIDEGGER, A. M. 2006. Microscale investigations of Ni uptake by cement using a combination of scanning electron microscopy and synchrotron-based techniques. <i>Environmental science & technology</i> , 40, 7702-7709.
06VES/DÄH2	VESPA, M., DÄHN, R., GROLIMUND, D., HARFOUCHE, M., WIELAND, E. & SCHEIDEGGER, A. M. 2006. Speciation of heavy metals in cement-stabilized waste forms: a micro-spectroscopic study. <i>Journal of Geochemical Exploration</i> , 88, 77-80.
06VES/DÄH3	VESPA, M., DÄHN, R., GROLIMUND, D., WIELAND, E. & SCHEIDEGGER, A. M. 2006. Spectroscopic investigation of Ni speciation in hardened cement paste. <i>Environmental science & technology</i> , 40, 2275-2282.
53VES/SOM	Vestin, R., Somersalo, A. and Mueller, B., Cuprous compounds of acetylene. III. Identification of dissolved addition compounds in chloride solutions, <i>Acta Chem. Scand.</i> , 7 (1953): 745-763.
99VEY	VEYLAND, A. 1999. Propriétés thermodynamiques, cinétiques et structurales de complexes simples et mixtes du zirconium(IV) avec les ions hydroxyle et carbonate. Univ. Of Reims Champagne-Ardenne
09VID/DUB	VIDAL, O. & DUBACQ, B. 2009. Thermodynamic modelling of clay dehydration, stability and compositional evolution with temperature, pressure and H ₂ O activity. <i>Geochimica et Cosmochimica Acta</i> , 73, 6544-6564.
05VID/PAR	VIDAL, O., PARRA, T. & VIEILLARD, P. 2005. Thermodynamic properties of the Tschermak solid solution in Fe-chlorite: Application to natural examples and possible role of oxidation. <i>American Mineralogist</i> , 90, 347-358.
09VIE/MAT	VIEILLARD, P. & MATHIEU, R. 2009. A predictive model for the enthalpies of hydration of zeolites. <i>American Mineralogist</i> , 94, 565-577.

84VIE/TAR	VIEILLARD, P. & TARDY, Y. 1984. Thermochemical Properties of Phosphates. In: NRIAGU, D. J. O. & MOORE, P. D. P. B. (eds.) Phosphate Minerals. Springer Berlin Heidelberg.
94VIE	VIEILLARD, P. 1994. Prediction of enthalpy of formation based on refined crystal structures of multisite compounds: Part 1. Theories and examples. <i>Geochimica et Cosmochimica Acta</i> , 58, 4049-4063.
94VIE2	VIEILLARD, P. 1994. Prediction of enthalpy of formation based on refined crystal structures of multisite compounds: Part 2. Application to minerals belonging to the system Li ₂ O-Na ₂ O-K ₂ O-BeO-MgO-CaO-MnO-FeO-Fe ₂ O ₃ -Al ₂ O ₃ -SiO ₂ -H ₂ O. Results and discussion. <i>Geochimica et Cosmochimica Acta</i> , 58, 4065-4107.
00VIE	VIEILLARD, P. 2000. A New Method for the Prediction of Gibbs Free Energies of Formation of Hydrated Clay Minerals Based on the Electronegativity Scale. <i>Clays and Clay Minerals</i> , 48, 459-473.
02VIE	VIEILLARD, P. 2002. A new method for the prediction of gibbs free energies of formation of phyllosilicates (10Å a 14Å) based on the electronegativity scale. <i>Clays and clay minerals</i> , 50, 352-363.
06VIE	VIEILLARD, P. 2006. THERMOCHIMIE : Estimation des enthalpies libres de formation des Phyllosilicates (7, 10 et 14Å) anhydres. Poitiers: Hydrasa.
10VIE	VIEILLARD, P. 2010. A predictive model for the entropies and heat capacities of zeolites. <i>European Journal of Mineralogy</i> , 22, 823-836.
11VIE/BLA	VIEILLARD, P., BLANC, P., FIALIPS, C. I., GAILHANOU, H. & GABOREAU, S. 2011. Hydration thermodynamics of the SWy-1 montmorillonite saturated with alkali and alkaline-earth cations: A predictive model. <i>Geochimica et Cosmochimica Acta</i> , 75, 5664-5685.
13VIE/BLA	VIEILLARD, P., BLANC, P., LASSIN, A., GAILHANOU, H. & GABOREAU, S. 2013. THERMOCHIMIE 11 : Modèle prédictif des entités thermodynamiques d'hydratation des smectites.
04VIN/SOU	VINHAS, G. M., SOUTO-MAIOR, R. M., DE ALMEIDA, Y. M. B. & NETO, B. B. 2004. Radiolytic degradation of poly (vinyl chloride) systems. <i>Polymer degradation and stability</i> , 86, 431-436.
95VIN	VINOGRAD, V. L. 1995. Substitution of [4]Al in layer silicates: Calculation of the Al-Si configurational entropy according to ²⁹ Si NMR Spectra. <i>Physics and Chemistry of Minerals</i> , 22, 87-98.
08VIN/MET	VINSOT, A., METTLER, S. & WECHNER, S. 2008. In situ characterization of the Callovo-Oxfordian pore water composition. <i>Phys. Chem. Earth</i> , 33, 75-86.
75VIT/IOF	VITENBERG, A. G., IOFFE, B. V., DIMITROVA, Z. S. & BUTAEVA, I. L. 1975. Determination of gas-liquid partition coefficients by means of gas chromatographic analysis. <i>J. Chromatogr.</i> , 112, 319-327.
91VIT/TRA	VITORGE, P. & TRAN-THE, P. 1991. Solubility limits of radionuclides in interstitial water – Americium in cement. Task 3 – Characterisation of radioactive waste forms Commission of the European Communities, Luxembourg.
92VIT	VITORGE, P. 1992. Am(OH) ₃ , AmOHCO ₃ and Am ₂ (CO) ₃ stabilities in environmental conditions. <i>Radiochim. Acta</i> , 58/59 105-107.
98VIT/CAP	Vitorge, P., Capdevila, H. 1998. Np(V) et Np(VI) en solution aqueuse bicarbonate/carbonate, CEA, Tech. Rep. CEA-R-5793, mostly in English.
07VIT/PHR	VITORGE, P., PHROMMAVANH, V., SIBOULET, B., YOU, D., VERCOUTER, T., DESCOSTES, M., MARSDEN, C. J., BEUCAIRE, C. & GAUDET, J. P. 2007. Estimating the stabilities of actinide aqueous species. Influence of sulfoxy-anions on uranium(IV) geochemistry and discussion of Pa(V) first hydrolysis. <i>Comptes Rendus Chimie</i> , 10 978-993.

91VIT/TRA	Vitorge, P., Tran The, P. 1991. Solubility limits of radionuclides in interstitial water-Amercium in cement. Task 3-Characterization of radioactive waste forms. A series of final reports (1985-89)-No. 34, Commission of the European Communities Luxembourg, Tech. Rep. EUR 13664.
75VOD/KOL	VODOVATOV, V. A., KOLOKOLTSOV, V. B., KOVALEVA, T. V. & MACIROV, L. C. 1975. Radiokhimiya, 17 889.
87VOG/MCC	Vogel Koplitz, L., McClure, D. S., Crerar, D. A. 1987. Spectroscopic study of chloroiron(II) complexes in LiCl-DCl-D2O solutions, Inorg. Chem., 26, 308-313.
02VOG/LAU	VOGT, C., LAUTERJUNG, J. & FISCHER, R. X. 2002. Investigation of the clay fraction (<2µm) of the clay minerals society reference clays. Clays and Clay Minerals, 50, 388-400.
09VON	Vongsouthi, N. 2009. Spéciation du technétium-99 en milieu acide noncomplexant: effet potentiel-pH, Ph. D. Thesis.
06VUL/GEI	VULPIUS, D., GEIPEL, G., BARANIAK, L., ROSSBERG, A. & BERNHARD, G. 2006. Complex formation of uranium (VI) with 4-hydroxy-3-methoxybenzoic acid and related compounds. Journal of radioanalytical and nuclear chemistry, 270, 661-667.
98VUO/KUL	VUORINEN, U., KULMALA, S., HAKANEN, M., AHONEN, L. & CARLSSON, T. 1998. Solubility Database for TILA-99 Posiva.
91WAB	WABER, N. 1991. Mineralogy, petrology and geochemistry of the Poços de Caldas analogue study sites, Minas Gerais, Brazil. Il Morro do Ferro. . Nagra.
92WAB/SCH	WABER, N., SCHORSCHER, H. D. & PETERS, T. J. 1992. Hydrothermal and supergene uranium mineralization at the Osamu Utsumi mine, Poços de Caldas, Minas Gerais, Brazil. J.Geoch. Expl., 45 53-112.
75WAD/ITO	WADA, S. & ITO, T. 1975. Determination of ion association constants of tin(II) sulfate in aqueous solutions by electromotive force measurements. Nippon Kagaku Kaishi (J. Chem. Soc. Japan), - 4611-4615.
00WAD/HRN	WADSAK, W., HRNECEK, E. & IRLWECK, K. 2000. Formation of americium(III) complexes with aqueous silicic acid. Radiochim. Acta, 88 61-64.
62WAD	WADSO, I. 1962. Heats of hydrolysis of N-acetylimidazole and butylacetamide in aqueous solution. Acta Chem. Scand., 16, 479-486.
65WAG/EVA	WAGMAN, D. D., EVANS, W. H., HALOW, I., PARKER, V. B., BAILEY, S. M. & SCHUMM, R. H. 1965. Selected values of chemical thermodynamic properties. Part 1 U.S. Natl. Bur. Standards Tech.
66WAG/EVA	WAGMAN, D. D., EVANS, W. H., HALOW, I., PARKER, V. B., BAILEY, S. M. & SCHUMM, R. H. 1966. Selected values of chemical thermodynamic properties. Part 2 U.S. Natl. Bur. Standards Tech.
68WAG/EVA	WAGMAN, D. D., EVANS, W. H., PARKER, V. B., HALOW, I., BAILEY, S. M. & SCHUMM, R. H. 1968. Selected values of chemical thermodynamic properties. Tables for the first thirty-four elements in the standard order of arrangement U.S. Natl. Bur. Standards Tech.
69WAG/EVA	WAGMAN, D. D., EVANS, W. H., PARKER, V. B., HALOW, I., BAILEY, S. M. & SCHUMM, R. H. 1969. Selected values of chemical thermodynamic properties. Tables for elements 35 through 53 in the standard order of arrangement U.S. Natl. Bur. Standards.
82WAG/EVA	WAGMAN, D. D., EVANS, W. H., PARKER, V. B., SCHUMM, R. H., HALOW, I., BALLEY, S. M., CHURNEY, K. L. & NUTTAL, R. L. 1982. NBS Tables of Chemical Thermodynamic Properties: Selected Values for Inorganic and C1 and C2 Organic Substances in SI Units. Journal of Physical and Chemical Reference Data, 11, 1-392.

77WAG/SCH	WAGMAN, D. D., SCHUMM, R. H. & PARKER, V. B. 1977. Computer-assisted evaluation of the thermochemical data of the compounds of thorium National Bureau of Standards, Washington, DC (USA); International Atomic Energy Agency, Vienna (Austria).
27WAL/BRA	WALKER, A. C., BRAY, U. B. & JOHNSTON, J. 1927. Equilibrium in solutions of alkali carbonates. <i>Journal of the American Chemical Society</i> , 49, 1235-1256.
02WAL/GAT	WALLNER, H. & GATTERER, K. 2002. Growth of pure Ni(OH) ₂ single crystals from solution—Control of the crystal size. <i>Zeitschrift für anorganische und allgemeine Chemie</i> , 628, 2818-2820.
03WAL	WALTHER, C. 2003. Comparison of colloid investigations by single particle analytical techniques—a case study on thorium-oxyhydroxides. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 217, 81-92.
07WAL/CHO	WALTHER, C., CHO, H. R., MARQUARDT, C. M., NECK, V., SEIBERT, A., YUN, J. I. & FANGHÄNEL, T. 2007. Hydrolysis of plutonium (IV) in acidic solutions: no effect of hydrolysis on absorption-spectra of mononuclear hydroxide complexes. <i>Radiochim. Acta</i> , 95 7-16.
52WAM/BEL	WAMSER, C. A., BELLE, J., BERNSOHN, E. & WILLIAMSON, B. 1952. The Constitution of the Uranates of Sodium. <i>Journal of the American Chemical Society</i> , 74, 1020-1022.
99WAN/TES	WANG, F. & TESSIER, A. 1999. Cadmium complexation with bisulfide. <i>Environmental science & technology</i> , 33, 4270-4277.
06WAN	WANG, J. 2006. Thermodynamics of dehydration and hydration in natrolite and analcime. University of Florida.
00WAN/DIE	WANG, L., DIERCKX, A. & DE CANNIÈRE, P. 2000. Speciation and solubility of radionuclides in Boom Clay Waste and disposal SCK-CEN.
97WAN/ZHA	Wang, M., Zhang, Y., & Muhammed, M. (1997). Critical evaluation of thermodynamics of complex formation of metal ions in aqueous solutions III. The system Cu (I, II)? Cl?? e at 298.15 K. <i>Hydrometallurgy</i> , 45(1), 53-72.
04WAN/LI	WANG, T. & LI, Z. 2004. Some Thermodynamic Properties of Calcium Chromate. <i>Journal of Chemical & Engineering Data</i> , 49, 1300-1302.
99WAN/VAN	WANG, Z. M., VAN DE BURGT, L. J. & CHOPPIN, G. R. 1999. Spectroscopic study of lanthanide(III) complexes with carboxylic acids. <i>Inorg. Chim. Acta</i> , 293 167-177.
00WAN/VAN	WANG, Z. M., VAN DE BURGT, L. J. & CHOPPIN, G. R. 2000. Spectroscopic study of lanthanide (III) complexes with aliphatic dicarboxylic acids. <i>Inorganica chimica acta</i> , 310, 248-256.
05WAN/FEL	WANG, Z., FELMY, A. R., XIA, Y. X., QAFOKU, O., YANTASSEE, W. & CHO, H. 2005. Complexation of Cm(III)/Eu(III) with silicates in basic solutions. <i>Radiochim. Acta</i> , 93 741-748.
04WAN/ZAC	WANG, Z., ZACHARA, J. M., YANTASEE, W., GASSMAN, P. L., LIU, C. & JOLY, A. G. 2004. Cryogenic laser induced fluorescence characterization of U(VI) in Hanford vadose zone pore waters. <i>Environmental science & technology</i> , 38, 5591-5597.
99WAN/ÖST	WANNER, H. & ÖSTHOLS, E. 1999. TDB-3. Guidelines for the assignment of uncertainties. Version of 1st June 1999.: NEA OECD.
00WAN/ÖST	WANNER, H. & ÖSTHOLS, E. 2000. TDB-1. Guidelines for the review procedure and data selection. Version of 6th January 2000. NEA OECD.
00WAN/ÖST1	WANNER, H. & ÖSTHOLS, E. 2000. TDB-1. Guidelines for the review procedure and data selection. Version of 6th January 2000. NEA OECD.
00WAN/ÖST2	WANNER, H. & ÖSTHOLS, E. 2000. TDB-5 Standards and conventions for TDB publications. Version of 3rd May 2000. NEA OECD.
86WAN	WANNER, H. 1986. Modelling Interaction of Deep Groundwaters with Bentonite and Radionuclide Speciation Nagra.
91WAN	WANNER, H. 1991. On the problem of consistency of chemical thermodynamic databases. <i>Mat. Res. Soc. Symp. Proc.</i> 212, 815-822.
30WAR/COP	WARD, H. L. & COPPER, S. S. 1930. The system benzoic acid, ortho phthalic acid, water. <i>J. Phys. Chem.</i> , 24, 1484-1493.

56WAR/WEL	WARD, M. & WELCH, G. A. 1956. The chloride complexes of trivalent plutonium, americium and curium. J. Inorg. Nucl. Chem, 2 395-402.
96WAR/RIC	WARNER, T. E., RICE, N. M. & TAYLOR, N. 1996. Thermodynamic stability of pentlandite and violarite and new Eh-pH diagrams for iron-nickel sulphur aqueous system. Hydrometallurgy, 41 107-118.
94WAR/REA	WARREN, C. J. & REARDON, E. J. 1994. The solubility of ettringite at 25°C. Cement and concrete research, 24, 1515-1524.
00WAR/HAL	WARWICK, P. W., HALL, A., PASHLEY, V., BRYAN, N. D. & GRIFFIN, D. 2000. Modelling the effect of humic substances on the transport of europium through porous media: a comparison of equilibrium and equilibrium/kinetic models. Journal of Contaminant Hydrology, 42 19-34.
06WAR/EVA	WARWICK, P., EVANS, N. & VINES, S. 2006. Studies on some divalent metal a-isosaccharinic acid complexes. Radiochim. Acta, 94 363-369.
03WAR/EVA	WARWICK, P., EVANS, N., HALL, T. & VINES, S. 2003. Complexation of Ni(II) by a-isosaccharinic acid and gluconic acid from pH 7 to pH 13. Radiochimica Acta, 91 233-240.
04WAR/EVA	WARWICK, P., EVANS, N., HALL, T. & VINES, S. 2004. Stability constants of uranium(IV)-a-isosaccharinic and gluconic acid complexes. Radiochim. Acta, 92 602-897.
06WAR/EVA	Warwick, P., Evans, N., Vines, S. 2006. Studies on some divalent metal alpha-isosaccharinic acid complexes Radiochimica Acta 94, 363-368.
85WEA	WEAST, R. C. 1985. Handbook Of Chemistry And Physics, Cleveland, OH, The chemical Rubber Co.
03WEB/HUN	WEBER, C. F. & HUNT, R. D. 2003. Modeling alkaline silicate solutions at 25°C. Industrial and engineering chemistry research, 42, 6970-6976.
00WEB	WEBER, C. F. 2000. Calculation of Pitzer parameters at high ionic strengths. Ind. Eng. Chem. Res., 39 4422-4426.
64WEE	Weed, E.D. 1964. A study of the palladium(II)-chloride complexes in aqueous solution. Ohio State University.
76WEI/WIS	WEIGEL, F., WISHNEVSKY, V. & HAUSKE, H. 1976. The vapor phase hydrolysis of 241 AmCl 3 and 243 AmOCl 3, heats of formation of 241 AmCl and 243 AmOCl. Transplutonium.
64WEL/KEL	WELLER, W. W. & KELLEY, K. K. 1964. Low-temperature heat capacities and entropies at 298.15°K of sulfides of arsenic, germanium and nickel U.S. Bur. Mines Rept. Inv.
68WEL/SAL	WELLS, C. F. & SALAM, M. A. 1968. Complex formation between iron (II) and inorganic anions. Part II. The effect of oxyanions on the reaction of iron (II) with hydrogen peroxide. J. Chem. Soc. A, - 308-315.
67WEL/SAL	Wells, C. F., Salam, M. A. 1967. Complex formation between Fe(II) and inorganic anions. Part 1. Effect of simple and complex halide ions on the Fe(II) + H2O2 reaction, Trans. Faraday Soc., 63, 620-629.
01WEN/MUS	WENTZEL, M. C., MUSVOTO, E. V. & EKAMA, G. A. 2001. Application of integrated chemical-physical processes modelling to aeration treatment of anaerobic digester liquors. Environmental technology, 22, 1287-1293.
03WER/JOH	WERSIN, P., JOHNSON, L. H., SCWYN, B., BERNER, U., CURTI, E. & WIELAND, E. 2003. Redox conditions in the near field of a SF/HLW and an ILW repository in Opalius Clay Nagra.
00WES/MCK	WEST, J. M. & MCKINLEY, I. G. 2000. Progress in the geomicrobiology of radioactive waste disposal MRS Proceedings. Cambridge Univ Press.

69WES/GRO	WESTRUM, E. F. & GRONVOLD, F. 1969. Magnetite (Fe ₃ O ₄) heat capacity and thermodynamic properties from 5 to 350K, low-temperature transition. <i>Journal of Chemical Thermodynamics</i> , 1 543-557.
61WHI/BEM	WHISTLER, R. L. & BEMILLER, J. N. 1961. Alpha-D-Isosaccharino-1,4-lactone. Action of lime water on lactose. In: WOLFROM, M. L. & BEMILLER, J. N. (eds.) <i>Methods in Carbohydrate Chemistry</i> , vol. 2, Reactions of Carbohydrates
03WHI/BRA	WHITE, A. F. & BRANTLEY, S. L. 2003. The effect of time on the weathering of silicate minerals: why do weathering rates differ in the laboratory and field? <i>Chemical Geology</i> , 202, 479-506.
53WHI/DAV	WHITEKER, R. A. & DAVIDSON, N. 1953. Ion-exchange and spectrophotometric investigation of iron (III) sulfate complex ions. <i>Journal of the American chemical society</i> , 75, 3081-3085.
92WHI	WHITING, K. S. 1992. The thermodynamics and geochemistry of arsenic with application to subsurface waters at the Sharon Steel Superfund site at Midvale, Utah. Colorado School of Mines.
83WHI	WHITNEY, G. 1983. Hydrothermal reactivity of saponite. <i>Clays and Clay Minerals</i> , 31, 1-8.
72WHI/LAN	Whittemore, D. O. and Langmuir, D. 1972. Standard electrode potential of Fe ³⁺ + e ⁻ = Fe ²⁺ from 5-35°C, <i>J. Chem. Eng. Data</i> , 17, 3, 288-290.
75WHI/LAN	Whittemore, D. O. and Langmuir, D. 1975. The solubility of ferric oxyhydroxides in natural waters. <i>Groundwater</i> , 13, 4, 360-365.
03WIE/VAN	WIELAND, E. & VAN LOON, L. R. 2003. Cementitious near-field sorption database for performance assessment of an ILW Repository in Opalinus Clay. . PSI.
02WIE/TIT	WIELAND, E., TITS, J., DOBLER, J. P. & SPIELER, P. 2002. The effect of alpha-isosaccharinic acid on the stability of and Th(IV) uptake by hardened cement paste. <i>Radiochimica Acta</i> , 90 683-688.
06WIE/TIT	WIELAND, E., TITS, J., ULRICH, A. & BRADBURY, M. H. 2006. Experimental evidence for solubility limitation of the aqueous Ni (II) concentration and isotopic exchange of ⁶³ Ni in cementitious systems. <i>Radiochimica Acta</i> , 94, 29-36.
98WIE/HEL	WIERCZINSKI, B., HELFER, S., OCHS, M. & SKARNEMARK, G. 1998. Solubility measurements and sorption studies of thorium in cement pore water. <i>Journal of alloys and compounds</i> , 271 272-276.
63WIL/BRO	WILCOX, D. E. & BROMLEY, L. A. 1963. Computer estimation of heat and free energy of formation for simple inorganic compounds. <i>Industrial & Engineering Chemistry</i> , 55 32-39.
06WIL/SCO	WILES, D. M. & SCOTT, G. 2006. Polyolefins with controlled environmental degradability. <i>Polymer degradation and stability</i> , 91, 1581-1592.
98WIL/BAR	WILKIN, R. T. & BARNES, H. L. 1998. Solubility and stability of zeolites in aqueous solution; I, Analcime, Na-, and K-clinoptilolite. <i>American Mineralogist</i> , 83, 746-761.
94WIL/RIM	WILLIAMSON, M. A. & RIMSTIDT, J. D. 1994. The kinetics and electrochemical rate-determining step of aqueous pyrite oxidation. <i>Geochimica et Cosmochimica Acta</i> , 58, 5443-5454.
63WIL	Willix, R. L. S. 1963. Ferrous-ferric redox reaction in the presence of sulphate ion, <i>Trans. Faraday Soc.</i> , 59, 1315-1324.
04WIL/SMI	WILSON JR., K. V., SMITH, B. L., MACDONALD, J. M., SCHOONOVER, J. R., CASTRO, J. M., SMITH, M. E., COURNOYER, M. E. & MARX, R. 2004. Physico-chemical degradation of thermally aged hyphalon glove samples. <i>Polymer Degradation and Stability</i> , 84 439-449.
90WIL	WILSON, C. N. 1990. Indications for the formation of Pu, Am and Cm colloids in semi-static spent fuel dissolutions test. <i>Spent Fuel Workshop</i>

92WIM/KLE	WIMMER, H., KLENZE, R. & KIM, J. I. 1992. A study of reaction of hydrolysis of curium(III) by time resolved laser fluorescence spectroscopy (TRLFS). <i>Radiochimica Acta</i> , 56 79-83.
03WIT/PEA	WITHERS, S. H., PEALE, R. E., SCHULTE, A. F., BRAUNSTEIN, G., BECK, K. M., HESS, W. P. & REEDER, R. J. 2003. Broad distribution of crystal-field environments for Nd ³⁺ in calcite. <i>Physics and chemistry of minerals</i> , 30, 440-448.
97WOG/FRA	WOGELIUS, R. A., FRASER, D. G., WALL, G. R. T. & GRIME, G. W. 1997. Trace element and isotopic zonation in vein calcite from the Mendip Hills, UK, with spatial-process correlation analysis. <i>Geochimica et Cosmochimica Acta</i> , 61, 2037-2051.
92WOL	WOLERY, T. J. 1992. EQ3/6: A software package for geochemical modeling of aqueous systems: Package overview and installation guide (version 7.0), Lawrence Livermore National Laboratory Livermore, CA
76WOL	WOLFENDEN, R. 1976. Free energies of hydration and hydrolysis of gaseous acetamide. <i>J. Am. Chem. Soc.</i> , 98, 1987-1988.
90WOO	WOOD, S. A. 1990. The aqueous geochemistry of the rare-earth elements and yttrium.1. Review of available low-temperature data for inorganic complexes and the inorganic REE speciation of natural waters. <i>Chemical Geology</i> , 82 159-186.
91WOO	Wood, S.A. 1991. Experimental determination of the hydrolysis constants of Pt ²⁺ and Pd ²⁺ at 25°C from the solubility of Pt and Pd in aqueous hydroxide solutions. <i>Geochim. Cosmochim. Acta</i> 55, 1759-1767.
92WOO	WOOD., S. 1992. Theoretical prediction of speciation and solubility of beryllium in hydrothermal solution to 300°C at saturated vapor pressure: Application to bertrandite/phenakite deposits. <i>Ore Geology Reviews</i> , 7, 24-278.
67WOR	WORLEY, J. D. 1967. Benzene as a solute in water. <i>Can. J. Chem.</i> , 45, 2465-2467.
96WRU/PAL	WRUCK, D. A., PALMER, C. E. A. & SILVA, R. J. 1996. Studies of actinides in aqueous solutions at elevated temperature by laser-induced photoacoustic spectroscopy. 4th International Conference on Nuclear and Radiochemistry
97WRU/PAL	WRUCK, D. A., PALMER, C. E. A. & SILVA, R. J. 1997. Actinide speciation in elevated temperature aqueous solutions by laser photoacoustic spectroscopy. Book of abstracts, 212th ACS National Meeting, Orlando, FL, August 25-29, 1996. American Chemical Society
64WYC	WYCKOFF, R. W. G. 1964. Crystal structures. 1, Interscience Publ.
07XIA/FRI	XIA, Y. X., FRIESE, J. I., MOORE, D. A., BACHELOR, P. P. & RAO, L. 2007. Complexation of plutonium(IV) with sulfate at variable temperature. <i>Radioanal. Chem</i> , 274 79-86.
03XIA/FEL	XIA, Y., FELMY, A. R., RAO, L., WANG, Z. & HESS, N. J. 2003. Thermodynamic Model for the Solubility of ThO ₂ (am) in the aqueous Na ⁺ -H ⁺ -OH ⁻ -NO ₃ ⁻ -H ₂ O-EDTA system. <i>Radiochimica Acta</i> , 91, 751--760.
09XIA/FRI	Xia, Y., Friese, J. I., Bachelor, P. P., Moore, D. A., Rao, L. 2009. Thermodynamics of neptunium(V) complexes with phosphate at elevated temperatures, <i>J. Radioanal. Nucl. Chem.</i> , 280, 599- 605.
06XIA/FRI	Xia, Y., Friese, J., Moore, D. A., Rao, L. 2006. Stability constants of Np(V) complexes with phosphate at variable temperatures, 11th International high-level radioactive waste management conference, Las Vegas, NV.
06XIA/HES	XIA, Y., HESS, N. J. & FELMY, A. R. 2006. Stability constants of technetium(IV) oxalate complexes as a function of ionic strength. <i>Radiochimica Acta</i> , 94 137-141.

99XIA/RAO	XIA, Y., RAO, L., RAI, D. & FELMY, A. R. 1999. Solvent Extraction Study of Np(IV) Sulfate Complexation in $\text{Na}^+ \text{-Np}^{4+} \text{-OH}^- \text{-SO}_4^{2-} \text{-HSO}_4^- \text{-ClO}_4^-$ and $\text{Na}^+ \text{-Np}^{4+} \text{-OH}^- \text{-SO}_4^{2-} \text{-HSO}_4^- \text{-Cl}^-$ Systems. <i>Radiochim. Acta</i> , 86, 33-40.
98XIA/GAM	Xiao, Z., Gammons, C. H., Williams-Jones, A. E. (1998). Experimental study of copper (I) chloride complexing in hydrothermal solutions at 40 to 300°C and saturated water vapor pressure. <i>Geochimica et Cosmochimica Acta</i> , 62(17), 2949-2964.
04XU/SON	XU, T., SONNENTHAL, E., SPYCHER, N. & PRUESS, K. 2004. TOUGHREACT User's Guide: A Simulation Program for Non-isothermal Multiphase Reactive geochemical Transport in Variable Saturated Geologic Media. Lawrence Berkeley National Laboratory, available at http://esd.lbl.gov/files/research/projects/tough/documentation/TOUGHREACT_V1.2_Users_Guide.pdf .
08XU/SON	XU, T., SONNENTHAL, E., SPYCHER, N. & PRUESS, K. 2008. TOUGHREACT User's guide: A simulation program for non-isothermal multiphase reactive geochemical transport in variably saturated geologic media Lawrence Berkeley National Laboratory.
11XU/SPY	XU, T., SPYCHER, N., SONNENTHAL, E., ZHANG, G., ZHENG, L. & PRUESS, K. 2011. TOUGHREACT Version 2.0: a simulator for subsurface reactive transport under nonisothermal multiphase flow conditions. <i>Comput. Geosci.</i> 37(6), 763-774.
94YAJ	YAJIMA, T. 1994. Solubility measurements of uranium and niobium. . Nuclear Engineering Research laboratory, Faculty of Engineering, University of Tokyo,.
95YAJ/KAW	YAJIMA, T., KAWAMURA, Y. & UETA, S. 1995. Uranium(IV) solubility and hydrolysis constants under reduced conditions. <i>Mat. Res. Soc. Symp. Proc.</i> .
92YAJ/TOB	YAJIMA, T., TOBITA, S. & UETA, S. 1992. Solubility measurements of niobium in the system Nb-O-H under CO ₂ -free condition. Abstract 1992 Fall Meeting Atomic Energy Society Japan
15YAL	Yalçintas, E. 2015. Redox, solubility and sorption chemistry of technetium in dilute to concentrated saline systems, Ph. D. Thesis.
16YAL/GAO	Yalçintas, E., Gaona, X., Altmaier, M., Dardenne, K., Geckeis, H. 2016. Thermodynamic description of Tc(IV) solubility and hydrolysis in dilute to concentrated NaCl, MgCl ₂ and CaCl ₂ solutions, <i>Dalton Trans.</i> , 45, 8916-8936.
03YAL/HE	YALKOWSKY, S. H. & HE, Y. 2003. Handbook of aqueous solubility data.
98YAM/KIT	YAMAMURA, T., KITAMURA, A., FUKUI, A., NISHIKAWA, S., YAMAMOTO, T. & MORIYAMA, H. 1998. Solubility of U(VI) in highly basic solutions. <i>Radiochimica acta</i> , 83, 139-146.
56YAS/SUZ	YASUDA, M., SUZUKI, K. & YAMASAKI, K. 1956. Stability of copper and nickel chelates of some phthalic acid derivatives. <i>The Journal of Physical Chemistry</i> , 60, 1649-1651.
60YAS/YAM	YASUDA, M., YAMASAKI, K. & OHTAKI, H. 1960. Stability of complexes of several carboxylic acids formed with bivalent metals. <i>Bulletin of the Chemical Society of Japan</i> , 33, 1067-1070.
96YAT/ROS	YATES, D. M. & ROSENBERG, P. E. 1996. Formation and stability of endmember illite: I. Solution equilibration experiments at 100–250°C and P _v ,soln. <i>Geochimica et Cosmochimica Acta</i> , 60, 1873-1883.
97YAT/ROS	YATES, D. M. & ROSENBERG, P. E. 1997. Formation and stability of endmember illite: II. Solid equilibration experiments at 100 to 250°C and P _v ,soln. <i>Geochimica et Cosmochimica Acta</i> , 61, 3135-3144.
98YAT/ROS	YATES, D. M. & ROSENBERG, P. E. 1998. Characterization of neoformed illite from hydrothermal experiments at 250 degrees C and P (sub v,soln) ; an HRTEM/ATEM study. <i>American Mineralogist</i> , 83, 1199-1208.

55YAT	YATES, L. M. 1955. The thermodynamics of some complex fluorides. University of Washington, Ann Arbor, Michigan.
56YAT/FED	YATSIMIRSKII, K. B. & FEDOROVA, T. I. 1956. The stability of acetate complexes of bivalent chromium. Zh. Neorg. Khim., 1 2310-2315.
63YAT/RAI	YATSIMIRSKII, K. B. & RAZMAN, L. P. 1963. Complex formation of zirconium with inorganic acid anions. Russ. J. Inorg. Chem, 8 574-576.
60YAT/VAS	YATSIMIRSKII, K. B. & VASIL'EV, V. P. 1960. Instability Constants of Complex Compounds, Pergamon Press: Oxford
62YAT/ZHU	YATSIMIRSKII, K. B. & ZHUKOV, Y. A. 1962. Kinetic study of oxalato-complexes of thorium. Russ. J. Inorg. Chem., 7 818-821.
63YAT/ZHU	YATSIMIRSKII, K. B. & ZHUKOV, Y. A. 1963. Study of complexes formation between thorium and anions of organics acids in solutions. Russ. Journal of inorganic chemistry, 8, 149-152.
00YEH/MAD	Yeh, M., Maddison, A.P., Clark, S.B., 2000. Temperature Dependence of Chloride Complexation for the Trivalent f-Elements. Journal of Radioanalytical and Nuclear Chemistry 243, 645-650.
00YEH/RIE	YEH, M., RIEDENER, T., BRAY, K. L. & CLARK, S. B. 2000. A spectroscopic investigation of temperature effects on solution complexation in the Eu ³⁺ -acetate system. Journal of alloys and compounds, 303-304 37-41.
91YOK/SAK	YOKOKAWA, H., SAKAI, N., KAWADA, T. & DOKIYA, M. 1991. Thermodynamic stability of perovskites and related compounds in some alkaline earth-transition metal-oxygen systems. J. Sol. State Chem, 98 106-120.
05YOK/KUR	YOKOYAMA, S., KURODA, M. & SATO, T. 2005. Atomic force microscopy study of montmorillonite dissolution under highly alkaline conditions. Clays and Clay Minerals, 53, 147-154.
99YU/HEO	Yu, J. Y., Heo, B., Choi, I. K., Cho, J. P., & Chang, H. W. (1999). Apparent solubilities of schwertmannite and ferrihydrite in natural stream waters polluted by mine drainage. Geochimica et Cosmochimica Acta, 63(19-20), 3407-3416.
07YUH/ASE	YU-HANG, C., ASENJO, A., SÁNCHEZ-PASTOR, N., FERNÁNDEZ-DÍAZ, L., GÓMEZ, J. & PINA, C. M. 2007. Growth of Ba _x Sr _{1-x} SO ₄ nano-steps on barite (001) face. Surface science, 601, 381-389.
99YUI/AZU	YUI, M., AZUMA, J. & SHIBATA, M. 1999. JAEA Thermodynamic database for performance assessment of High-level radioactive waste disposal system JAEA.
71YUK/BIK	YUKHNO, G. F. & BIKKULOV, A. Z. 1971. Solubility of benzenecarboxylic acids in water. Trudy – Ufimskii Neftyanoi Institute, 169-176.
07YUN/CHO	YUN, J. I., CHO V., H. R. N., ALTMAIER, M., SEIBERT, A., MARQUARDT, C. M., WALTHER, C. & FANGHÄNEL, T. 2007. Investigation of the hydrolysis of plutonium(IV) by a combination of spectroscopy and redox potential measurements. Radiochim. Acta, 95 89-95.
99YUN/GLU	YUNGMAN, V. S. & GLUSKO, V. P. 1999. Thermal Constants of Substances, 8 Volume Set, Wiley.
03YUS/FED	YUSOV, A. B. & FEDOSEEV, A. M. 2003. Reaction of plutonium(VI) with orthosilicic acid Si(OH) ₄ . Rus. J. Coord. Chem., 29 582-590.
04YUS/FED1	YUSOV, A. B. & FEDOSEEV, A. M. 2004. Neptunium(IV) hydrolysis. A detailed study of the first stage. Radiochemistry, 46 121-124.
05YUS/FED	YUSOV, A. B. & FEDOSEEV, A. M. 2005. A Spectrophotometric Study of the Interaction of Uranyl Ions with Orthosilicic Acid and Polymeric Silicic Acids in Aqueous Solutions. Radiochemistry, 47, 345-351.
05YUS/FED2	YUSOV, A. B., FEDOSEEV, A. M., ISAKOVA, O. V. & DELEGARD, C. H. 2005. Complexation of Np(V) with silicate ions. Radiochemistry, 47 39-44.
04YUS/FED	YUSOV, A. B., FEDOSSEEV, A. M. & DELEGARD, C. H. 2004. Hydrolysis of Np(IV) and Pu(IV) and their complexation by aqueous Si(OH) ₄ . Radiochim. Acta, 92 869-881.

05YUS/SHI	YUSOV, A. B., SHILOV, V. P., FEDOSEEV, A. M., ASTAFUROVA, L. N. & DELEGARD, C. H. 2005. A Spectrophotometric Study of the Interaction of Np(VI) with Orthosilicic Acid and Polymeric Silicic Acids in Aqueous Solutions. <i>Radiochemistry</i> , 47, 352-357.
91ZAC/COW	ZACHARA, J. M., COWAN, C. E. & RESCH, C. T. 1991. Sorption of divalent metals on calcite. <i>Geochimica et Cosmochimica Acta</i> , 55 1549-1562.
73ZAI/ALE	ZAITSEVA, V. P., ALEKSEEVA, D. P. & GELMAN, A. D. 1973. Soluble compounds of Pu (V). I. Complex formation of Pu(V) with oxalate ion. <i>Sov. Radiochem.</i> , 15 386-390.
06ZAK/SEW	ZAKAZNOVA-HERZOG, V., SEWARD, T. & SULEIMENOV, O. 2006. Arsenous acid ionisation in aqueous solutions from 25 to 300°C. <i>Geochimica et Cosmochimica Acta</i> , 70, 1928-1938.
60ZAK/MOS	ZAKHAROVA, F. A. & MOSKVIN, A. I. 1960. The solubility product of uranium (IV) oxalate and the composition and dissociation constants of oxalato-uranium (IV) complexes in aqueous solution. <i>Russ. J. Inorg. Chem.</i> , 5 592-595.
12ZAN/DIB	Zanonato, P. L., Di Bernardo, P., Grenthe, I. 2012. Chemical equilibria in the binary and ternary uranyl(VI)-hydroxide-peroxide systems, <i>Dalton Trans.</i> , 41, 3380-3386.
14ZAN/DIB	Zanonato, P. L., Di Bernardo, P., Grenthe, I. 2014. A calorimetric study of the hydrolysis and peroxide complex formation of the uranyl(VI) ion, <i>Dalton Trans.</i> , 43, 2378-2383.
04ZAN/DIB	Zanonato, P., Di Bernardo, P., Bismondo, A., Liu, G., Chen, X., Rao, L. 2004. Hydrolysis of uranium(VI) at variable temperatures (10-85°C), <i>J. Am. Chem. Soc.</i> , 126, 5515-5522.
90ZAR/NEM	ZARUBIN, D. P. & NEMKINA, N. V. 1990. The solubility of amorphous silica in an alkaline aqueous medium at constant ionic strength. <i>Russ. J. Inorg. Chem.</i> , 35, 16-21.
51ZEB/ALT	ZEBROSKI, E. L., ALTER, H. W. & HEUMANN, F. K. 1951. Thorium complexes with chloride, fluoride, nitrate, phosphate and sulphate. <i>J. Am. Chem. Soc.</i> , 73 5646-5650.
82ZEN/LIO	ZENG, Y. & LIOU, J. G. 1982. Experimental investigation of yugawaralite-wairakite equilibrium. <i>American Mineralogist</i> , 67, 937-943.
94ZHA/MIL	ZHANG, J. Z. & MILLERO, F. J. 1994. Investigation of metal sulfide complexes in sea water using cathodic stripping square wave voltametry. <i>Analytica Chimica acta</i> , 284 497-504.
03ZHA/REA	ZHANG, M. & REARDON, E. J. 2003. Removal of B, Cr, Mo, and Se from wastewater by incorporation into hydrocalumite and ettringite. <i>Environmental science & technology</i> , 37, 2947-2952.
05ZHA/CLA	ZHANG, Z., CLARK, S. B., TIAN, G. & RAO, L. 2005. Study on the complexation of gluconate with lanthanides and actinides. Abstracts of Papers, 229th ACS National Meeting, San Diego, CA, United States, March 13-17
06ZHA/CLA	ZHANG, Z., CLARK, S., TIAN, G. & RAO, L. 2006. Gluconic acid lactonization and complexation with Np (V) and U(VI) in acidic to neutral solutions. Abstracts of Papers, 231st ACS National Meeting, Atlanta, GA, United States, March 26-30
09ZHA/HEL	ZHANG, Z., HELMS, G., CLARK, S. B., TIAN, G., ZANONATO, P. & RAO, L. 2009. Complexation of uranium (VI) by gluconate in acidic solutions: a thermodynamic study with structural analysis. <i>Inorganic chemistry</i> , 48, 3814-3824.
01ZHA/PAN	Zhao, R., Pan, P. 2001. A spectrophotometric study of Fe(II)-chloride complexes in aqueous solutions from 10 to 100°C, <i>Can. J. Chem.</i> , 79, (2001), 131-144.

51ZHA	ZHAROVSKII, F. G. 1951. The solubility of phosphates. Trudy. Kom. Anal. Khim. Akad. Nauk. USSR, 3 101-115.
15ZHE/DID	ZHEN-WU, B. Y., DIDERIKSEN, K., BELOVA, D. A., RAAHAUGE, P. J. & STIPP, S. L. S. 2015. A comparison of standard thermodynamic properties and solubility data for baryte, Ba ²⁺ (aq) and SO ₄ ²⁻ (aq). Mineralogical Magazine, 78, 1505-1515.
95ZHO/MUC	ZHONG, S. & MUCCI, A. 1995. Partitioning of rare-earth elements (REE) between calcite and seawater solutions at 25°C, 1 atm, and high dissolved REE concentrations. Geochim. Cosmochim. Acta, 59 443-453.
04ZHU	ZHU, C. 2004. Coprecipitation in the barite isostructural family: 1. Binary mixing properties. Geochimica et cosmochimica acta, 68, 3327-3337.
04ZHU1	ZHU, C. 2004. Coprecipitation in the barite isostructural family: 1. Binary mixing properties. Geochimica et cosmochimica acta, 68, 3327-3337.
04ZHU2	ZHU, C. 2004. Coprecipitation in the barite isostructural family: 2. Numerical simulations of reactions and mass transport. Geochimica et cosmochimica acta, 68, 3339-3349.
05ZHU	ZHU, C. 2005. In situ feldspar dissolution rates in an aquifer. Geochimica et Cosmochimica Acta, 69, 1435-1453.
01ZHU/MER	ZHU, Y. & MERKEL, B. 2001. The dissolution and solubility of scorodite, FeAsO ₄ · 2H ₂ O. Evaluation and simulation with PHREEQC2. Wiss.Mitt. Inst. für Geologie, TU Bergakademie Freiberg, Germany, 18 1-12.
06ZHU/ZHA	ZHU, Y. N., ZHANG, X. H., XIE, Q. L., WANG, D. Q. & CHENG, G. W. 2006. Solubility and stability of calcium arsenates at 25°C. Water, Air, and Soil Pollution, 169 221-238.
98ZHU/LIA	ZHUANG, W., LIANG, J., QIAO, Z., SHEN, J., SHI, Y. & RAO, G. 1998. Estimation of the standard enthalpy of formation of double oxide. Journal of Alloys and Compounds, 267 6-10.
89ZIE/JON	ZIEMNIAK, S. E., JONES, M. E. & COMBS, K. E. S. 1989. Solubility and phase behavior of nickel oxide in aqueous sodium phosphate solutions at elevated temperatures. J.Sol.Chem, 18 1133-1152.
98ZIE/JON	ZIEMNIAK, S. E., JONES, M. E. & COMBS, K. E. S. 1998. Solubility and Phase Behavior of Cr(III) Oxides in Alkaline Media at Elevated Temperatures. Journal of Solution Chemistry, 27, 33-66.
07ZIE/ANO	ZIEMNIAK, S., ANOVITZ, L., CASTELLI, R. & PORTER, W. 2007. Thermodynamics of Cr ₂ O ₃ , FeCr ₂ O ₄ , ZnCr ₂ O ₄ , and CoCr ₂ O ₄ . The Journal of Chemical Thermodynamics, 39, 1474-1492.
04ZIE/GOY	Ziemniak, S.E., Goyette, M.A., 2004. Nickel (II) oxide solubility and phase stability in high temperature aqueous solutions. Journal of solution chemistry 33, 1135-1159.
89ZIE/JON	Ziemniak, S.E., Jones, M.E., Combs, K.E.S., 1989. Solubility and phase behavior of nickel oxide in aqueous sodium phosphate solutions at elevated temperatures. Journal of Solution Chemistry 18, 1133-1152.
97ZIN/CAR	ZINGARO, R. A., CARL DUFNER, D., MURPHY, A. P. & MOODY, C. D. 1997. Reduction of oxoselenium anions by iron (II) hydroxide. Environment international, 23, 299-304.
79ZOT/KOT	Zotov, A. V. and Kotova, Z. Yu. 1979. Spectrophotometric determination of the first constant of Fe ³⁺ hydrolysis at 25-80°C, Geokhimiya, 5, 285-290.

80ZOT/KOT	Zotov, A. V. and Kotova, Z. Yu.1980. Spectrophotometric determination of the primary constant of hydrolysis by an iron(3+) ion at 80-200°C, <i>Geokhimiya</i> , 5, 768-773.
03ZOT/SHI	ZOTOV, A. V., SHIKINA, N. D. & AKINIEV, N. N. 2003. Thermodynamic properties of the Sb(III) hydroxide complex Sb(OH)3 (aq) at hydrothermal condition. <i>Geochimica et Cosmochimica Acta</i> , 67 1821-1836.
02ZOT/TAG	ZOTOV, A. V., TAGIROV, B. R., DIAKONOV, I. I. & RAGNARSDOTTIR, K. V. 2002. A potentiometric study of Eu ³⁺ complexation with acetate ligand from 25 to 170°C at Psat. <i>Geochimica et Cosmochimica Acta</i> , 66, 3599-3613.
97ZOU/HAN	ZOU, L., HAN, B., LIU, R. & YAN, H. 1997. Solubilities of benzene and diphenyl in (t-butyl alcohol 1 water) and hydrophobic interaction. <i>J. Chem. Thermodyn.</i> , 29, 1289-1299.
98ZUB/CAS	ZUBIAUR, J., CASTAÑO, R., ETXEBARRIA, N., FERNANDEZ, L. & MADARIAGA, J. 1998. Potentiometric study of the protonation and distribution equilibria of d-gluconic-d-lactone acid in sodium perchlorate solutions at 25°C and construction of a thermodynamic model. <i>Talanta</i> , 45 1007-1014.
84ZUE/BYR	Zuehlke R. W. and Byrne R. H. (1984) Thermodynamic and analytical uncertainties in trace metal speciation calculations. In <i>complexation of Trace Metals in Natural Waters</i> (eds. C. J. M. Kramer and J. C. Duinker), pp.101-105. Nyhoff/Junk, The Hague.
00ZUE/FEH	ZUERN, S. G. & FEHR, K. T. Phase relations and thermodynamic properties of 1.13 nm tobermorite and xonotlite. <i>Sixth International Symposium on Hydrothermal reactions/Fourth International Conference on Solvo-thermal Reactions, 2000 2000</i> . Koichi, Japan, 286-289.
87ZUY	ZUYEV, V. V. 1987. Effects of cation electronegativity differences in the enthalpies of formation of compound crystals from oxides. <i>Geochemistry International</i> , 24, 91-100.
96ZYS/SCH	ZYSSET, M. & SCHINDLER, P. W. 1996. The proton promoted dissolution kinetics of K-montmorillonite. <i>Geochimica et Cosmochimica Acta</i> , 60, 921-931.